April 31st, 2012

Michael Wolfram Program Manager Pacific Islands Office USEPA Region IX 75 Hawthorne Street San Francisco, CA 94105

RE: OCEAN DUMPING PERMIT OD93-02 SPECIAL

Dear Michael:

Pursuant to the requirements of the above referenced permit, we are herewith submitting the Quarterly ocean dumping report for the period of January 2012 through March 2012 for Samoa Tuna Processors. No waste has been generated or transferred or dumped in this quarter. Enclosed are the following:

- * EPA Forms 1, 2 and 3.
- * Results of Monthly Onshore Storage Tank Analysis. No testing was done. N/A
- * Letter to ASEPA reporting exceedances and irregularities during the 3 month period where applicable. There were no exceedances. N/A
- * Monthly Site Monitoring Reports. N/A
- * Results of Monthly Site Monitoring Analysis. N/A

Please advise if additional information is required.

Sincerely,

Craig Double Facility Manager

Samoa Tuna Processors Inc.

Enclosures:

Pacific Island Office

Cc(1) Except Vessel Logs

Director

American Samoa Environmental

Protection Agency

American Samoa Government

Pago Pago, American Samoa 96799

Cc(1) Complete Report

Director of Engineering

Chicken of the Sea International

9330 Scranton Road

Suite 500

San Diego, California 92121

Allan Ota Wetlands Office US EPA Region IX 75 Hawthorne Street

San Francisco, CA 94105

Cc(1) Vessel Logs Only

Commanding Chief

U.S. Coast Guard Liaison Office

P.O. Box 249

Pago Pago, American Samoa 96799

Cc(1) Except Vessel Logs:

Project Leader

Office of Environmental Services U.S. Fish and Wildlife Service 300 Ala Moana Boulevard

P.O. Box 50167

Honolulu, Hawaii 96850

John Naughton

Pacific Island Regional Office

1601 Kapiolani BLvd.

Suite 1110

Honolulu, Hawaii 96814-4700

Executive Director

Western Pacific Regional Fishery

Management Council

1164 Bishop Street, Suite 1405

Honolulu, Hawaii 96813

REPORT OF ANALYSES RESULTS

SAMPLE TYPE :

Sea Water - Ocean Monitoring Sampling - December 09, 2011

REPORTING DATE: January 09 2012

SAMPLES	AMMONIA	TOTAL NITROGEN	TOTAL PHOSPHORUS	NON FILTERABLE RESIDUE	VOLATILE NON FILTERABLE RESIDUE	OIL& GREASE
	(mg N/L)	(mg N/L)	(mg P/L)	(mg/L)	(mg/L)	(mg / L)
						0.67
Stn: 1-1Mtr Control	0.028	0.20	0.010	5.0	1.5	0.67 0.63
Stn : 1-3 Mtr Control	0.020	0.15	0.020	4.0	3.0	0.56
Stn :1-10 Mtr Control	0.040	0.20	0.025	5.5	1.5	0.50
Stn : 1-1Mtr	0.028	0.05	0.025	4.5	2.0	0.49
Stn: 1-3 Mtr	0.028	0.35	0.005	5.0	2.5	0.25
Stn : 1-10 Mtr	0.041	0.30	0.020	4.5	2.5	0.64
Stn: 2-1 Mtr	0.043	0.25	0.010	6.5	1.5	0.34
Stn: 2-3 Mtr	0.022	0.10	0.015	4.5	2.5	0.48
Stn : 2-10 Mtr	0.026	0.10	0.000	5.0	2.5	0.59
Stn: 3-1 Mtr	0.033	0.15	0.000	5.5	2.5	0.22
Stn: 3-3 Mtr	0.024	0.15	0.015	5.5	2.0	0.58
Stn : 3-10 Mtr	0.032	0.15	0.020	6.5	1.5	0.49
Stn : 4-1 Mtr	0.022	0.10	0.000	5.0	2.5	0.57
Stn: 4-3 Mtr	0.041	0.15	0.010	5.0	3.0	0.58
Stn . 4-10 Mtr	0.015	0.05	0.005	5.0	3.0	0.49
Stn : 5-1 Mtr	0.023	0.30	0.005	5.0	2.5	0 38
Stn : 5-3 Mtr	0.031	0.30	0.005	5.0	3.0	0.34
Stn : 5-10 Mtr	0.035	0.00	0.015	5.5	3.5	0.51

Joe Carney: Engineering Manager

REPORT OF ANALYSES RESULTS

SAMPLE TYPE :

Sea Water - Ocean Monitoring Sampling - January 11, 2012

REPORTING DATE: February 10, 2012

SAMPLES	AMMONIA	TOTAL NITROGEN	TOTAL PHOSPHORUS	NON FILTERABLE RESIDUE	VOLATILE NON FILTERABLE RESIDUE	OIL& GREASE
	(mg N/L)	(mg N/L)	(mg P/L)	(mg/L)	(mg/L)	(mg / L)
Ctr. 1 4 Abits Comban	0.000	0.45	0.045	4.5	0.5	0.64
Stn: 1-1Mtr Control	0.022	0.15	0.045	4.5	2.5	0.61
Stn : 1-3 Mtr Control	0.018	0.45	0.010	5.5	3.0	0.70
Stn :1-10 Mtr Control	0.033	0,20	0.025	4.0	2.0	0.49
Stn: 1-1Mtr	0.026	0.25	0.010	5.0	3.0	0.51
Stn : 1-3 Mtr	0.018	0.35	0.005	5.0	1.5	0.58
Stn: 1-10 Mtr	0.027	0.25	0.020	6.0	3.0	0.38
Stn: 2-1 Mtr	0.037	0.40	0.015	5.0	2.5	0.73
Stn: 2-3 Mtr	0.039	0.45	0.050	5.0	2.0	0.47
Stn : 2-10 Mtr	0.025	0.20	0.030	4.5	3.0	0.24
Stn: 3-1 Mtr	0.031	0.50	0.010	4.5	2.5	0.58
Stn: 3-3 Mtr	0.037	0.35	0.020	5.5	3.0	0.38
Stn : 3-10 Mtr	0.020	0.35	0.050	5.5	4.0	0.37
Stn : 4-1 Mtr	0.039	0.30	0.020	6.0	2,0	0.50
Stn : 4-3 Mtr	0.020	0.25	0.075	5.5	1.0	0.49
Stn : 4-10 Mtr	0.030	0.40	0.060	4.0	1.5	0.75
Stn: 5-1 Mtr	0.033	0.35	0.020	5.0	2.0	0.25
Stn: 5-3 Mtr	0.024	0.25	0.030	4.5	4.0	0.47
Stn : 5-10 Mtr	0.021	0.25	0.010	4.0	2.5	0.50

Joe Jarney: Engineering Manager

REPORT OF ANALYSES RESULTS

SAMPLE TYPE: Sea Water - Ocean MonItoring Sampling - February 09, 2012

REPORTING DATE: March 08, 2012

SAMPLES	AMMONIA	TOTAL NITROGEN	TOTAL PHOSPHORUS	NON FILTERABLE RESIDUE	VOLATILE NON FILTERABLE RESIDUE	OIL& GREASE
Page 1.0 A 1.1 M 1.0 M 2.1 J.	(mg N/L)	(mg N/L)	(mg P/L)	(mg/L)	(mg/L)	(mg/L)
Stn : 1-1Mtr Control	0.018	0.30	0.015	5.5	2.5	0.34
Stn : 1-3 Mtr Control	0.025	0.20	0.025	5.0	2.0	0.45
Stn :1-10 Mtr Control	0.031	0.40	0.010	4.5	2.5	0.50
Stn: 1-1Mtr	0.042	0.25	0.015	5.0	3.0	0.24
Stn : 1-3 Mtr	0.025	0.10	0.000	4.5	4.0	0.49
Stn : 1-10 Mtr	0.043	0.20	0.035	4.5	2.5	0.35
Stn : 2-1 Mtr	0.046	0.25	0.005	5.0	2.5	0.45
Stn : 2-3 Mtr	0.035	0.05	0.030	5.5	2.5	0.49
Stn : 2-10 Mtr	0.025	0.20	0.005	5.0	2.0	0.35
Stn : 3-1 Mtr	0.030	0.35	0.000	5.0	3.5	0.35
Stn: 3-3 Mtr	0.032	0.35	0.010	5.5	2.0	0.67
Stn : 3-10 Mtr	0.022	0.05	0.015	4.5	2.5	0.35
Stn: 4-1 Mtr	0.025	0.15	0.025	4.0	1.5	0.75
Stn: 4-3 Mtr	0.032	0.05	0.015	6.0	2.0	0.49
Stn : 4-10 Mtr	0.027	0.00	0.015	4.0	2.0	0.47
Stn: 5-1 Mtr	0.040	0.30	0.015	5.5	3.5	0.37
Stn: 5-3 Mtr	0.040	0.05	0.025	5.5	3.5	0.23
Stn ; 5-10 Mtr	0.023	0.30	0.035	5.5	3.0	0.57

Joe Carney: Engineering Manager

Ocean Disposal Site Monitoring Report

(OD Permit 93-01 & 93-02)

12 January, 2012

Monitoring Vessel: F/V Blue Moon

Discharge Vessel: F/V Blue Moon

Chief Investigator: Mike Crook

Starkist Samoa Liaison: Joe Carney

STP/Tri Marine Liaison: Craig Double

Determination of Sampling Positions: All positions obtained by GPS

Satellite Navigation

RECEIVED

JAN 1 9 2012

Mike Crook P.O. Box 4933 Pago Pago, AS 96799 15 January, 2012

Introduction

On January 12, 2012 the tank-ship *Blue Moon* departed Starkist Samoa dock bound for the designated ocean dumpsite area approximately seven miles south of Pago Pago Harbor, American Samoa, on a routine wastewater disposal operation and for the purpose of monitoring this disposal of tuna cannery generated hi-strength liquid wastes into the waters of the Pacific Ocean. This monitoring and reporting were conducted in compliance with general permit conditions and Appendix A of Ocean Dumping Permits OD 93-01 & OD 93-02.

Chronology of Events

- <u>0540:</u> The *Blue Moon* departed Pago Pago Harbor bound for the dump-site location with Master/Principal Investigator, Chief and Mate on board.
- **<u>0627:</u>** The *Blue Moon* entered the dumpzone circle @ 14*22.5' S x 170*38.7' W.
- <u>0638:</u> The *Blue Moon* arrived at the dump-zone center, where observed light westerly winds and slight mixed-swell seas initially indicated disposal operations be conducted in the western dump-zone quadrant.
- Control Station Monitoring. The *Blue Moon* arrived 1.1 nautical miles (NM) up-current or west (W) of the dump-zone center, where discrete seawater samples were taken from depths of 1, 3, and 10 meters. Water temperatures, color, pH and observed sea/sky conditions with stations' position were recorded (Table 1). Seas at this time were slight with mixed low swells to 1.5 meters and light west/SW winds with the barometer reading 29.49. Current set and drift of the ship were slow to the east at 0.3 knot. No floating materials or sea life were observed here.
- O700: The *Blue Moon* began disposal operations in the western dump zone quadrant and continued discharging cargo (high strength waste water) with a north (N) to south (S) reciprocal, elongated elliptical pattern, approximately 2.2 miles long until 0815 hrs. when the slacking, east setting current shifted to a slow, westerly set. Disposal operations were accordingly, then shifted to the eastern zone quadrant and resumed with, again, a N to S reciprocal elliptical pattern (See Plot #1) until 1010 hrs. when the cargo discharge had been completed
- 1020: Station One Monitoring. Discrete water samples were drawn from depths of 1, 3, and 10 meters. Water temperatures, pH, stations' position and water color observations were all recorded in Table 1. The west winds had backed off to calm conditions with still partly cloudy skies. The waste plume appeared here as elongate large area of heavy glassy surface sheen

extending in a N to S direction and moving now, gradually to the west. The current/wind drift of the ship was GPS determined to be westerly @ 0.3 knots. No sea life or floating materials were observed.

- Station Two Monitoring. Station two was sampled with the same procedures as station one with measurements and observations being recorded in Table 1. This position showed similar coloration/sheen qualities as those at Station #1, with the addition of the scum swaths and suspended particulates described in Table 1 The average drift rate of the ship with current and wind was GPS determined to be westerly (W) at a slow rate of 0.2 knots between stations 2 & 3 (See Plot #1). No sea-life was noted at this position.
- <u>Station Three Monitoring.</u> Seawater samples were collected and measurements taken as with Stations 1 & 2. This position showed the same heavy sheen over clear sub-surface waters as Stations #1 without the scum and suspended particles. Sea & wind conditions remained quite calm at this point and the drift rate of the ship between Stations #3 & 4 was 0.3 knots, again, to the west.
- <u>Station Four monitoring.</u> This area showed, in addition to the heavy surface sheen, more of the fine, brownish suspended particulate material described fully in Table 1 The westerly current/drift rate of the ship was again noted here to be at 0.3 knots.
- Station Five monitoring. Sampling for this final station was conducted at the visual leading edge of the waste plume and approximately 1.2 NM west of the zone center near where the discharge had originally begun in the west quadrant. The leading edge of the waste plume was clearly visible at this location as the edge of the large, continuous area of heavy sheen described earlier with clear, natural appearing blue waters further down-current to the west. No notable sea life was observed at this position or any of the previous stations, other than a few random seabirds flying by. The final barometer reading was 29.46 when monitoring activities were concluded at 1120 hrs. The *Blue Moon* exited the disposal zone at 1125 hours and arrived back in Pago Pago Harbor to deliver the collected samples to the Starkist Samoa Co. laboratory at 1220 hours.

Mike Crook, Principal Investigator

OCEAN DUMPING RESEARCH PERMIT: OD-93-01 & 02


Table 1

<u>Date:</u> January 12,	Sea Conditions: Sli	ght w/ mixed	swells to 1.	5 meters.	Wind: Calm	to variable west & SW to 3 knots. <u>Visibility:</u> Unlimited			
2012	Barometer: 29.49	^ 29.50 29.4	6 <u>Currer</u>	nt Set & D	rift Rate: East, sla	ack then shift to west @ average 0.25 knots Sky: Partly cloudy 20 - 50%			
Time	Station	Depth (meters)	Temp.	pН	Odor	Color			
		1	27.2	8.3		Clear and natural deep pelagic blue w/ no floating or suspended			
0650	Control	3	27.2	8.3	None	materials.			
		10	27,2	8.3					
		11	29.4	8.4		The edge of a large, continuous area of heavy surface sheen extending			
1020	Station 1	3	29.4	8.4	Slightly	to the west, over deep, blue & clear water. No floating or suspended			
		10	28.9	8.4	Pungent	materials			
		1	28.3	8.4		A few patches or swaths of floating whitish scum amid the broad area			
1030	Station 2	3	28.3	8.4	Slightly	of heavy surface sheen. Also present were fine, brownish, suspended			
		10	28.3	8.4	Pungent	particulate materials to the limit of visibility (3 meters).			
		1	28.9	8.4					
1040	Station 3	3	28.9	8.4	Slightly	Same as Station #1.			
		10	28.9	8.4	Pungent				
4.000		11	29.4	8.4		Still in the large area of continuous, heavy surface sheen with more			
1050	Station 4	3	29.4	8.4	Slightly	very fine, suspended brownish particulates, not too dense in			
		10	29.4	8.4	Pungent	concentration extending down to the limit of visibility (3-4 meters).			
440#		11	28.9	8.4		Leading Edge of the waste plume. Fairly distinct boundary of glassy			
1105	Station 5	3	28.9	8.4	None	plume surface sheen and clear, natural blue seas further down-			
		10	28.9	8.4		current to the west. No more floating or particulate materials pr at this location.			

SAMPLE STATIONS POSITIONS

Control - C	LATIT	TUDE	LONGITUDE		
	14° 24.02'	South	170° 39.44'	West	
Station 1	14° 23.90'	South	170° 36.91'	West	
Station 2	14° 23.85'	South	170° 37.18'	West	
Station 3	14° 23.86'	South	170° 37.45'	West	
Station 4	14° 23.87'	South	170° 37.87'	West	
Station 5	14° 23.90'	South	170° 39.53'	West	





Ocean Disposal Site Monitoring Report

(OD Permit 93-01 & 93-02)

09 February, 2012

Monitoring Vessel: F/V Blue Moon

Discharge Vessel: F/V Blue Moon

Chief Investigator: Mike Crook

Starkist Samoa Liaison: Joe Carney

STP/Tri Marine Liaison: Craig Double

Determination of Sampling Positions: All positions obtained by GPS

Satellite Navigation

Mike Crook P.O. Box 4933 Pago Pago, AS 96799 15 February, 2012 current. The current/wind drift of the ship was GPS determined to be southwesterly @ 1.3 knots. No sea life or floatable materials were observed.

- Station Two Monitoring. Station two was sampled with the same procedures as station one with measurements and observations being recorded in Table 1. This position showed some streaks and patches of light, glassy surface sheen but no floating or suspended particulate material. The average drift rate of the ship with current and wind was GPS determined to be southwesterly at 1.2 knots between stations 2 & 3 (See Plot #1). No sea-life was noted at this position.
- 1020: Station Three Monitoring. Seawater samples were collected and measurements taken as with Stations 1 & 2. This position showed a single streak of faint surface sheen over clear blue water. The drift rate of the ship between Stations #3 & 4 was again, 1.2 knots to the SW.
- Station Four monitoring. Standard sampling procedures were again carried out as in previous stations. This position, 0.25 NM SW of Station #3, showed a few streaks and remnants of vessel discharge track-lines of typical glassy surface sheen characteristic of the high strength wastewater. These streaks and patches extended in a NW to SE direction over 2 NM long and was within about 0.25 NM from the visible leading edge of the plume. There were no floating or suspended materials. The SW current/drift rate of the ship was again noted here to be at 1.0 knots.
- Station Five monitoring. Sampling for this final station was conducted at the visual leading edge of the waste plume and located 0.24 NM south-southeast of the zone center (See Plot #1). The leading edge of the waste plume was not clearly visible at this location and consisted of just a few scattered streaks of very light glassy surface sheen with clear, natural appearing blue waters further down-current to the southwest. The final drift rate of the ship was noted to be 1.0 knots again to the SW. Other than a few random seabirds flying by, no notable sea life was observed at this position or any of the other sampling stations. The final barometer reading was 29.60 when monitoring activities were concluded at 10:55 hrs. The Blue Moon exited the disposal zone at 11:08 hours and arrived back in Pago Pago Harbor to deliver the collected samples to the Starkist Samoa Co. laboratory at 12:00 hours.

Prepared by Mike Crook, Principal Investigator

Introduction

On February 09, 2012 the tank-ship *Blue Moon* departed Starkist Samoa dock bound for the designated ocean dump-site area approximately seven miles south of Pago Pago Harbor, American Samoa, on a routine wastewater disposal operation and for the purpose of monitoring this disposal of tuna cannery generated hi-strength liquid wastes into the waters of the Pacific Ocean. This monitoring and reporting were conducted in compliance with general permit conditions and Appendix A of Ocean Dumping Permits OD 93-01 & OD 93-02.

Chronology of Events

- <u>0515:</u> The *Blue Moon* departed Pago Pago Harbor bound for the dump-site location with Master/Principal Investigator, Chief and Mate on board.
- **<u>0603:</u>** The *Blue Moon* entered the dumpzone circle @ 14*22.5' S / 170*38.6' W.
- <u>0614:</u> The *Blue Moon* arrived at the dump-zone center, where observed light northeasterly winds and slight northeast (NE) seas initially indicated disposal operations be conducted in the northeastern dump-zone quadrant.
- Control Station Monitoring. The Blue Moon arrived 1.1 nautical miles (NM) up-current or northeast of the dump-zone center, where discrete seawater samples were taken from depths of 1, 3, and 10 meters. Water temperatures, color, pH and observed sea/sky conditions with station's position were recorded (Table 1). Seas at this time were slight with NE swells to 1.0 meters and a NE breeze of 10 knots with the barometer reading 29.59 and cloudy skies. Current set and drift of the ship were to the southwest at 0.8 knots. No floating materials or sea life were observed here.
- The *Blue Moon* began disposal operations in the NE dump zone quadrant and continued discharging cargo (high-strength waste water) with a northwest (NW) to southeast (SE) reciprocal, elongated elliptical pattern, approximately 2.25 miles long (see Plot 1) until 09:49 hrs.
- Op55: Station One Monitoring. Discrete water samples were drawn from depths of 1, 3, and 10 meters. Water temperatures, pH, stations' position and water color observations were all recorded in Table 1. The NE winds had increased slightly to 12 knots with still cloudy skies. The waste plume appeared here as an oblong body of light/moderate glassy surface sheen extending in a northwest (NW) to SE direction and moving slowly to the southwest (SW). However at this exact position there was no visual evidence of the waste plume as it had already been moved off by the

OCEAN DUMPING RESEARCH PERMIT: OD-93-01 & 02

Table 1

<u>Date:</u> February 09	Sea Conditions: SI	ight with Nor	theast swel	ls to 1.0 m	eters. Wind:	Northeast @ 7 - 12 knots <u>Visibility:</u> Unlimited
2012	Barometer: 29.56	^ 29.60	Current	Set & Dri	ift Rate: Southwe	est @ average 1.1 knots <u>Sky:</u> Mostly cloudy
Time	Station	Depth (meters)	Temp.	pН	Odor	Color
		1	27.2	8.3		Clear and natural deep pelagic blue w/ no floating or suspended
0625	Control	3	27.2	8.3	None	materials.
		10	27.2	8.3		
		1	28.3	8.3		Same color qualities as Control Station; clear and natural blue with
0955	Station 1	3	27.8	8.3	None	no floating or suspended particulate material. Waste plume noted just
		10	27.8	8.3		southwest of this position having been moved by the current
		1	27.8	8.3		Streaks and patches of light, glassy surface sheen from broken up
1010	Station 2	3	27.8	8.3	Slightly	vessel track lines. No sign of floating or particulate materials.
		10	27.8	8.3	Pungent	
		1	28.3	8.3		
1020	Station 3	3	28.3	8.3	none	A single faint remnant track line of very light glassy surface sheen
		10	28.3	8.3		over deep, clear blue.
		1	28.3	8.3		A few scattered streaks & patches of very light, glassy surface sheen
1035	Station 4	3	28.3	8.3	Slightly	over deep, clear blue. No floating or suspended particulate or other
		10	28.3	8.3	Pungent	material.
		1	28.3	8.3		
1045	Station 5	3	28.3	8.3	Slightly	Leading edge of the waste plume: Same color & sheen observations as
		10	28.3	8.3	Pungent	at Station #4 extending roughly on a NW to SE line through the disposal zone center.

SAMPLE STATIONS POSITIONS

	LATIT	TUDE	LONGITUDE		
Control - C	14° 23.30'	South	170° 37.33'	West	
Station 1	14° 23.57'	South	170° 36.95'	West	
Station 2	14° 23.57'	South	170° 37.20'	West	
Station 3	14° 23.81'	South	170° 37.48'	West	
Station 4	14° 23.96'	South	170° 37.86'	West'	
Station 5	14° 24.24'	South	170° 38.23'	West	

N A	470 37.80 W	170 34.41 W
14 2 1.06 \$ 14 2 4.45 \$	PLOT #1 Ocean Monitoring Sampling Stations Control (C) and Sampling Stations #1 - #5 09 February, 2012 M. Crook, Investigator Current Set: Southwest 14*24.0' S x 170* 38.3' W #5	

Ocean Disposal Site Monitoring Report

(OD Permit 93-01 & 93-02)

08 March, 2012

Monitoring Vessel: F/V Blue Moon

Discharge Vessel: F/V Blue Moon

Chief Investigator: Mike Crook

Starkist Samoa Liaison: Joe Carney

STP/Tri Marine Liaison: Craig Double

Determination of Sampling Positions: All positions obtained by GPS

Satellite Navigation

RECEIVED
MAR 9 2012

By:

Mike Crook P.O. Box 4933 Pago Pago, AS 96799 12 March, 2012

Introduction

On March 8, 2012 the wastewater tanker *Blue Moon* departed Starkist Samoa dock bound for the designated ocean dump-site area approximately seven miles south of Pago Pago Harbor, American Samoa, on a routine wastewater disposal operation and for the purpose of monitoring this disposal of tuna cannery generated hi-strength liquid wastes into the waters of the Pacific Ocean. This monitoring and reporting were conducted in compliance with general permit conditions and Appendix A of Ocean Dumping Permits OD 93-01 & OD 93-02.

Chronology of Events

- <u>0530:</u> The *Blue Moon* departed Pago Pago Harbor bound for the dumpsite location with Master/Principal Investigator, Chief and Mate on board.
- **<u>0620:</u>** The *Blue Moon* entered the dumpzone circle @ 14*22.6' S / 170*38.7' W.
- <u>0629:</u> The *Blue Moon* arrived at the dump-zone center, where observed steady southeasterly winds and moderate southeasterly seas indicated disposal operations be conducted in the southeast dump-zone quadrant.
- Control Station Monitoring. The *Blue Moon* arrived 1.1 nautical miles (NM) up-current or southeast (SE) of the dumpzone center, where discrete seawater samples were taken from depths of 1, 3, and 10 meters. Water temperatures, color, pH and observed sea/sky conditions with stations' position were recorded (Table 1). Seas at this time were moderate with SE swells to 2.0 meters and a steady SE wind of 10+ knots and the barometer reading 29.46. Current set and drift, of the ship, were to the northwest at 0.6 knots. No floating materials or sea life were observed here.
- <u>0650:</u> The *Blue Moon* began disposal operations in the SE disposal zone quadrant and continued discharging material with a northeast to southwest reciprocal, elliptical type pattern approximately 2 miles long (see Plot 1). Wastewater discharging was completed at 09:30 hrs.
- of 1, 3, and 10 meters. Water temperatures, pH, stations' position and water color observations were all recorded in Table 1. The SE winds had increased to 15 knots during the discharge along with barometric pressure to 29.48. Skies remained partly cloudy. The waste plume was very apparent here as a large area of heavy glassy surface sheen over clear, blue water. The current/wind drift of the ship was now GPS determined to be northwesterly at 0.7 knots. No sea life or floatable/suspended particulates or other materials were observed.

<u>Station Two Monitoring.</u> Station two was sampled with the same procedures as station one with measurements and observations being recorded in Table 1. This position had remnants of the *Blue Moon's* discharge track lines visible as patches and streaks of moderate surface sheen over clear natural blue appearing seawater. The average drift rate of the ship with current and wind was GPS determined to be northwesterly (NW) at 0.7 knots between stations 2 & 3 (See Plot #1). Again, no sea-life or floatable materials were noted at this position.

Station Three Monitoring. Seawater samples were collected and measurements taken as with Stations 1 & 2. This position showed more streaks and patches of lighter surface sheen than had been noted at Stations #1 & 2, over clear blue water. The drift rate of the ship between Stations #3 & 4 was 0.8 knots to the northwest.

Station Four monitoring. Standard sampling procedures were again carried out as in previous stations. This position, 0.25 miles NW of Station #3, showed increasingly lighter sheen characteristics than the previous sample stations. There were no floating or suspended materials observed. The NW current/drift rate of the ship was noted here to be 0.8 knots which had carried the last visible remnants of the plume about an additional 0.25 of a mile further down-current to the NW.

Station Five monitoring. Sampling for this final station was conducted at the visual leading edge of the waste plume and approximately 0.3 NM east-southeast of the zone center (see Plot #1). The leading edge of the waste plume was barely visible at this location as some occasional patches and streaks of very light glassy surface sheen with clear, natural appearing blue waters further down-current to the NW. No notable sea life was observed at this position or any of the previous stations other than a few random seabirds flying by. The final barometer reading was 29.47 when monitoring activities were concluded at 10:35 hrs. The *Blue Moon* exited the disposal zone at 10:47 hours and arrived back in Pago Pago Harbor to deliver the collected samples to the Starkist Samoa Co. laboratory at 11:35 hours.

Mike Crook, Principal Investigator

OCEAN DUMPING RESEARCH PERMIT: OD-93-01 & 02

Table 1

<u>Date:</u> 08 March,	Sea Conditions: N	Moderate w/ So	outheast s	wells to 2.0	lls to 2.0 meters. Wind: SE @ 10 - 15 knots Visibility: Unlim			
2012	Barometer: 29.46	arometer: 29.46 ↑ 29.48 \$\draw 29.46 \qquad \text{Current Set & Drift Rate:} \text{N}				Northwest @ average 0. 7 knots <u>Sky:</u> Partly Cloudy, 40 - 60%		
Time	Station	Depth (meters)	Temp.	pН	Odor		Color	
		1	27.2	8.5				
0640	Control	3 10	27.2 27.2	8.4	None		ic blue w/ no floating or suspended aterials.	
		1	28.3	8.4				
0945	Station 1	3	28.3	8.4	Pungent	Large area of heavy, glassy surfa	ace sheen over clear, blue sub-surface	
		10	28.3	8.4		waters. No floating or suspended particulate materials.		
		1	28.3	8.4				
0955	Station 2	3	28.3	8.4	Slightly	Broken up track lines in streaks & patches of moderate,		
		10	28.3	8.4	Pungent		ting or suspended material	
		1	28.3	8.4			d patches of light glassy surface sheer	
1005	Station 3	3	28.3	8.4	Slightly		ng or suspended particulate or other	
		10	28.3	8.4	Pungent		aterials.	
		1	28.9	8.4		_	light surface sheen. No floating or	
1015	Station 4	3	28.9	8.4	Slightly	suspend	led materials	
		10	28.3	8.4	Pungent			
		1	28.3	8.4			e: Indistinct area of occasional very	
1025	Station 5	3	28.3	8.4	None		ace sheen about 0.25 NM northwest o	
		10	28.3	8.4		Station #4. No floating or suspended particulate mate		

SAMPLE STATIONS POSITIONS

Control - C	LATIT	UDE	LONGITUDE		
	14° 24.75'	South	170° 37.40'	West	
Station 1	14° 24.66'	South	170° 37.01'	West	
Station 2	14° 24.54'	South	170° 37.20'	West	
Station 3	14° 24.37'	South	170° 37.47'	West	
Station 4	14° 24.26'	South	170° 37.78'	West	
Station 5	14° 24.17'	South	170° 37.97'	West	

14 2 <u>4</u> . N S A & &	PLOT #1 Ocean Monitoring Sampling Stations
	Control (C) and Sampling Stations #1 - #5 08 March, 2012 M. Crook, Investigator
	Disposal Zone Center: 14*24.0' S x 170* 38.3' W #4 #3
1424.36 S	Current Set: Northwest
*** **********************************	

Cumulative Yearly Data on Fish Processing Wastes Generated at Samoa Tuna Processors and Disposed at the Ocean Site MPRSA 102 Special Permit #OD 93-02

Reporting Period: From <u>1-Jan</u> 2012 <u>31-Mar</u> 2012

	DAF Sludge	Cooker Water	Press Water	Total		Volume
	Generated	Generated	Generated	Generated	Coagulate polymer	Ocean Disposed
Month & Year	(gallons/month)	(gallons/month)	(gallons/month)	(gallons/month)	(pounds/month)	(gallons/month)
Jan. 2012	0	0	0	0	0	0
Feb. 2012	0	0	0	0	0	0
Mar. 2012	0	0	0	0	0	0
Apr. 2012						
May. 2012						
Jun. 2012						
Jul. 2012						
Aug. 2012						
Sep. 2012						
Oct. 2012						
Nov. 2012						
Dec. 2012						
Cumulative						
Yearly Totals	0	0	0	0	0	0

NOTE: A seperate table shall be prepared for each calendar year.

Monthly Volumes of COS Samoa Packing Fish Processing Wastes Generated Per Day and Volumes of Fish Processing Wastes Disposed at the Ocean Site

Month: <u>Jan-12</u>

	DAF Sludge	Precooker Water	Press Water	Total	Volume
	Generated	Generated	Generated	Generated	Ocean Disposed
OD 93-02	(gallons/day)	(gallons/day)	(gallons/day)	(gallons/day)	(gallons/day)
Permit					
Limits	60,000	100,000	40,000	200,000	200,000
1/1/2012	No waste for Jan	uary		0	
Totals	0	0	0	0	0

Note: An asterisk(*) to the right of the fish processing waste volume signifies that a violation of the permit limit has occurred.

The number of violations are shown in the Monthly Totals row.

Monthly quantities of alum (aluminum sulfate) and coagulant polymer added to the fish processing waste streams:

Aluminum Sulfate: 0 pounds/month

Monthly Volumes of COS Samoa Packing Fish Processing Wastes Generated Per Day and Volumes of Fish Processing Wastes Disposed at the Ocean Site

Month:

Feb-12

	DAF Sludge	Precooker Water	Press Water	Total	Volume
	Generated	Generated	Generated	Generated	Ocean Disposed
OD 93-02	(gallons/day)	(gallons/day)	(gallons/day)	(gallons/day)	(gallons/day)
Permit					
Limits	60,000	100,000	40,000	200,000	200,000
2/1/2012	No Waste for February			#VALUE!	
Totals	0	0	0	#VALUE!	0

Note: An asterisk(*) to the right of the fish processing waste volume signifies that a violation of the permit limit has occurred.

The number of violations are shown in the Monthly Totals row.

Monthly quantities of alum (aluminum sulfate) and coagulant polymer added to the fish processing waste streams:

Aluminum Sulfate:

0 pounds/month

Monthly Volumes of COS Samoa Packing Fish Processing Wastes Generated Per Day and Volumes of Fish Processing Wastes Disposed at the Ocean Site

Month:

Mar-12

	DAF Sludge	Precooker Water	Press Water	Total	Volume
	Generated	Generated	Generated	Generated	Ocean Disposed
OD 93-02	(gallons/day)	(gallons/day)	(gallons/day)	(gallons/day)	(gallons/day)
Permit					
Limits	600,00	100,000	40,000	200,000	200,000
3/1/2012	No Waste for March			#VALUE!	
Totals	0	0	0	#VALUE!	0

Note: An asterisk(*) to the right of the fish processing waste volume signifies that a violation of the permit limit has occurred.

The number of violations are shown in the Monthly Totals row.

Monthly quantities of Aluminum Sulfate:

0 pounds/month

Data Form for 3-Month Report on Waste Stream Analyses for Samoa Tuna Processors MPRSA 102 Permit #OD 93-02

Reporting Period: From

2012 to January March

	Total Solids		otal Volatile Solids	5-Day Biological Oxygen Demand	Oil and Grease	Total Phosphorus	Total Nitrogen	.:4.	Ammonia	рН	Density
Month & Year	(mg/L)		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)		(mg/L)	(pH units)	(g/mL)
January-12 Feruary-12 March-12		STATE OF THE PERSON OF THE PER									
OD 93-02 Permit Limits	54,590		58,760	87,780	48,630	2,820	11,070		5,200	5.8 to 7.5	.97 to 1.03

2012

NOTE: An asterisk(*) next to the waste concentration signifies that an exceedance of the permit limit has occurred.

July 26th, 2012

Michael Wolfram Program Manager Pacific Islands Office USEPA Region IX 75 Hawthorne Street San Francisco, CA 94105

RE: OCEAN DUMPING PERMIT OD93-02 SPECIAL

Dear Michael:

Pursuant to the requirements of the above referenced permit, we are herewith submitting the Quarterly ocean dumping report for the period of April 2012 through June 2012 for Samoa Tuna Processors Inc. No waste has been generated or transferred or dumped in this quarter. Enclosed are the following:

- * EPA Forms 1, 2 and 3.
- * Results of Monthly Onshore Storage Tank Analysis. No testing was done. N/A
- * Letter to ASEPA reporting exceedances and irregularities during the 3 month period where applicable. There were no exceedances. N/A
- * Monthly Site Monitoring Reports. N/A
- * Results of Monthly Site Monitoring Analysis.

Please advise if additional information is required.

Sincerely,

Craig Double Facility Manager

Samoa Tuna Processors Inc.

Enclosures:

Pacific Island Office

Cc(1) Except Vessel Logs

Director

American Samoa Environmental

Protection Agency

American Samoa Government

Pago Pago, American Samoa 96799

Cc(1) Complete Report

Director of Engineering

Chicken of the Sea International

9330 Scranton Road

Suite 500

San Diego, California 92121

Allan Ota

Wetlands Office US EPA Region IX

75 Hawthorne Street

San Francisco, CA 94105

Cc(1) Vessel Logs Only

Commanding Chief

U.S. Coast Guard Liaison Office

P.O. Box 249

Pago Pago, American Samoa 96799

Cc(1) Except Vessel Logs:

Project Leader

Office of Environmental Services U.S. Fish and Wildlife Service

300 Ala Moana Boulevard

P.O. Box 50167

Honolulu, Hawaii 96850

John Naughton

Pacific Island Regional Office

1601 Kapiolani BLvd.

Suite 1110

Honolulu, Hawaii 96814-4700

Executive Director

Western Pacific Regional Fishery

Management Council

1164 Bishop Street, Suite 1405

Honolulu, Hawaii 96813

REPORT OF ANALYSES RESULTS

SAMPLE TYPE :

Sea Water - Ocean Monitoring Sampling - March,08 2012

REPORTING DATE: April 03, 2012

CANADIES	AMANANA	TOTAL	TOTAL	NON	VOLATILE NON	OIL& GREASE
SAMPLES	AMMONIA	NITROGEN	PHOSPHORUS	FILTERABLE	FILTERABLE	OILG ONLINGE
		MITROGEN	PHOSPHOROS	RESIDUE	RESIDUE	
				71201002	1 1201002	
	(mg N/L)	(mg N/L)	(mg P/L)	(mg/L)	(mg/L)	'(mg/L)
The state of the s			1	La companya da da como de la como		the common groups of more common to be the common of the c
Stn : 1-1Mtr Control	0.020	0.25	0.020	4.5	1.5	0.49
Stn : 1-3 Mtr Control	0.025	0.10	0.030	4.0	2.5	0.50
Stn :1-10 Mtr Control	0.040	0.30	0.010	3.5	2.0	0.24
Stn: 1-1Mtr	0.046	0.15	0.005	5.0	1.0	0.50
Stn: 1-3 Mtr	0.023	0,20	0.015	5.0	3.0	0.49
Stn : 1-10 Mtr	0.022	0.05	0,000	5.5	2.5	0.47
Stn : 2-1 Mtr	0.027	0.40	0.010	4.5	2.5	0.49
Stn: 2-3 Mtr	0.043	0.25	0.030	4.0	2.0	0.50
Stn : 2-10 Mtr	0.050	0.45	0.000	4.5	3.0	0.37
Stn: 3-1 Mtr	0.027	0.35	0.025	5.0	3.0	0.49
Stn : 3-3 Mtr	0.033	0.35	0.010	4.5	2.5	0.35
						•
Stn : 3-10 Mtr	0.039	0.10	0.010	5.0	2.5	0.13
	-,					
Stn : 4-1 Mtr	0.019	0.40	0.010	5.5	2.5	0.49
0	0,0,0					
Stn: 4-3 Mtr	0.026	0.00	0.010	5.5	3.0	0.47
0117 4 0 1410	0,020	0,100				
Stn : 4-10 Mtr	0.035	0.05	0.000	5.5	3.0	0.49
301. 4-10 1010	0.000	0.00	0.000	0,0	0.0	
Stn: 5-1 Mtr	0.019	0.35	0.005	5.5	3.0	0.47
Sul, 5-1 Will	0.013	0.00	0.000	0.0	3.3	
Ct E 2 Mt-	0.039	0.05	0.035	4.0	3.5	0.49
Stn: 5-3 Mtr	0.038	0.05	0.000	4.0	0.0	5.45
04 5 40 14	0.027	0.70	0.005	5.5	3.0	0.50
Stn: 5-10 Mtr	0.037	0.20	0.005	5.5	3.0	0.30

Joe Jamey: Engineering Manager

REPORT OF ANALYSES RESULTS

SAMPLE TYPE :

Sea Water - Ocean Monitoring Sampling - March,08 2012

REPORTING DATE: April 03, 2012

SAMPLES	AMMONIA	TOTAL NITROGEN	TOTAL PHOSPHORUS	NON FILTERABLE RESIDUE	VOLATILE NON FILTERABLE RESIDUE	OIL& GREASE
A CONTRACTOR OF THE PROPERTY O	(mg N/L)	(mg N/L)	(mg P/L)	(mg/L)	(mg/L)	(mg / L)
Stn : 1-1Mtr Control	0.020	0.25	0.020	4.5	1.5	0.49
Stn : 1-3 Mtr Control Stn :1-10 Mtr Control	0.025 0.040	0.10 0.30	0.030 0.010	4 .0 3.5	2.5 2.0	0.50 0.24
341.1510 1010 001000	0.040	0.00	0.010	0.0	2.0	0.24
Stn: 1-1Mtr	0.046	0.15	0.005	5.0	1.0	0.50
Stn: 1-3 Mtr	0.023	0.20	0.015	5.0	3.0	0.49
Stn : 1-10 Mtr	0.022	0.05	0.000	5.5	2.5	0.47
Stn: 2-1 Mtr	0.027	0.40	0.010	4.5	2.5	0.49
Stn : 2-3 Mtr	0.043	0.25	0.030	4.0	2.0	0.50
Stn : 2-10 Mtr	0.050	0.45	0.000	4.5	3.0	0.37
Stn: 3-1 Mtr	0.027	0.35	0.025	5.0	3.0	0.49
Stn: 3-3 Mdtr	0.033	0.35	0.010	4.5	2.5	0.35
Stn : 3-10 Mtr	0.039	0.10	0.010	5.0	2.5	0.13
Stn : 4-1 Mtr	0.019	0.40	0.010	5.5	2.5	0.49
Stn : 4-3 Mtr	0,026	0.00	0.010	5.5	3.0	0.47
Stn : 4-10 Mtr	0.035	0.05	0.000	5.5	3.0	0.49
Stn ; 5-1 Mtr	0.019	0.35	0.005	5.5	3.0	0.47
Stn : 5-3 Mtr	0.038	0.05	0.035	4.0	3.5	0.49
Stn : 5-10 Mtr	0.037	0.20	0.005	5.5	3.0	0.50

Joe arney: Engineering Manager

REPORT OF ANALYSES RESULTS

SAMPLE TYPE :

Sea Water - Ocean Monitoring Sampling - May 04, 2012

REPORTING DATE: June - 09- 2012

SAMPLES	AMMONIA	TOTAL	TOTAL	NON	VOLATILE NON	OIL& GREASE
0.11111 220	71111110111171	NITROGEN	PHOSPHORUS	FILTERABLE	FILTERABLE	OILG OILLINGE
TRINGING A				RESIDUE	RESIDUE	:
		5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5				
	(mg N/L)	(mg N/L)	(mg P/L)	(mg/L)	(mg/L)	(mg/L)
Stn: 1-1Mtr Control	0.027	0.45	0.015	4.5	2.5	0.23
Stn: 1-3 Mtr Control	0.040	0.20	0.015	5.0	1.5	0.34
Stn:1-10 Mtr Control	0.039	0.10	0.015	5.5	2.0	0.47
Stn: 1-1Mtr	0.045	0.25	0.015	4.5	2.5	0.38
Stn: 1-3 Mtr	0.030	0.35	0.010	3.5	1,5	0.49
Stn: 1-10 Mtr	0.024	0.25	0.020	5.0	2.5	0.57
Stn : 2-1 Mtr	0.040	0.05	0.020	5.5	2.0	0.57
Stn : 2-3 Mtr	0.026	0.30	0.025	5.0	2.5	0.34
Stn : 2-10 Mtr	0.020	0.05	0.005	5.5	2.5	0.57
Stn: 3-1 Mtr	0.027	0.25	0.005	5.0	1.5	0.46
Stn: 3-3 Mtr	0.020	0.05	0.000	4.0	1.5	0.58
Stn: 3-10 Mtr	0.019	0.30	0.005	4.5	2.0	0.34
Stn: 4-1 Mtr	0.035	0.05	0.030	5.0	1.0	0.58
Stn: 4-3 Mtr	0.032	0.35	0.020	5.5	2.5	0.23
Stn: 4-10 Mtr	0.035	0.35	0.000	4.5	2.0	0 34
SIn : 5-1 Mtr	0.024	0.20	0.020	5.0	2.0	0.36
Stn : 5-3 Mtr	0.032	0.25	0.005	5.0	3.0	0.49
Stn : 5-10 Mtr	0.034	0.15	0.015	5.0	1.5	0.45
		-				

Joe arney: Engineering Manager

REPORT OF ANALYSES RESULTS

SAMPLE TYPE:

Sea Water - Ocean Monitoring Sampl June 09 2012

REPORTING DATE: July - 03 - 2012

	A CONTRACTOR OF THE CONTRACTOR					
SAMPLES	AMMONIA	TOTAL	TOTAL	NON	VOLATILE NON	OIL& GREASE
		NITROGEN	PHOSPHORUS	FILTERABLE	FILTERABLE	
				RESIDUE	RESIDUE	
	(mg N/L)	(mg N/L)	(mg P/L)	(mg/L)	(mg/L)	(mg/L)
h	· · · · · · · · · · · · · · · · · · ·	<u> </u>	And the second s	the same of the sa		elementals communication registrating and to transmission and contraction and contraction at the contraction of
Stn: 1-1Mtr Control	0.043	0.15	0.000	5.0	2.5	0.35
Stn: 1-3 Mtr Control	0.023	0.20	0.005	5.5	2.0	0.45
Stn:1-10 Mtr Control	0.041	0.25	0.010	5.0	2.0	0.38
Chr. 4 484br	0.024	0.20	0.025	5.0	2.5	0.46
Stn: 1-1Mtr	0.034	0.20	0.025	5.0	2.5	0.40
Stn: 1-3 Mtr	0.044	0.30	0.010	5.0	2.5 5	0.47
Stn: 1-10 Mtr	0.030	0.15	0.015	5.5	3.5	0 56
						0.40
Stn: 2-1 Mtr	0.034	0.20	0.020	4.5	3.0	0 43
Stn : 2-3 Mtr	0.049	0.25	0.015	4.5	2.5	0.56
54, , 2 5	0.0.0	0.20	0.010			
Stn: 2-10 Mtr	0.046	0.15	0.005	4.5	2.5	0.43
Stn: 3-1 Mtr	0.037	0.15	0.020	5.5	3.0	0.34
Chm . 2 2 Ma	0.044	0.30	0.000	5.0	3.5	0.33
Stn: 3-3 Mtr	0.041	0.30	0.000	5.0	3.5	0.55
Stn : 3-10 Mtr	0.043	0.10	0.020	6.0	2.5	0.34
Stn : 4-1 Mtr	0.041	0.15	0.005	5.5	3.5	0.54
Stn: 4-3 Mtr	0.048	0.25	0.020	4.5	3.0	0.22
			0.040	4.5	2.5	0.24
Stn : 4-10 Mtr	0.055	0.15	0.010	4.5	3.5	0.34
Stn : 5-1 Mtr	0.044	0.30	0.000	4.5	2.5	0.35
3ti . 3-1 Mili	0.044	0.50	0.000	7.0	2.0	
Stn : 5-3 Mtr	0.047	0.30	0.030	5.5	2.0	0.45
Stn : 5-10 Mtr	0.037	0.05	0.030	5.0	3.0	0.58

Joe Carney: Engineering Manager

Ocean Disposal Site Monitoring Report

(OD Permit 93-01 & 93-02)

06 April, 2012

Monitoring Vessel: F/V Blue Moon

Discharge Vessel: F/V Blue Moon

Chief Investigator: Mike Crook

Starkist Samoa Liaison: Joe Carney

STP/Tri Marine Liaison: Craig Double

Determination of Sampling Positions: All positions obtained by GPS

Satellite Navigation

Introduction

On April 06, 2012 the tank-ship *Blue Moon* departed Starkist Samoa dock bound for the designated ocean dump site area approximately seven miles south of Pago Pago Harbor, American Samoa, on a routine wastewater disposal operation and for the purpose of monitoring this disposal of tuna cannery generated hi-strength liquid wastes into the waters of the Pacific Ocean. This monitoring and reporting were conducted in compliance with general permit conditions and Appendix A of Ocean Dumping Permits OD 93-01 & OD 93-02.

Chronology of Events

- <u>0845:</u> The *Blue Moon* departed Pago Pago Harbor bound for the dump-site location with Master/Principal Investigator, Chief and Mate on board.
- **<u>0939:</u>** The *Blue Moon* entered the dumpzone circle @ 14*22.5' S x 170*38.7' W.
- The *Blue Moon* arrived at the dump-zone center, where observed light southeast (SE) winds and slight south (S) & SE swells initially indicated disposal operations be conducted in the southeastern dump-zone quadrant.
- Ontrol Station Monitoring. The *Blue Moon* arrived 1.1 nautical miles (NM) up-current or SE of the dump-zone center, where discrete seawater samples were taken from depths of 1, 3, and 10 meters. Water temperatures, color, pH and observed sea/sky conditions with stations' position were recorded (Table 1). Seas at this time were slight with mixed S & SE swells to 1.5 meters and light SSE winds with the barometer reading 29.56. It was noted here that the current set and drift of the ship had now shifted somewhat from NW to due north at 0.9 knots indicating that disposal operations should be shifted accordingly to the southern zone quadrant. No floating materials or sea life were observed.
- The *Blue Moon* began disposal operations in the southeastern dump zone quadrant then, according to the change in current set, proceeded to the southern quadrant and continued discharging cargo (high strength waste water) with an East (E) to West (W) reciprocal, elongated elliptical pattern, approximately 2.2 miles long until completion at 1324 hrs. (See (Plot #1).
- <u>Station One Monitoring.</u> Discrete water samples were drawn from depths of 1, 3, and 10 meters. Water temperatures, pH, stations' position and water color observations were all recorded in Table 1. The waste plume was not apparent at this position having already been moved off to the north by the current, which was GPS determined to be northerly @ 0.7

knots. No sea life or floating materials were observed.

Station Two Monitoring. Station two was sampled with the same procedures as station one with measurements and observations being recorded in Table 1. The waste plume appeared here as elongate large area of heavy glassy surface sheen over clear blue and extending in a E to W direction for over 2 NM and moving steadily to the north. The average drift rate of the ship with current and wind was GPS determined to be northerly (N) at a rate of 0.6 knots between stations 2 & 3 (See Plot #1). No sea-life was noted at this position.

Station Three Monitoring. Seawater samples were collected and measurements taken as with Stations 1 & 2. This position showed the same heavy sheen as Station #2 with additional large (3 x 20 meter) swaths of floating scum and large brownish particles along with finer and lighter suspended particulates (See Table 1). Sea & wind (SSE @ 7kts.) conditions remained constant at this point and the drift rate of the ship between Stations #3 & 4 was 0.8 knots, again, to the north.

Station Four monitoring. This area showed, in addition to the heavy surface sheen, more swaths of the floating brownish scum along with the finer suspended particulate material described more fully in Table 1. The northerly current/drift rate of the ship was noted here to be at 0.7 knots.

Station Five monitoring. Sampling for this final station was conducted at the visual leading edge of the waste plume and approximately 1.1 NM north of the zone center. The leading edge of the waste plume was clearly visible at this location as a long east to west reaching narrow area of broken up old vessel track lines of heavy sheen with clear, natural appearing blue waters further down-current to the north. None of the floating scum or suspended particulates present at previous stations were noted here. No notable sea life was observed at this position or any of the previous stations, other than a few random seabirds flying by. The final barometer reading was 29.50 when monitoring activities were concluded at 1430 hrs. The *Blue Moon* exited the disposal zone at 1439 hours and arrived back in Pago Pago Harbor to deliver the collected samples to the Starkist Samoa Co. laboratory at 1530 hours.

Prepared by M. Chook
Mike Crook, Principal Investigator

OCEAN DUMPING RESEARCH PERMIT: OD-93-01 & 02

Table 1

<u>Date:</u> 06 April, 2012	Sea Conditions: S Barometer: 29.53				-	Vind: South-southeast @ 5 - 7 knots. Visibility: Very good to unlimited est shift to north @ average 0.7 knots Sky: Partly cloudy 50 - 80%
Time	Station	Depth (meters)	Temp.	pН	Odor	Color
0957	Control	1 3 10	29.7 29.5 29.4	8.4 8.4 8.4	None	Clear and natural, deep pelagic blue w/ no floating or suspended materials.
1330	Station 1	1 3 10	30.8 30.6 30.3	8.4 8.4 8.4	None	Same as Control Station, as the current had already moved this edge of the waste plume off to the north.
1340	Station 2	1 3 10	30.3 30.2 29.8	8.4 8.4 8.4	Slightly Pungent	A large, continuous band of moderate surface sheen extending to the north, over deep, blue & clear water. No floating or suspended materials
1350	Station 3	1 3 10	30.9 29.8 29.8	8.4 8.4 8.4	Pungent	Several large (20 x 3 meters) swaths of floating brown scum amid the broad area of heavy surface sheen. Also present were fine, white/gray suspended particulate materials to the limit of visibility (3 meters).
1400	Station 4	1 3 10	30.2 30.1 29.6	8.4 8.4 8.4	Pungent	Another large area of continuous heavy surface sheen with more floating swaths of large brownish particulates/scum, along with finer suspended gray/white particulates extending down to the limit of visibility (3-4 meters).
1415	Station 5	1 3 10	30.2 29.8 29.6	8.4 8.4 8.4	Slightly Pungent	Leading Edge of the waste plume, nearly 1.5 NM north of Station #4. Fairly distinct boundary of glassy surface sheen from old vessel discharge track lines and clear, natural blue seas further down-current to the north. No more floating or particulate materials present at this location.

SAMPLE STATIONS POSITIONS

	LATIT	TUDE	LONG	SITUDE
Control - C	14° 24.56'	South	170° 37.32'	West
Station 1	14° 25.25'	South	170° 38.15'	West
Station 2	14° 24.98'	South	170° 38.17'	West
Station 3	14° 24.76'	South	170° 38.22'	West
Station 4	14° 24.49'	South	170° 38.18'	West
Station 5	14° 22.95'	South	170° 38.33'	West

Ocean Disposal Site Monitoring Report

(OD Permit 93-01 & 93-02)

09 June, 2012

Monitoring Vessel: F/V Blue Moon

Discharge Vessel: F/V Blue Moon

Chief Investigator: Mike Crook

Starkist Samoa Liaison: Joe Carney

STP/Tri Marine Liaison: Craig Double

Determination of Sampling Positions:

All positions obtained by GPS
Satellite Navigation

JUN 12 2012

Mike Crook P.O. Box 4933 Pago Pago, AS 96799 12 June, 2012

Introduction

On June 09, 2012 the tank-ship *Blue Moon* departed Starkist Samoa dock bound for the designated ocean dump-site area approximately seven miles south of Pago Pago Harbor, American Samoa, on a routine wastewater disposal operation and for the purpose of monitoring this disposal of tuna cannery generated hi-strength liquid wastes into the waters of the Pacific Ocean. This monitoring and reporting were conducted in compliance with general permit conditions and Appendix A of Ocean Dumping Permits OD 93-01 & OD 93-02.

Chronology of Events

- <u>0520:</u> The *Blue Moon* departed Pago Pago Harbor bound for the dump-site location with Master/Principal Investigator, Chief and Mate on board.
- **<u>0615:</u>** The *Blue Moon* entered the dumpzone circle @ 14*22.5' S x 170*38.7' W.
- <u>0626:</u> The *Blue Moon* arrived at the dump-zone center, where observed southeast winds and slight east to southeasterly seas initially indicated disposal operations be conducted in the southeastern (SE) dump-zone quadrant.
- Control Station Monitoring. The *Blue Moon* arrived 1.1 nautical miles (NM) up-current or SE of the dump-zone center, where discrete seawater samples were taken from depths of 1, 3, and 10 meters. Water temperatures, color, pH and observed sea/sky conditions with stations' position were recorded (Table 1). Seas at this time were slight with East & SE swells to 1.5 meters and SE winds at 7 knots (kts.) with the barometer reading 29.59. Current set and drift of the ship, by GPS, were to the west at 0.5 knots. No floating materials or sea life were observed here.
- The *Blue Moon* began disposal operations in the southeastern dump zone quadrant and continued discharging cargo (high strength waste water) with a northeast (NE) to southwest (SW) reciprocal, elongated elliptical pattern, approximately 2.25 miles long (see Plot 1) until 09:50 hrs.
- Station One Monitoring (See Plot #1). Discrete water samples were drawn from depths of 1, 3, and 10 meters. Water temperatures, pH, stations' position and water color observations were all recorded in Table 1. The SE wind had increased to 10 kts. with partly cloudy skies. The waste plume was visible here as broken patches of heavy glassy surface sheen over clear, blue sub-surface water. The current/wind drift of the ship was GPS determined to be northwesterly (NW) at 0.5 knots. No floating or suspended materials were noted here.

- Station Two Monitoring. Station two was sampled with the same procedures as station one with measurements and observations being recorded in Table 1. This position showed some light surface sheen of previous vessel track lines as the only visible indication of the waste plume. The average drift rate of the ship with current and wind was GPS determined here to be northwesterly (NW) at a rate of 0.6 knots between stations 2 & 3 (See Plot #1). No sea-life or floating materials were noted at this position.
- Station Three Monitoring. Seawater samples were collected and measurements taken as with Stations 1 & 2. This position showed a broad area of continuous streaks and patches of moderate to heavy surface sheen along with widespread floating and suspended brown particulates in dense concentration extending down to the limit of visibility (approx. 3 4 meters). Sea & wind conditions remained the same as with the previous two sample stations and the drift rate of the ship between Stations #3 & 4 was 0.6 knots, again, to the northwest.
- 1035: Station Four monitoring. This position was in the same large area of heavy surface sheen as Station #3 and showed more floating and suspended particulate material but finer in size, less concentrated and of a lighter gray color. The northwesterly current/drift rate of the ship was again noted here to be at 0.6 knots. No sea-life was observed.
- Station Five monitoring. Sampling for this final station was conducted at the visual leading edge of the waste plume and approximately 0.24 NM south of the zone center (See Plot #1). The waste plume's leading edge was barely distinctive at this location as a few faint spots of light, glassy surface sheen with clear, natural appearing blue waters underneath and further down-current to the NW. No more of the fine floating or suspended particles were noted. The final drift rate of the ship was noted to be 0.8(NW) knots. Other than a few random seabirds flying by, no significant sea life was observed at this position or any of the previous stations. The final barometer reading was 29.60 when monitoring activities were concluded at 1058 hrs. The Blue Moon exited the disposal zone at 1110 hours and arrived back in Pago Pago Harbor to deliver the collected samples to the Starkist Samoa Co. laboratory at 1200 hours.

Prepared by M. Crock
Mike Crook, Principal Investigator

OCEAN DUMPING RESEARCH PERMIT: OD-93-01 & 02


Table 1


<u>Date:</u> 09 June,	Sea Conditions: S	light w/ East &	Southeast	swells to 1	1,5 meters. <u>V</u>	Vind: Southeast @ 7 - 10 knots	Visibility: Unlimited
2012	Barometer: 29.59	- 29.60	<u>Cu</u>	rrent Set	& Drift Rate: No	rthwest @ average 0.6 knots	Sky: Partly Cloudy, 20 - 60%
Time	Station	Depth (meters)	Temp.	pН	Odor		Color
0635	Control	1 3 10	27.9 27.7 27.7	8.6 8.6 8.6	None		ic blue w/ no floating or suspended aterials.
1000	Station 1	1 3 10	28.7 28.3 28.5	8.6 8.6 8.6	Slightly Pungent	surface sheen over deep, clear l	ssel track lines and streaks of heavy plue water. No floating scum or other e materials present.
1015	Station 2	1 3 10	28.4 28.2 28.2	8.6 8.6 8.6	Slightly Pungent		ver deep, clear blue. Heavy surface nt to the northwest. No particulates o
1025	Station 3	1 3 10	28.4 28.4 28.3	8.8 8.8 8.8	Slightly Pungent		// fine, brownish particulate material present down to the limit of visibility
1035	Station 4	1 3 10	28.5 28.5 28.5	8.7 8.7 8.7	Slightly Pungent		nore floating & suspended particulate te limit of visibility. Lighter colored than Station #3.
1045	Station 5	1 3 10	28.7 28.4 28.3	8.6 8.6 8.6	Slightly Pungent	center (See Plot #1). Location sh	atural appearing blue water. No more

SAMPLE STATIONS POSITIONS

	LATIT	TUDE	LONG	ITUDE
Control - C	14° 24.45'	South	170° 37.33°	West
Station 1	14° 24.89°	South	170° 37.16'	West
Station 2	14° 24.81'	South	170° 37.43'	West
Station 3	14° 24.63'	South	170° 37.59°	West
Station 4	14° 24.49'	South	170° 37.85'	West
Station 5	14° 24.25'	South	170° 38.26'	West

199,000





Ocean Disposal Site Monitoring Report

(OD Permit 93-01 & 93-02)

03 May, 2012

Monitoring Vessel: F/V Blue Moon

Discharge Vessel: F/V Blue Moon

Chief Investigator: Mike Crook

Starkist Samoa Liaison: Joe Carney

STP/Tri Marine Liaison: Craig Double

Determination of Sampling Positions:

All positions obtained by GPS

Satellite Navigation



Mike Crook P.O. Box 4933 Pago Pago, AS 96799 09 May, 2012

Introduction

On May 3, 2012 the tank-ship *Blue Moon* departed Starkist Samoa dock bound for the designated ocean dumpsite area approximately seven miles south of Pago Pago Harbor, American Samoa, on a routine wastewater disposal operation and for the purpose of monitoring this disposal of tuna cannery generated hi-strength liquid wastes into the waters of the Pacific Ocean. This monitoring and reporting were conducted in compliance with general permit conditions and Appendix A of Ocean Dumping Permits OD 93-01 & OD 93-02.

Chronology of Events

- <u>**0528:**</u> The *Blue Moon* departed Pago Pago Harbor bound for the dump-site location with Master/Principal Investigator, Chief and Mate on board.
- **<u>0619:</u>** The *Blue Moon* entered the dumpzone circle @ 14*22.7' S x 170*38.7' W.
- <u>0630:</u> The *Blue Moon* arrived at the dump-zone center, where observed light westerly winds and slight mixed south/SW swell seas initially indicated disposal operations be conducted in the western dump-zone quadrant.
- Control Station Monitoring. The *Blue Moon* arrived 1.1 nautical miles (NM) up-current or west (W) of the dump-zone center, where discrete seawater samples were taken from depths of 1, 3, and 10 meters. Water temperatures, color, pH and observed sea/sky conditions with stations' position were recorded (Table 1). Seas at this time were slight with mixed, low south & SW swells to 1.5 meters and a 2 knot west wind with the barometer reading 29.49. Current set and drift of the ship were slow to the east at 0.3 knot. No floating materials or sea life were observed here.
- The *Blue Moon* began disposal operations in the western dump zone quadrant and continued discharging cargo (high strength waste water) with a north (N) to south (S) reciprocal, elongated elliptical pattern, approximately 2.2 miles long until 1005 hrs. when the cargo discharge had been completed
- Station One Monitoring. Discrete water samples were drawn from depths of 1, 3, and 10 meters. Water temperatures, pH, stations' position and water color observations were all recorded in Table 1. The light west winds had backed off to near calm conditions with still cloudy skies. The waste plume was not visually present here, having apparently already been moved off to the the east by the current. The current/wind drift of the ship was GPS determined to be easterly @ 0.6 knots. No sea life or floating materials were observed.

- Station Two Monitoring. Station two was sampled with the same procedures as station one with measurements and observations being recorded in Table 1. The waste plume appeared here as elongate large area of heavy glassy surface sheen extending in a N to S direction and moving gradually to the east. No sea life or floating materials were observed. The average drift rate of the ship with current and wind was GPS determined to be easterly (E) at a rate of 0.4 knots between stations 2 & 3 (See Plot #1). No sea-life was noted at this position.
- 1030: Station Three Monitoring. Seawater samples were collected and measurements taken as with Stations 1 & 2. This position showed the same moderate sheen over clear sub-surface waters as Stations #2. Sea & wind conditions remained quite calm at this point and the drift rate of the ship between Stations #3 & 4 was 0.4 knots, again, to the east.
- 1040: Station Four monitoring. This area showed an even heavier surface sheen than the previous two stations but still had clear subsurface water. The easterly current/drift rate of the ship was noted here to be at 0.5 knots.
- Station Five monitoring. Sampling for this final station was conducted at the visual leading edge of the waste plume and approximately 0.13 NM WNW (See Plot #1) of the zone center. The leading edge of the waste plume was clearly visible at this location as the edge of the large, continuous area of moderate surface sheen described earlier with clear, natural appearing blue waters just further down-current to the east. No notable sea life was observed at this position or any of the previous stations, other than a few random seabirds flying by. The final barometer reading was 29.51 when monitoring activities were concluded at 1105 hrs. The *Blue Moon* exited the disposal zone at 1116 hours and arrived back in Pago Pago Harbor to deliver the collected samples to the Starkist Samoa Co. laboratory at 1205 hours.

Prepared by
Mike Crook, Principal Investigator

OCEAN DUMPING RESEARCH PERMIT: OD-93-01 & 02

Table 1

Date: 03 May,	Sea Conditions: S	light with Sou	th/Southwe	est swells t	o 1.5 meters.	Wind: Calm to West @ 2 knots <u>Visibility:</u> Unlimited
2012	Barometer: 29.48	† 29.51	Curre	nt Set & D	Drift Rate: East @	average 0.5 knots <u>Sky:</u> Cloudy; 70 ~ 90%
Time	Station	Depth (meters)	Temp.	pН	Odor	Color
		1	28.8	8.5		Clear and natural deep pelagic blue w/ no floating or suspended
0640	Control	3	28.7	8.5	None	materials.
		10	28.9	8.5		
		1	30.2	8.5		Same color qualities as Control Station; clear and natural blue with
1010	Station 1	3	30.0	8.5	None	no floating or suspended particulate material. Waste plume noted jus-
		10	29.6	8.5		east of this position having been moved off by the current
		1	29.7	8.5		Streaks and large patches of moderate glassy surface sheen from
1020	Station 2	3	29.5	8.5	Slightly	broken up, north to south running vessel discharge track lines. No
		10	29.3	8.5	Pungent	sign of floating or particulate materials.
		1	29.8	8.5		
1030	Station 3	3	29.6	8.5	Slightly	Same color qualities as Station #2
		10	29.5	8.5	Pungent	
		11	29.7	8.5		Large north to south extending area of heavy, glassy surface sheen
1040	Station 4	3	29.4	8.5	Slightly	over deep, clear blue. No floating or suspended particulate or other
		10	29.4	8.5	Pungent	material.
1050		1	29.7	8.5	611.1.1	Leading edge of the waste plume: Same color & sheen observations as
1050	Station 5	3	29.8	8.5	Slightly	at Station #4 and located very close (0.13 NM) west-northwest of the
		10	29.5	8.5	Pungent	disposal zone center.

SAMPLE STATIONS POSITIONS

	LATIT	UDE	LONG	ITUDE
Control - C	14° 24.12'	South	170° 39.32'	West
Station 1	14° 24.07'	South	170° 39.49'	West
Station 2	14° 24.02'	South	170° 39.21'	West
Station 3	14° 23.95'	South	170° 38.93'	West
Station 4	14° 23.98'	South	170° 38.65'	West
Station 5	14° 23.87'	South	170° 38.36'	West

170 41.43 W	PLOT #1 Ocean Monitoring Sampling Stations Control (C) and Sampling Stations #1 - #5 03 May, 2012 M. Crook, Investigator	-
14 22.72 \$	Current Set: West #1	
14 26.09 S		

StarKist.

April 12, 2013

Mr. Michael Wolfram U. S. EPA Region 9 Pacific Insular Area Program (CMD-5) 75 Hawthorne Street San Francisco, CA 94105

Dr. Toafa Vaiaga'e Director, AS EPA Office of the Governor EOB Utulei, American Samoa 96799

Gentlemen:

Re: <u>Discharge Monitoring Report for the Months of January, February and March of 2013, under NPDES No. AS0000019</u> as issued to Star Kist Samoa, CO.

Attached is the Star Kist Samoa's Discharge Monitoring Reports covering the months of January, February and March of 2013.

Star Kist Samoa met all Effluent limits.

Sincerely

Joe Carney

Manager, Engineering and Maintenance

Wa \ ls : \ npdes \samoa Attachments :

cc:

Mr. Alan Ota Mr. Brett Butler

Form Approved

OMB No. 2040-0004

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME: STAR-KIST SAMOA, INC

ADDRESS: P O BOX 368

PAGO PAGO, AS 96799

FACILITY: STAR-KIST SAMOA TUNA CANNERY

LOCATION: ATU'U, MAOPUTASI

PAGO PAGO, AS 96799 ATTN: MR. JOE CARNEY

AS0000019 001-A PERMIT NUMBER DISCHARGE NUMBER MONITORING PERIOD MM/DD/YYYY MM/DD/YYYY 1/1/2013 1/31/2013

DMR Mailing ZIP CODE:

96799

MAJOR

DISCHARGE 001/MONTHLY

External Outfall

No Discharge

		QUA	NTITY OR LOADING	<u> </u>		QUALITY OR CONC	ENTRATION		NO.	FREQUENCY	SAMPLE
PARAMETER		VALUE	VALUE	UNITS	VALUE	VALUE	VALUE	UNITS	EX	OF ANALYSIS	TYPE
Temperature, water deg. fahrenheit	SAMPLE MEASUREMENT	****	****	****	*****	81	82		0		
00011 1 0 Effluent Gross	PERMIT REQUIREMENT	****	****	*****	****	90 30DA AVG	95 DAILY MX	deg F		Continuous	CONTIN
BOD, 5-day, 20 deg. C	SAMPLE MEASUREMENT	****	*****	*****	*****	685.5	806.3		0		
00310 1 0 Effluent Gross	PERMIT REQUIREMENT	*****	*****	*****	****	Req. Mon. MO AVG	Req. Mon. DAILY MX	mg/L		Weekly	COMP2
рН	SAMPLE MEASUREMENT	*****	*****	*****	7.0	*****	7.1		0		
00400 1 0 Effluent Gross	PERMIT REQUIREMENT	*****	*****	*****	6.5 MINIMUM	*****	8.6 MAXIMUM	SU		Continuous	CONTIN
Solids, total suspended	SAMPLE MEASUREMENT	1823.9	2531.9		*****	*****	****	*****	0		
00530 1 0 Effluent Gross	PERMIT REQUIREMENT	3960 MO AVG	9960 DAILY MX	łb/d	****	***	*****	*****		Weekly	COMP24
Nitrogen, total	SAMPLE MEASUREMENT	977.8	1422.0		*****	****	****	****	0		
00600 1 0 Effluent Gross	PERMIT REQUIREMENT	1200 MO AVG	2100 DAILY MX	lb/d	****	*****	*****	*****		Twice Per Week	COMP24
Nitrogen, ammonia total (as N)	SAMPLE MEASUREMENT	827.1	914.5		*****	73.6	87.4		0		
00610 1 0 Effluent Gross	PERMIT REQUIREMENT	2016 MO AVG	4045 DAILY MX	lb/d	*****	83.36 30DA AVG	167.26 DAILY MX	mg/L		Weekly	COMP24
Phosphorus, total (as P)	SAMPLE MEASUREMENT	81.5	125.5		*****	*****	*****	*****	0		
00665 1 0 Effluent Gross	PERMIT REQUIREMENT	192 MO AVG	309 DAILY MX	lb/d	*****	****	*****	*****		Twice Per Week	COMP2

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and ivaluate the information submitted. Based on my inquiry of the person or persons who manage the Joe. Carney system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true accurate, and complete. I am aware that there are Engineering & Maint SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations AUTHORIZED AGENT TYPED OR PRINTED

84-644-423 4-12-1 AREA Code NUMBER MM/DD/YYYY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

TELEPHONE

DATE

Form Approved OMB No. 2040-0004

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME:

STAR-KIST SAMOA, INC

ADDRESS: POBOX 368

PAGO PAGO, AS 96799 FACILITY: STAR-KIST SAMOA TUNA CANNERY

LOCATION: ATU'U, MAOPUTASI

PAGO PAGO, AS 96799

ATTN: MR. JOE CARNEY

AS0000019	001-A
PERMIT NUMBER	DISCHARGE NUMBER
MONITO	ORING PERIOD
MONITO MONITO	ORING PERIOD MM/DD/YYYY

DMR Mailing ZIP CODE:

96799

MAJOR

DISCHARGE 001/MONTHLY

External Outfall

No Discharge

		QUAN	NTITY OR LOADING			QUALITY OR CONC	ENTRATION		NO.	FREQUENCY	SAMPLE
PARAMETER		VALUE	VALUE	UNITS	VALUE	VALUE	VALUE	UNITS	EX	OF ANALYSIS	TYPE
Oil and grease	SAMPLE MEASUREMENT	872.6	1078.7		*****	****	****	***	0		
03582 1 0 Effluent Gross	PERMIT REQUIREMENT	1008 MO AVG	2520 DAILY MX	lb/d	****	*****	*****	*****		Weekly	GRAB
Flow, in conduit or thru treatment plant	SAMPLE MEASUREMENT	1.278636	1.68000)	*****	****	*****	*****	0		
50050 1 0 Effluent Gross	PERMIT REQUIREMENT	Req. Mon. MO AVG	Req. Mon. DAILY MX	MGD	如文的实验	****	****	*****		Continuous	METER

NAME	TITLE PRINCIPAL EXECUTIVE OFFICER	I cartify under penalty of faw that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and	20	TELEP	HONE	DATE	
Joe. Engi	Carney	hvaluate the information submitted. Based on my inquiry of the person or persons who menage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR	84-644	4-4232	472-1	3
	TYPED OR PRINTED	knowing violations.	AUTHORIZED AGENT	AREA Code	NUMBER	MM/DD/YYYY	

					Max			Oil &G	rease	TS	s	TF	,	TI	N	Total		BOD5	
	Production	Flow	Alum	Poly	Temp	pH Li	mits	Eff	Total	Eff	Total	Eff	Total	Eff	Total	Ammor	nia	Eff	Total
Date	Tons	mgd	#/day	#/day	F	Lo	Hi	mg/l	#/day	mg/l	#/day	mg/l	#/day	mg/l	#/day	Eff mg/L	#/day	mg/l	#/day
1																			1
2																			
3																			
4																	1		
5																			
6																			
7	338.7827																		
8	370.3978	0.930000	514.3	13.4	82	7.0	7.0	80.0	618.7	151.3	1170.1	7.1	54.9	100.0	773.4	87.4	675.9	776.8	6007.7
9	399.9564	0.470000	832.1	20.0	82	7.0	7.0					5.5	21.5	78.0					
11	408.8410	1.280000	779.1	19.5	80	7.0	7.0												
12	424.0765	1.340000	715.5	17.8	80	7.0	7.0												
13		0.240000	164.3	4.2	80	7.0	7.0												
14	410.7285	1.420000	588.3	17.6	80	7.0	7.0												
15	400.7140	1.420000	816.2	20.2	80	7.0	7.0	71.8	847.9	143.3	1692.2	8.2	96.8	99.0	1169.1	76.9	908.1	654.7	7731.2
16	409.9059	1.500000	810.9	20.2	82	7.0	7.0	/1.0	047.5	143.5	1032.2	5.3	66.1	114.0	1422.0	70.5	300.1	004.7	7701.2
17	421.5625	1.590000	842.7	19.7	82	7.0	7.0					0.0	00.1	114.0	1422.0				
18	424.2365	1.500000	826.8	19.5	82	7.0	7.0												
19	400.8927	1.180000	646.6	16.5	82	7.0	7.0												
20		1.040000	296.8	6.8	80	7.0	7.0												
21																			
22	416.6664	1.130000	455.8	12.1	80	7.0	7.1												
23	429.8553	1.580000	810.9	19.9	82	7.0	7.0	82.1	1078.7	192.7	2531.9	6.4	84.1	87.0	1143.1	69.6	914.5	806.3	10594.2
24	425.9439	1.580000	805.6	20.6	82	7.0	7.0					6.0	78.8	91.0	1195.7				
25	421.2833	1.680000	726.1	17.2	80	7.0	7.0												
26	409.9351	1.280000	598.9	14.4	80	7.0	7.0												
27	420.3107	0.910000	323.3	7.6	80	7.0	7.0												ļ
28	415.4101	1.340000	630.7	15.7	80	7.0	7.0												
29	413.1288	1.610000	800.3	19.9	81	7.0	7.1	70.6	945.2	142.0	1901.2	9.3	124.5	76.0	1017.5	60.5	810.0	504.3	6752.0
30	419.2884	1.540000	810.9	19.9	82	7.0	7.0					9.8	125.5	86.0	1101.4				
31		1.570000	800.3	19.9	80	7.0	7.0												
тот	8181.9165	28.130000	14596.4	362.4					3490.6		7295.5		652.3		7822.2		3308.5		31085.0
AVG	409.0958	1.278636	663.5	16.5	82			76.1	872.6	157.3	1823.9	7.2	81.5	91.4	977.8	73.6	827.1	685.5	7771.3

Form Approved

OMB No. 2040-0004

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME:

STAR-KIST SAMOA, INC

ADDRESS: P O BOX 368

PAGO PAGO, AS 96799

FACILITY:

STAR-KIST SAMOA TUNA CANNERY

LOCATION: ATU'U, MAOPUTASI

PAGO PAGO, AS 96799

ATTN: MR. JOE CARNEY

AS0000019 001-A PERMIT NUMBER DISCHARGE NUMBER MONITORING PERIOD MM/DD/YYYY MM/DD/YYYY 2/28/2013 2/1/2013

DMR Mailing ZIP CODE:

96799

MAJOR

DISCHARGE 001/MONTHLY

External Outfall

No Discharge

	1	QUA	NTITY OR LOADING			QUALITY OR CONC	ENTRATION		NO.	FREQUENCY	SAMPLE
PARAMETER		VALUE	VALUE	UNITS	VALUE	VALUE	VALUE	UNITS	EX	OF ANALYSIS	TYPE
Temperature, water deg. fahrenheit	SAMPLE MEASUREMENT	****	*****	*****	*****	81	82		0		
00011 1 0 Effluent Gross	PERMIT REQUIREMENT	*****	*****	*****	446942	90 30DA AVG	95 DAILY MX	deg F		Continuous	CONTIN
BOD, 5-day, 20 deg. C	SAMPLE MEASUREMENT	***	*****	***	*****	714.0	74.7		0		
00310 1 0 Effluent Gross	PERMIT REQUIREMENT	*****	****	****	*****	Req. Mon. MO AVG	Req. Mon. DAILY MX	mg/L		Weekly	COMP24
рН	SAMPLE MEASUREMENT	*****	*****	***	6.9	****	7.1		0		
00400 1 0 Effluent Gross	PERMIT REQUIREMENT	*****	****	*****	6.5 MINIMUM	****	8.6 MAXIMUM	SU		Continuous	CONTIN
Solids, total suspended	SAMPLE MEASUREMENT	1717.3	2168.0		*****	*****	*****	*****	0		
00530 1 0 Effluent Gross	PERMIT REQUIREMENT	3960 MO AVG	9960 DAILY MX	lb/d	*****	*****	424224	*****		Weekly	COMP24
Nitrogen, total	SAMPLE MEASUREMENT	1194.3	1413.3		*****	*****	******	*****	0		
00600 1 0 Effluent Gross	PERMIT REQUIREMENT	1200 MO A V G	2100 DAILY MX	lb/d	*****	****	*****	*****		Twice Per Week	COMP24
Nitrogen, ammonia total (as N)	SAMPLE MEASUREMENT	1094.3	1250.0		*****	82.3	91.1		0		
00610 1 0 Effluent Gross	PERMIT REQUIREMENT	2016 MO AVG	4045 DAILY MX	lb/d	****	83.36 30DA AVG	167.26 DAILY MX	mg/L		Weekly	COMP24
Phosphorus, total (as P)	SAMPLE MEASUREMENT	125.7	173.8		*****	*****	******	*****	0		
00665 1 0 Effluent Gross	PERMIT REQUIREMENT	192 MO AVG	309 DAILY MX	lb/d	*****	*****	*****	*****		Twice Per Week	COMP24

	I certify under penalty of law that this document and all attechments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and		TELEP	HONE	DATE
ove. Carney	twalutils the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accovate, and complete. I am aware that there are stpolicant penalties for submitting false information, including the possibility of fine and imprisonment for	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR	684-64	4-423	24-12-1
TYPED OR PRINTED	furbowing violations.	AUTHORIZED AGENT	AREA Code	NUMBER	MM/DD/YYYY

Form Approved OMB No. 2040-0004

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME:

STAR-KIST SAMOA, INC

ADDRESS: P O BOX 368

PAGO PAGO, AS 96799

FACILITY: STAR-KIST SAMOA TUNA CANNERY

LOCATION: ATU'U, MAOPUTASI

PAGO PAGO, AS 96799

ATTN: MR. JOE CARNEY

AS0000019 001-A PERMIT NUMBER DISCHARGE NUMBER MONITORING PERIOD MM/DD/YYYY MM/DD/YYYY 2/1/2013 2/28/2013

DMR Mailing ZIP CODE:

96799

MAJOR

DISCHARGE 001/MONTHLY

External Outfall

No Discharge

		QUANTITY OR LOADING				QUALITY OR CONC	ENTRATION		NO.	FREQUENCY	SAMPLE
PARAMETER		VALUE	VALUE	UNITS	VALUE	VALUE	VALUE	UNITS	EX	OF ANALYSIS	TYPE
Oil and grease	SAMPLE MEASUREMENT	884.8	921.6		*****	*****	*****	*****	0		
03582 1 0 Effluent Gross	PERMIT REQUIREMENT	1008 MO AVG	2520 DAILY MX	lb/d	女女女女女女	****	*****	*****		Weekly	GRAB
Flow, in conduit or thru treatment plant	SAMPLE MEASUREMENT	1.275185	1.780000		****	*****	****	*****	0		
50050 1 0 Effluent Gross	PERMIT REQUIREMENT	Req. Mon. MO AVG	Req. Mon. DAILY MX	MGD	如於安安衛	****	****	*****		Continuous	METER

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER I certify under penalty of law that this document and all attachments were prepared under my direction or TELEPHONE DATE supervision in accordance with a system designed to assure that qualified personnel properly gather and valuate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are Joe. Carney SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR Engineering & Maint significant penalties for submitting false information, including the possibility of fine and imprisonment for owing violations AUTHORIZED AGENT TYPED OR PRINTED AREA Code MM/DD/YYYY NUMBER

					Max			Oil &G	rease	TS	s	TI	D	Т	N	То	tal	7	BOD5
	Production	Flow	Alum	Poly	Temp	pH Li	mits	Eff	Total	Eff	Total	Eff	Total	Eff	Total	Amn	nonia	Eff	Total
Date	Tons	mgd	#/day	#/day	F	Lo	Hi	mg/l	#/day	mg/l	#/day	mg/l	#/day	mg/l	#/day	Eff mg/L	#/day	mg/L	#/day
1		0.560000	699.6	17.3	82	6.9	7.1								:				
2		1.210000	572.4	14.7	82	7.0	7.0												
3		1.030000	492.9	11.7	80	7.0	7.0												
4	415.0739	1.370000	588.3	14.9	80	6.9	7.0												
5	434.0318	1.650000	826.8	19.5	82	7.0	7.0	65.4	897.4	158.0	2168.0	8.0	109.8	103.0	1413.3	91.1	1250.0	737.0	10112.7
6	419.6262	1.640000	800.3	19.6	82	7.0	7.0				Ì	7.9	107.7	87.0	1186.5				
7	416.4582	1.590000	731.4	17.9	82	7.0	7.0												
8	401.5739	1.540000	662.5	16.8	82	7.0	7.0												
9		0.210000	148.4	3.7	80	7.0	7.0												
10		0.820000	201.4	4.5	80	7.0	7.0												
11	402.7675	1.200000	609.5	14.5	82	7.0	7.0												
12	413.8201	1.590000	731.4	17.9	82	7.0	7.0	67.7	895.2	114.7	1516.6	10.8	142.8	94.0	1242.9	79.5	1051.2	741.7	9807.1
13	432.3764	1.320000	800.3	19.7	82	7.0	7.0					9.6	105.4	84.0	922.1				
14	427.4853	1.780000	699.6	17.8	82	7.0	7.0												
15	424.5144	1.610000	773.8	19.7	82	6.9	7.0												
16	416.9970	1.560000	736.7	17.9	82	7.0	7.0												
17		0.810000	365.7	8.5	80	7.0	7.0												
18	415.2253	0.850000	450.5	11.6	82	6.9	7.0												
19	425.7798	1.590000	805.6	19.5	82	7.0	7.0	69.7	921.6	144.0	1904.0	7.3	96.5	97.0	1282.6	79.5	1051.2	695.3	9193.6
20	430.9794	1.520000	805.6	19.5	81	7.0	7.0					10.9	137.8	81.0	1023.9				
21	444.3066	1.570000	768.5	18.0	81	7.0	7.0												
22	441.7816	1.060000	492.9	11.7	81	7.0	7.0												
23		0.520000	116.6	3.1	80	7.0	7.0												
24																			
25	408.8475	1.160000	519.4	13.0	81	7.0	7.0							İ					
26	413.3067	1.560000	779.1	19.5	81	7.0	7.1	63.6	825.1	98.7	1280.4	13.4	173.8	97.0	1258.4	79.0	1024.9	681.8	8845.0
27	423.8540	1.550000	795.0	19.5	81	7.0	7.0					10.2	131.5	95.0	1224.5				
28	422.6702	1.560000	747.3	18.3	81	7.0	7.0												
тот	8431.4758	34.430000	16721.5	410.3					3539.2		6869.1		1005.3		9554.2		4377.3		37958.3
AVG	421.5738	1.275185	619.3	15.2	82			66.6	884.8	128.9	1717.3	9.8	125.7	92.3	1194.3	82.3	1094.3	714.0	9489.6

Form Approved OMB No. 2040-0004

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME: STAR-KIST SAMOA, INC

ADDRESS: P O BOX 368

PAGO PAGO, AS 96799

FACILITY: STAR-KIST SAMOA TUNA CANNERY

LOCATION: ATU'U, MAOPUTASI PAGO PAGO, AS 96799

ATTN: MR. JOE CARNEY

AS0000019	001-A
PERMIT NUMBER	DISCHARGE NUMBER
MONITO	ORING PERIOD
	1414/2224000/
MM/DD/YYYY	MM/DD/YYYY

DMR Mailing ZIP CODE:

96799

DISCHARGE 001/MONTHLY

External Outfall

MAJOR

No Discharge

		QUA	NTITY OR LOADING			QUALITY OR CONC	ENTRATION		NO.	FREQUENCY	SAMPLE
PARAMETER		VALUE	VALUE	UNITS	VALUE	VALUE	VALUE	UNITS	EX	OF ANALYSIS	TYPE
remperature, water deg. fahrenheit	SAMPLE MEASUREMENT	*****	*****	*****	*****	81	81		0		
00011 1 0 Effluent Gross	PERMIT REQUIREMENT	****	*****	*****	*****	90 30DA AVG	95 DAILY MX	deg F		Continuous	CONTIN
BOD, 5-day, 20 deg. C	SAMPLE MEASUREMENT	*****	*****	*****	****	603.6	723.8		0		
00310 1 0 Effluent Gross	PERMIT REQUIREMENT	*****	*****	*****	*****	Req. Mon. MO AVG	Req. Mon. DAILY MX	mg/L		Weekly	COMP24
Н	SAMPLE MEASUREMENT	*****	*****	*****	7.0	***	7.2		0		
00400 1 0 Effluent Gross	PERMIT REQUIREMENT	*****	*****	*****	6.5 MINIMUM	****	8.6 MAXIMUM	SU		Continuous	CONTIN
Solids, total suspended	SAMPLE MEASUREMENT	1320.7	1744.4		*****	*****	*****	*****	0		
00530 1 0 Effluent Gross	PERMIT REQUIREMENT	3960 MO AVG	9960 DAILY MX	lb/d	***	*****	****	*****		Weekly	COMP24
Nitrogen, total	SAMPLE MEASUREMENT	961.2	1173.6		*****	*****	*****	*****	0		
00600 1 0 Effluent Gross	PERMIT REQUIREMENT	1200 MO AVG	2100 DAILY MX	lb/d	*****	*****	*****	*****		Twice Per Week	COMP24
Nitrogen, ammonia total (as N)	SAMPLE MEASUREMENT	899.1	1135.1		*****	78.2	89.8		0		
00610 1 0 Effluent Gross	PERMIT REQUIREMENT	2016 MO AVG	4045 DAILY MX	lb/d	*****	83.36 30DA AVG	167.26 DAILY MX	mg/L		Weekly	COMP2
Phosphorus, total (as P)	SAMPLE MEASUREMENT	111.4	142.8		*****	*****	*****	******	0		
00665 1 0 Effluent Gross	PERMIT REQUIREMENT	192 MO AVG	309 DAILY MX	lb/d	*****	*****	*****	****		Twice Per Week	COMP2
NAME/TITLE PRINCIPAL EXECUTIVE	supervision in	n accordance with a system design information submitted. Based on ose persons directly responsible	at and all attachments were prepar ined to assure that qualified perso my inquiry of the person or person for gathering the information, the is course, and complete. I am awan	nnel properly gather and is who manage the information submitted is.		DL				16 4 4 - 4 2 3	DATE
Joe. Carney Engineering & M TYPED OR PRINTED	laint significant pe	nalties for submitting false inform	ation, including the possibility of fi		SIGN	NATURE OF PRINCIPAL AUTHORIZE	EXECUTIVE OFFICER D AGENT	ROR	AREA Cod		MM/DD/YY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

TYPED OR PRINTED

Form Approved

OMB No. 2040-0004

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME:

STAR-KIST SAMOA, INC

ADDRESS: P O BOX 368

PAGO PAGO, AS 96799

FACILITY: STAR-KIST SAMOA TUNA CANNERY

LOCATION: ATU'U, MAOPUTASI

PAGO PAGO, AS 96799

ATTN: MR, JOE CARNEY

AS0000019	001-A
PERMIT NUMBER	DISCHARGE NUMBER
MONITO	ORING PERIOD
MM/DD/YYYY	MM/DD/YYYY
3/1/2013	3/31/2013

DMR Mailing ZIP CODE:

96799

MAJOR

DISCHARGE 001/MONTHLY

External Outfall

No Discharge

		QUANTITY OR LOADING			QUALITY OR CONCENTRATION					FREQUENCY	SAMPLE
PARAMETER		VALUE	VALUE	UNITS	VALUE	VALUE	VALUE	UNITS	EX	OF ANALYSIS	TYPE
Oil and grease	SAMPLE MEASUREMENT	831.8	1088.3		*****	****	*****	***			
03582 1 0 Effluent Gross	PERMIT REQUIREMENT	1008 MO AVG	2520 DAILY MX	lb/d	*****	*****	*****	*****		Weekly	GRAB
Flow, in conduit or thru treatment plant	SAMPLE MEASUREMENT	.173333	1.570000		******	****	****	*****			
50050 1 0 Effluent Gross	PERMIT REQUIREMENT	Req. Mon. MO AVG	Req. Mon. DAILY MX	MGD	*****	****	*****	*****		Continuous	METER

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and		TELEPHONE	DATE	1
Joe.Carney Engineering & Maint	evaluate the information submitted. Based on my inquiry of the person or persons who menage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and befet, true, accurate, and complete. I am aware that there are significant persulties for submitting false information, including the possibility of fine and imprisonment for	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR	684-644-4	2324-12-	13
TYPED OR PRINTED	knowing violations.	AUTHORIZED AGENT	AREA Code NUMBE	MM/DD/YYYY	

Wastewater Summary Report for the month of March 2013

					Max			Oil &G	irease	TS	SS	Т	P		TN		Total	ВС	DD5
	Production	Flow	Alum	Poly	Temp	pH Li	mits	Eff	Total	Eff	Total	Eff	Total	Eff	Total	Am	monia	Eff	Total
Date	TONS	mgd	#/day	#/day	F	Lo	Hi	mg/l	#/day	mg/l	#/day	mg/l	#/day	mg/l	#/day	Eff mg/L	#/day	mg/L	mg/l
1	395.5950	1.020000	620.1	16.4	81	7.0	7.0												
2	377.8613	1.360000	641.3	16.6	81	7.0	7.0												
3		0.820000	243.8	6.9	80	7.0	7.0									-			
4	417.5946	1.040000	477.0	12.0	81	7.0	7.0												Ì
5	431.0255	1.540000	747.3	18.3	81	7.0	7.0	73.8	945.1	112.7	1443.3	10.5	134.5	89.0	1139.8	75.5	966.9	674.8	8641.9
6	441.8598	1.480000	810.9	19.9	81	7.0	7.0					11.6	142.8	76.0	935.4				
7	432.7238	1.570000	567.1	13.1	80	7.0	7.0												
8	444.5995	1.230000	482.3	11.6	80	7.0	7.0												
9	441.2528	1.340000	545.9	12.7	80	7.0	7.0												
10		0.830000	227.9	6.6	80	7.0	7.2												
11	426.3734	1.220000	471.7	11.0	80	7.0	7.0												
12	430.5885	1.520000	810.9	19.7	81	7.0	7.0	86.1	1088.3	101.3	1280.5	9.8	123.9	86.0	1087.1	89.8	1135.1	723.8	9149.1
13	418.9246	1.300000	662.5	17.1	81	7.0	7.0					11.0	118.9	86.0	929.7				
14	406.9390	1.300000	593.6	13.5	80	7.0	7.0												
15	425.4747	1.360000	498.2	11.8	80	7.0	7.0												
16	416.0807	1.160000	482.3	11.4	81	7.0	7.0												
17		0.480000	127.2	3.1	81	7.0	7.0												
18	408.5748	0.670000	588.3	12.7	81	7.0	7.0												
19	402.2456	1.420000	742.0	17.8	80	7.0	7.0												
20	436.3862	1.480000	577.7	13.4	80	7.0	7.0												j
21	417.2804	1.470000	789.7	19.3	81	7.0	7.0	64.7	790.9	142.7	1744.4	9.2	112.5	96.0	1173.6	79.0	965.7	527.3	6446.0
22	398.5218	1.530000	726.1	17.9	81	7.0	7.0					7.8	99.2	78.0	992.4				
23	397.7015	1.210000	567.1	13.7	80	7.0	7.0												
24		0.720000	254.4	8.0	80	7.0	7.0												
25	414.7094	1.160000	683.7	15.9	80	7.0	7.0												ĺ
26	392.9535	0.930000	614.8	14.7	81	6.9	7.2	65.0	502.7	105.3	814.4	8.6	66.5	59.0	456.3	68.3	528.2	488.5	3778.0
27	417.4487	1.430000	795.0	18.9	80	7.0	7.0					7.8	92.8	82.0	975.1				ļ
28	409.1554	1.260000	636.0	15.7	80	7.0	7.0												
29		0.890000	148.4	4.9	80	7.0	7.0												
30																			
31		0.460000	227.9	5.9	80	7.0	7.0												
TOT	10001.8705	35.200000	16361.1	400.5					3327.1		5282.6		891.0		7689.4		3596.0		28015.0
AVG	416.7446	1.173333	545.4	13.4	81			72.4	831.8	115.5	1320.7	9.5	111.4	81.5	961.2	78.2	899.0	603.6	7003.8



P.O Roy 368 Proo Pago Antida Island Amarican Santoa 96720

Telephone 684-644-4231 The mile: 684-644-1658

October 13, 2012

Mr. Alan Ota

US EPA Region 9-OPINAP (E-4) WTR-2 75 Hawthorne Street San Francisco, CA 94105

Dr. Toafa Vaiaga'e, DirectorOffice of the Governor, AS EPA
EOB Utulei, American Samoa 96799

Gentlemen:

RE: OD 93-01 SECTION 6.2
Reports and Correspondence

Pursuant to the above referenced Ocean Dumping permit, the final quarterly report for OD 93-01 is enclosed.

Section 6.2.1 and Section 6.2.3

All reports and related correspondence required by General Condition 1.10, Special Conditions 3.2, 3.3, 4.3, 4.5, 4.7, 5.2, 5.3, 5.4, 6.1, and all other materials, including applications shall be submitted to (EPA Region IX) (American Samoa Environmental Protection Agency).

Please find attached the final Ocean Monitoring report for Starkist Ocean dumping permit OD 93-01.

There was no waste disposal at the dumping site. The last disposal was in June 2012. Starkist has a new treatment process for the waste stream and will no longer be using the ocean dump site or the disposal vessel.

Joe Carney.

Manager, Engeneering and Maintenance

cc: Brett Butler, SKS General Manager

Michael Wolfram, OPINAP Program Director

File

StarKist Samoa CO Ocean Dump Site Monitoring Reports

July 10, 2012		TSS	TVSS	TP	TN	O&G	Ammonia
		mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
	Depth (m)	SKS	SKS	SKS	SKS	SKS	SKS
Station 1	control-1	4.5	2.5	0.020	0.25	0.34	0.041
	control-3	4.5	3.0	0.015	0.25	0.22	0.032
	control-10	4.5	3.0	0.015	0.30	0.47	0.041
	1	6.0	1.5	0.000	0.15	0.24	0.031
	3	4.5	3.0	0.005	0.30	0.56	0.041
	10	5.0	4.0	0.020	0.35	0.35	0.037
Station 2	1	5.0	3.5	0.015	0.40	0.35	0.036
	3	4.0	3.5	0.010	0.25	0.34	0.046
	10	4.5	3.5	0.010	0.30	0.34	0.027
Station 3	1	5.0	2.0	0.005	0.30	0.47	0.041
	3	4.0	2.5	0.025	0.35	0.34	0.028
	10	5.0	2.0	0.010	0.20	0.45	0.043
Station 4	1	4.0	1.5	0.020	0.35	0.34	0.042
	3	5.0	3.5	0.025	0.20	0.34	0.043
	10	4.5	1.5	0.015	0.35	0.34	0.032
Station 5	1	4.5	2.0	0.010	0.25	0.11	0.026
	3	6.0	2.5	0.010	0.25	0.22	0.035
	10	7.5	2.5	0.015	0.30	0.57	0.027

StarKist.

Oct 08, 2012

Mr. Michael Wolfram U. S. EPA Region 9 Pacific Insular Area Program (CMD-5) 75 Hawthorne Street San Francisco, CA 94105

Dr. Toafa Vaiaga'e
Director, AS EPA
Office of the Governor
EOB Utulei, American Samoa 96799

Gentlemen:

Re: <u>Discharge Monitoring Report for the Months of July, August and September of 2012, under NPDES No. AS0000019 as issued to Star Kist Samoa, INC.</u>

Attached is the Star Kist Samoa's Discharge Monitoring Reports covering the months of July, August and September of 2012.

Star Kist Samoa met all Effluent limits.

Sincerely

Joe Carney

Manager, Engineering and Maintenance

Wa \ ls : \ npdes \samoa

Attachments:

cc:

Mr. Alan Ota Mr. Brett Butler PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

VAME:

STAR-KIST SAMOA, INC

ADDRESS: POBOX 368

PAGO PAGO, AS 96799

FACILITY: STAR-KIST SAMOA TUNA CANNERY

.OCATION: ATU'U, MAOPUTASI

PAGO PAGO, AS 96799

ATTN: MR. JOE CARNEY

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

AS0000019
PERMIT NUMBER

QUANTITY OR LOADING

and evaluate the information submitted. Based on my inquiry of the person or persons who manage the

system, or those persons directly responsible for gethering the information, the information submitted is,

significant penalties for submitting false information, including the possibility of fine and imprisonment for

to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are

001-A
DISCHARGE NUMBER

MONITORING PERIOD

MWDD/YYYY M

7/1/2012

MM/DD/YYYY 7/31/2012

QUALITY OR CONCENTRATION

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR

AUTHORIZED AGENT

Louin Whbinsen

OMB No. 2040-0004

DMR Mailing ZIP CODE:

96799

MAJOR

DISCHARGE 001/MONTHLY

NO. EX

External Outfall

No Discharge

SAMPLE

FREQUENCY

PARAMETER		QUA	NTITY OR LOADING			QUALITY OR CONC		NO. EX	OF ANALYSIS	SAMPLE TYPE	
		VALUE	VALUE	UNITS	VALUE	VALUE	VALUE	UNITS	†		
remperature, water deg. fahrenheit	SAMPLE MEASUREMENT	****	物放水金粉的	****	安徽的集章的	82	82		0		
00011 1 0 Effluent Gross	PERMIT REQUIREMENT	**************************************	物物中水浆	****	传统安全	90 30DA AVG	95 DAILY MX	deg F		Continuous	CONTIN
3OD, 5-day, 20 deg. C	SAMPLE MEASUREMENT	*****	****	电音电影音音	企业 业业	257.7	279.2		0		
00310 1 0 Effluent Gross	PERMIT REQUIREMENT	由外面的安全	*****	*****	电声音电电池	Req. Mon. MO AVG	Req. Mon. DAILY MX	mg/L		Weekly	COMP24
Н	SAMPLE MEASUREMENT	电电影电影	安全会会会	******	7.0	20200	7.1		0		
10400 1 0 Effluent Gross	PERMIT REQUIREMENT	*****	****	*****	6.5 MINIMUM	安徽大学中央	8.6 MAXIMUM	su		Continuous	CONTIN *
Solids, total suspended	SAMPLE MEASUREMENT	2498.0	2817.1		*****	***	*****	*****	0		
00530 1 0 Effluent Gross	PERMIT REQUIREMENT	3960 MO AVG	9960 DAILY MX	lb/d	****	*****	20000	*****		Weekly	COMP24
Nitrogen, total	SAMPLE MEASUREMENT	958.4	1102.7		*****	****	*****	****	0		
10600 1 0 Effluent Gross	PERMIT REQUIREMENT	1200 MO AVG	2100 DAILY MX	lb/d	*****	用食物物料料	*******	*****		Twice Per Week	COMP24
Nitrogen, ammonia total (as N)	SAMPLE MEASUREMENT	592.4	695.4		*****	55.7	62.4		0		
00610 1 0 Effluent Gross	PERMIT REQUIREMENT	2016 MO AVG	4045 DAILY MX	lb/d	*****	83.36 30DA AVG	167.26 DAILY MX	mg/L		Weekly	COMP24
²hosphorus, total (as P)	SAMPLE MEASUREMENT	91.4	126.1		*****	****	*****	*****	0		
10665 1 0 Effluent Gross	PERMIT REQUIREMENT	192 MO AVG	309 DAILY MX	lb/d	*****	*****	****	*****		Twice Per Week	COMP24
NAME/TITLE PRINCIPAL EXECUTIVE			nt and all altachments were prepa gned to assure that qualified perso			0 -		1	TELE	PHONE	DATE

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

TYPED OR PRINTED

Joe, Carney

Engineering & Maint

NUMBER

684-644-4232

AREA Code

10-13-12

MM/DD/YYYY

NAME:

STAR-KIST SAMOA, INC

ADDRESS: P O BOX 368

PAGO PAGO, AS 96799

FACILITY: STAR-KIST SAMOA TUNA CANNERY

.OCATION: ATU'U, MAOPUTASI

PAGO PAGO, AS 96799

ATTN: MR. JOE CARNEY

DISCHARGE MONITORING REPORT (DMR)

IN HORAE LOCEO INICI DIOCITANOS ESIMINACION OTO CEM (OL DEO)

AS0000019 PERMIT NUMBER

001-A DISCHARGE NUMBER

MONITORING PERIOD MM/DD/YYYY 7/1/2012

MM/DD/YYYY 7/31/2012

96799

OMB No. 2040-0004

DMR Mailing ZIP CODE:

MAJOR

DISCHARGE 001/MONTHLY

External Outfall

No Discharge

PARAMETER		QUA	NTITY OR LOADING			QUALITY OR CON		NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE	
		VALUE	VALUE	UNITS	VALUE	VALUE	VALUE	UNITS	T		
Dil and grease	SAMPLE MEASUREMENT	984.7	1082.0		有效用物物等	我会有自我会	*****	****	0		
13582 1 0 Effluent Gross	PERMIT REQUIREMENT	1008 MO AVG	2520 DAILY MX	lb/d	*****	物物物的物物	****	****		Weekly	GRAB
Flow, in conduit or thru treatment plant	SAMPLE MEASUREMENT	1.339231	1.700000		会 分表 电 音音	****	****	****	0		
i0050 1 0 Effluent Gross	PERMIT REQUIREMENT	Req. Mon. MO AVG	Req. Mon. DAILY MX	Mgal/d	***	- 垃圾物品金属	****	*****		Continuous	METER

MAINE HILE HARON AL EXECUTIVE OF HOLK	I certify under pensity of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons with omanage the	22	TELEF	PHONE	DATE
Joe.Carney	system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, frue, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR	684-64	4-4232	10-13-12
TYPED OR PRINTED	knowing violations.	AUTHORIZED AGENT	AREA Code	NUMBER	MM/DD/YYYY

Wastewater Summary Report for the month of July 2012

[Max			Oil &C	Grease	TS	ss	Т	Р	T	'N	Total		BOD5	
	Production	Flow	Alum	Poly	Temp	pH L	imits	Eff	Total	Eff	Total	Eff	Total	Eff	Total	Ammor	nia	Eff	Total
Date	Tons	mgd	#/day	#/day	F	Lo	Hi	mg/l	#/day	mg/l	#/day	mg/l	#/day	mg/l	#/day	Eff mg/L	#/day	mg/l	#/day
1		0.100000	31.8	8.0	80	7.0	7.0												
2	392.8817	1.340000	710.2	16.8	80	7.0	7.0												
3	423.4238	1.240000	667.8	16.8	80	7.0	7.0	99.3	1024.0	272.7	2812.0	5.7	58.8	75.0	773.4	52.9	545.5	279.2	2879.1
4	438.7304	1.500000	779.1	20.0	80	7.0	7.0					7.2	89.8	82.0	1022.9				design
5	388.0876	1.690000	535.3	14.2	80	7.0	7.0												
6	421.5050	1.510000	436.6	10.9	80	7.0	7.0												and the second
7	408.3661	1.280000	413.4	10.0	80	7.0	7.0												
8		0.900000	286.2	7.3	82	7.0	7.0												
9	386.9174	1.380000	636.0	15.9	80	7.0	7.1										1		
10	432.6830	1.340000	726.1	18.6	80	7.0	7.0	97.1	1082.0	216.0	2407.0	6.8	75.8	76.0	846.9	62.4	695.4	239.7	2671.1
11	427.5987	1.370000	588.3	13.3	80	7.0	7.0					6.6	75.2	83.0	945.6				
12	414.4326	1.560000	519.4	12.7	80	7.0	7.0												
13	419.1640	1.250000	408.1	8.5	80	7.0	7.0												
14																			
15					İ														
16	405.2445	1.360000	482.3	11.0	80	7.0	7.0												
17	420.9512	1.330000	747.3	19.3	80	7.0	7.0	79.9	883.7	254.7	2817.1	11.4	126.1	86.0	951.2	60.8	672.5	273.1	3020.6
18	428.3702	1.700000	795.0	17.9	80	7.0	7.0					6.9	97.5	78.0	1102.7				
19	407.7828	1.620000	503.5	12.1	80	7.0	7.0												
20	403.9168	1.460000	572.4	13.8	80	7.0	7.1												
21																			
22																			
23	363.2459	1.050000	153.7	4.4	80	7.0	7.0												
24	342.1337	1.180000	731.4	18.2	80	7.0	7.1	96.7	948.9	199.3	1955.7	10.3	101.1	99.0	971.5	46.5	456.3	238.9	2344.3
25	363.0318	1.490000	842.7	19.7	80	7.0	7.1				:	8.6	106.6	85.0	1053.2		•		
26	423.8483	1.490000	498.2	11.4	80	7.1	7.1												
27	423.2038	1.620000	689.0	16.6	80	7.0	7.1												
28	395.3021	1.500000	392.2	9.9	80	7.0	7.1												
29																			
30	401.8434	1.090000	408.1	9.3	80	7.0	7.1												
31	419.8793	1.470000	784.4	19.0	80	7.0	7.1						•						
тот	9752.5441	34.820000	14338.5	348.4					3938.6		9991.8		730.8		7667.4		2369.6		10915.0
AVG	406.3560	1.339231	551.5	13.4	82			93.3	984.7	235.7	2498.0	7.9	91.4	83.0	958.4	55.7	592.4	257.7	2728.8

8/1/2012

QUANTITY OR LOADING

wing violations.

OMB No. 2040-0004

STAR-KIST SAMOA, INC

ADDRESS: P O BOX 368

VAME:

PAGO PAGO, AS 96799

ACILITY: STAR-KIST SAMOA TUNA CANNERY

LOCATION: ATU'U, MAOPUTASI

PARAMETER

PAGO PAGO, AS 96799

ATTN: MR. JOE CARNEY

A\$0000019 001-A PERMIT NUMBER DISCHARGE NUMBER MONITORING PERIOD MM/DD/YYYY MM/DD/YYYY

8/31/2012

QUALITY OR CONCENTRATION

AUTHORIZED AGENT

DMR Mailing ZIP CODE:

96799

MAJOR

DISCHARGE 001/MONTHLY

NO. EX

External Outfall

No Discharge

SAMPLE

TYPE

FREQUENCY

OF ANALYSIS

		VALUE	VALUE	UNITS	VALUE	VALUE	VALUE	UNITS			
emperature, water deg. fahrenheit	SAMPLE MEASUREMENT	***	****	*****	****	80	80		0		
00011 1 0 Effluent Gross	PERMIT REQUIREMENT	*****	****	*****	自食膏膏膏	90 30DA AVG	95 DAILY MX	deg F		Continuous	CONTIN
3OD, 5-day, 20 deg. C	SAMPLE MEASUREMENT	*****	***	191941	*****	361.2	454.7		0		
00310 1 0 Effluent Gross	PERMIT REQUIREMENT	食品管药管管	安全市政治	*****	****	Req. Mon. MO AVG	Req. Mon. DAILY MX	mg/L		Weekly	COMP24
PH .	SAMPLE MEASUREMENT	****	由州市安安	*****	7.0	***	7.1		0		
00400 1 0 Effluent Gross	PERMIT REQUIREMENT	****	*****	****	6.5 MINIMUM	****	8.6 MAXIMUM	ŞU		Continuous	CONTIN
Solids, total suspended	SAMPLE MEASUREMENT	3550.8	7485.5		*****	*****	*****	市内有有方	0		
00530 1 0 Effluent Gross	PERMIT REQUIREMENT	3960 MO AVG	9960 DAILY MX	fb/d	****	*****	*****	*****		Weekly	COMP24
Nitrogen, total	SAMPLE MEASUREMENT	1197.0	1907.3		电容积 有效金	***	*****	物物物物物	0		
10600 1 0 Effluent Gross	PERMIT REQUIREMENT	1200 MO AVG	2100 DAILY MX	lb/d	*****	*****	******	****		Twice Per Week	COMP24
Nitrogen, ammonia total (as N)	SAMPLE MEASUREMENT	865.2	1273.5		***	74.2	91.7		0		
0610 1 0 Effluent Gross	PERMIT REQUIREMENT	2016 MO AVG	4045 DAILY MX	lb/d	*****	83.36 30DA AVG	167.26 DAILY MX	mg/L		Weekly	COMP24
hosphorus, total (as P)	SAMPLE MEASUREMENT	148.9	259.7		*****	***	****	*****	0		
10665 1 0 Effluent Gross	PERMIT REQUIREMENT	192 MO AVG	309 DAILY MX	lb/d	*****	*****	*****	*****		Twice Per Week	COMP24
NAME/TITLE PRINCIPAL EXECUTIVE OF	supervision is	accordance with a system desi	ent and all attachments were preprieted to assure that qualified persident on my inquiry of the person or a	annel properly gether		1/1			TELE	PHONE	DATE
Joe.Carney Engineering & Mai	system, or the to the best of significant pe	ose persons directly responsible my knowledge and belief, true,	for gathering the information, the accurate, and complete. I am awa mation, including the possibility of	information submitted is, ire that there are	SIGN	ANDRE OF PRINCIPAL	EXECUTIVE OFFICE	ROR	84-64	4-4232	1342

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

TYPED OR PRINTED

NUMBER

AREA Code

MM/DD/YYYY

³ERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

IAME:

STAR-KIST SAMOA, INC

ADDRESS: P O BOX 368

PAGO PAGO, AS 96799

ACILITY:

STAR-KIST SAMOA TUNA CANNERY

.OCATION: ATU'U, MAOPUTASI

PAGO PAGO, AS 96799

ATTN: MR. JOE CARNEY

DISCHARGE MONITORING REPORT (DMR)

AS0000019 PERMIT NUMBER

001-A DISCHARGE NUMBER

MONITORING PERIOD MM/DD/YYYY 8/31/2012

DMR Mailing ZIP CODE:

96799

MAJOR

OMB No. 2040-0004

DISCHARGE 001/MONTHLY

External Outfall

No Discharge

PARAMETER		QUA	NTITY OR LOADING			QUALITY OR CONC	ENTRATION		NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		VALUE	VALUE	UNITS	VALUE	VALUE	VALUE	UNITS			
)il and grease	SAMPLE MEASUREMENT	1007.4	1198.5		*******	****	*****	****	0		
13582 1 0 Effluent Gross	PERMIT REQUIREMENT	1008 MO AVG	2520 DAILY MX	lb/d	*****	自由的企业中	*****	****		Weekly	GRAB
low, in conduit or thru treatment plant	SAMPLE MEASUREMENT	1.455000	1.740000		***	****	****	查查查查查	0		
30050 1 0 Effluent Gross	PERMIT REQUIREMENT	Req. Mon. MO AVG	Req. Mon. DAILY MX	Mgal/d	****	有效能力效率	***	有效收收收		Continuous	METER

MM/DD/YYYY

8/1/2012

TAME THE FORM AS EXCOUNTED TO THE	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel property gather		TELEP	HONE	DATE	
Joe.Carney	and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathening the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are		84-644	-4232	4.	
Engineering a Maint	Significant penalties for submitting felse information, including the possibility of fine and imprisonment for Throwing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT			107372	i
TYPED OR PRINTED	ATOMILIS ALORIDOLES	AUTHORIZED AGENT	AREA Code	NUMBER	MM/DD/YYYY	

Wastewater Summary Report for the month of August 2012

					Max			Oil & C	Grease	TS	SS	Т	Р	Т	N	To	otal		BOD5
	Production	Flow	Alum	Poly	Temp	pH Li	mits	Eff	Total	Eff	Total	Eff	Total	Eff	Total	Amn	nonia	Eff	Total
Date	Tons	mgd	#/day	#/day	F	Lo	Hi	mg/l	#/day	mg/l	#/day	mg/l	#/day	mg/l	#/day	Eff mg/L	#/day	mg/L	#/day
1	452.2158	1.220000	24732.1	17.8	80	7.0	7.1	95.6	969.9	269.3	2732.2	9.8	99.4	94.0	953.7	66.7	676.7	374.3	3797.5
2	463.8433	1.590000	593.6	13.5	80	7.0	7.0		Ì			7.8	103.1	79.0	1044.6				
3	469.7151	1.670000	519.4	12.3	80	7.0	7.0												
4	412.6168	1.490000	397.5	10.4	80	7.0	7.1												
5																			
6	436.5309	1.320000	461.1	11.0	80	7.0	7.0												
7	427.9103	1.300000	891.4	20.7	80	7.0	7.1	85.9	928.6	205.3	2219.5	8.9	96.2	84.0	908.1	69.8	754.6	356.3	3851.9
8	451.3871	1.680000	630.7	15.1	80	7.0	7.1					7.5	104.8	79.0	1103.7				
9	422.1110	1.740000	630.7	15.7	80	7.0	7.0												
10	429.9909	1.330000	360.4	8.5	80	7.0	7.0												
11																			
12					-														
13	406.7096	0.860000	376.3	8.9	80	7.0	7.1												
14	438.7413	1.180000	429.3	10.2	80	7.0	7.1	91.8	900.8	206.0	2021.5	9.1	89.3	95.0	932.2	72.4	710.5	391.3	3839.8
15	431.6429	1.640000	805.6	21.0	80	7.0	7.1					8.0	109.1	82.0	1118.3				l
16	433.9068	1.630000	673.1	16.5	80	7.1	7.1												-
17	440.9975	1.520000	429.3	10.4	80	7.0	7.1												
18	415.7049	1.010000	3841.6	9.6	80	7.0	7.1												
19																			
20	416.7645	1.200000	625.4	16.2	80	7.0	7.1												
21	402.6349	1.560000	842.7	20.3	80	7.0	7.0	80.1	1039.1	254.0	3295.1	13.3	172.5	93.0	1206.5	70.2	910.7	229.4	2976.0
22	427.5687	1.740000	757.9	20.2	80	7.0	7.1		,			15.2	219.9	79.0	1143.1				
23	413.3802	1.690000	673.1	19.0	80	7.0	7.1												
24	415.8138	1.610000	508.8	12.5	80	7.0	7.0												
25		0.540000	227.9	4.9	80	7.0	7.0												
26																			
27	403.9613	1.030000	651.9	14.7	80	7.0	7.0												
28	403.1611	1.670000	795.0	18.3	80	7.0	7.0	86.3	1198.5	539.0	7485.5	18.7	259.7	119.0	1652.6	91.7	1273.5	454.7	6314.7
29	429.9492	1.650000	773.8	20.3	80	7.0	7.0					17.1	234.6	139.0	1907.3				
30	446.5917	1.590000	805.6	18.6	80	7.0	7.0												
31	446.5450	1.660000	795.0	20.3	80	7.0	7.0												
тот	10740.3946	37.120000	43229.2	386.9					5037.0		17753.7		1488.8		11970.1		4326.0		20779.9
AVG	429.6158	1.455000	2111.0	14.4	80			87.9	1007.4	294.7	3550.8	11.5	148.9	94.3	1197.0	1	865.2	361.2	4156.0

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME: STAR-KIST SAMOA, INC

ADDRESS: POBOX 368

PAGO PAGO, AS 96799

FACILITY: STAR-KIST SAMOA TUNA CANNERY

.OCATION: ATU'U, MAOPUTASI

PAGO PAGO, AS 96799

ATTN: MR. JOE CARNEY

NATIONAL PULLUTANT DISCHARGE ELIMINATION STSTEM (NEUES)

DISCHARGE MONITORING REPORT (DMR)

AS0000019
PERMIT NUMBER

001-A
DISCHARGE NUMBER

MONITORING PERIOD

MM/DD/YYYY MI

9/1/2012

MM/DD/YYYY 9/30/2012 OMB No. 2040-0004

DMR Mailing ZIP CODE:

96799

MAJOR

DISCHARGE 001/MONTHLY

External Outfall

No Discharge

PARAMETER		QUAI	NTITY OR LOADING			QUALITY OR CONC	ENTRATION		NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		VALUE	VALUE	UNITS	VALUE	VALUE	VALUE	UNITS			
emperature, water deg. fahrenheit	SAMPLE MEASUREMENT	专业公司会	****	***	20 大年 安安市	81	. 82		0		
90011 1 0 Effluent Gross	PERMIT REQUIREMENT	****	*****	******	有由分析和由	90 30DA AVG	95 DAILY MX	deg F		Continuous	CONTIN
3OD, 5-day, 20 deg, C	SAMPLE MEASUREMENT	业务业文司 章	*****	******	*****	595.8	666.7		0		
00310 1 0 Effluent Gross	PERMIT REQUIREMENT	****	****	*****	*****	Req. Mon. MO AVG	Req. Mon. DAILY MX	mg/L		Weekly	COMP24
Н	SAMPLE MEASUREMENT	告有者與女術	*****	教育有效量	7.0	****	7.1		0		
00400 1 0 Effluent Gross	PERMIT REQUIREMENT	****	*****	*****	6.5 MINIMUM	****	8.6 MAXIMUM	SU		Continuous	CONTIN
Solids, total suspended	SAMPLE MEASUREMENT	3254.4	5598.1		*****	电 电子电子	有角金金物有	*****	0		
10530 1 0 Effluent Gross	PERMIT REQUIREMENT	3960 MO AVG	9960 DAILY MX	lb/d	****	安安安安安	***	*****		Weekly	COMP24
vitrogen, total	SAMPLE MEASUREMENT	1162.1	1383.8		*****	*****	*****	*****	0		
00600 1 0 Effluent Gross	PERMIT REQUIREMENT	1200 MO AVG	2100 DAILY MX	lb/d	****	*****	***	*****		Twice Per Week	COMP24
Nitrogen, ammonia total (as N)	SAMPLE MEASUREMENT	1118.4	1151.5		****	82.6	91.7		0		
10610 1 0 Effluent Gross	PERMIT REQUIREMENT	2016 MO AVG	4045 DAILY MX	lb/d	***	83.36 30DA AVG	167.26 DAILY MX	mg/L		Weekly	COMP24
Phosphorus, total (as P)	SAMPLE MEASUREMENT	183.0	247.3		*****	*****	*****	*****	0		
10665 1 0 Effluent Gross	PERMIT REQUIREMENT	192 MO AVG	309 DAILY MX	lb/d	*****	*****	*****	****		Twice Per Week	COMP24

TAME THE PROPERTY OF THE EXCENTINE OF THE EXCENTION OF TH	i certify under pensity of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel property gather		TELEP	HONE	DATE
Engineering & Maint	and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am sware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for		684-64	4-4232	104372
TYPED OR PRINTED	knowing violations	AUTHORIZED AGENT	AREA Code	NUMBER	MM/DD/YYYY

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

STAR-KIST SAMOA, INC

ADDRESS: P O BOX 368

PAGO PAGO, AS 96799

FACILITY:

JAME:

STAR-KIST SAMOA TUNA CANNERY

.OCATION: ATU'U, MAOPUTASI

PAGO PAGO, AS 96799

ATTN: MR. JOE CARNEY

NATIONAL POLLUTANT DISCHARGE ELIMINATION STOTEM (NEDLO)

DISCHARGE MONITORING REPORT (DMR)

AS0000019 PERMIT NUMBER 001-A
DISCHARGE NUMBER

MONITORING PERIOD

MM/DD/YYYY MI

9/1/2012

MM/DD/YYYY 9/30/2012 OMB No. 2040-0004

DMR Mailing ZIP CODE:

96799

MAJOR

DISCHARGE 001/MONTHLY

External Outfall

No Discharge

PARAMETER		QUA	NTITY OR LOADING			QUALITY OR CONG	NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE		
		VALUE	VALUE	UNITS	VALUE	VALUE	VALUE	UNITS	T 1		
Oil and grease	SAMPLE MEASUREMENT	999.0	1154.0		****	物物有余物物	****	****	0		
13582 1 0 Effluent Gross	PERMIT REQUIREMENT	1008 MO AVG	2520 DAILY MX	lb/d	*****	****	***	****		Weekly	GRAB
Flow, in conduit or thru treatment plant	SAMPLE MEASUREMENT	1.320385	1.680000		*****	***	*****	*****	0		
i0050 1 0 Effluent Gross	PERMIT REQUIREMENT	Req. Mon. MO AVG	Req. Mon. DAILY MX	Mgal/d	******	***	****	****		Continuous	METER

	I certify under penetry of lew that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel property gather		TELES	PHONE	DATE
Engineering & Main	and evaluate the Information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gethering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are eignificant penalties for submitting false information, including the possibility of fine and imprisonment for	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR	84-64	4-4232	10-13-12
TYPED OR PRINTED	Tknowling violations.	AUTHORIZED AGENT	AREA Code	NUMBER	MM/DD/YYYY

Wastewater Summary Report for the month of September 2012

			I		Max			Oil &C	Frease	T	SS	Т	Р		TN		Total	ВС	D5
	Production	Flow	Alum	Poly	Temp	pH Li	imits	Eff	Total	Eff	Total	Eff	Total	Eff	Total	Am	monia	Eff	Total
Date	TONS	mgd	#/day	#/day	F	Lo	Hi	mg/l	#/day	mg/l	#/day	mg/l	#/day	mg/l	#/day	Eff mg/L	#/day	mg/L	mg/l
1	420.5035	1.490000	699.6	16.9	80	7.0	7.0												
2			1																l
3																			İ
4	439.2742	1.480000	773.8	18.5	80	7.0	7.0												1
5	439.3092	1.680000	816.2	19.5	80	7.0	7.1	82.6	1154.0	400.7	5598.1	17.7	247.3	95.0	1327.2	79.5	1110.7	515.8	7206.2
6	435.0748	1.600000	704.9	17.6	80	7.0	7.1					16.3	216.9	104.0	1383.8				
7	443.3911	1.670000	784.4	18.8	80	7.0	7.1												
8	420.4191	1.280000	736.7	16.9	80	7.0	7.0												
9		0.220000	111.3	2.5	82	7.0	7.0									1			
10	432.2303	1.180000	418.7	10.0	82	7.0	7.0												
11	437.2199	1.420000	784.4	18.8	80	7.0	7.0	91.4	1079.3	266.7	3149.4	19.1	225.5	100.0	1180.9	90.0	1062.8	571.0	6742.8
12	433.0196	1.520000	731.4	17.6	80	7.0	7.0					18.3	231.3	107.0	1352.5				
13	446.4034	1.610000	752.6	20.2	80	7.0	7.0												
14	427.0357	1.240000	408.1	9.3	80	7.0	7.0												Ì
15																			
16																			
17	445.0064	1.210000	556.5	13.3	80	7.0	7.0												
18	439.7419	1.550000	821.5	20.2	80	7.0	7.1												
19	443.0418	1.510000	837.4	20.2	80	7.0	7.0	72.2	906.6	176.7	2218.9	15.1	189.6	99.0	1243.2	91.7	1151.5	666.7	8371.9
20	443.3707	1.480000	848.0	19.9	80	7.0	7.0					11.9	146.5	87.0	1070.8				
21	447.8844	1.540000	752.6	17.5	82	7.0	7.0												
22	443.5671	1.190000	572.4	14.0	82	7.0	7.0												
23		0.540000	174.9	4.2	80	7.0	7.0												
24	419.1704	1.030000	503.5	11.6	80	7.0	7.1												
25	441.6751	1.440000	810.9	20.3	80	7.0	7.1	71.5	856.2	171.3	2051.3	9.1	109.0	81.0	970.0	69.2	828.7	629.6	7539.5
26	442.9824	1.400000	625.4	15.2	80	7.0	7.1					8.4	97.8	66.0	768.4				
27	419.3863	1.580000	816.2	19.6	80	7.0	7.1							00.0	,				
28	427.7969	1.560000	588.3	13.5	80	7.0	7.1												
29	428.7136	1.310000	524.7	13.4	80	7.0	7.1												
30		0.600000	360.4	8.7	80	7.0	7.1												
TOT	10016.2178	34.330000	16514.8	398.2					3996.2		13017.7		1463.9		9296.7		4153.6		29860.3
AVG	435.4921	1.320385	635.2	15.3	81			83.4	999.0	253.9	3254.4	17.9	183.0	116.8	1162.1	82.6	1038.4	595.8	7465.1

Ocean Disposal Site Monitoring Report

(OD Permit 93-01 & 93-02)

10 July, 2012

Monitoring Vessel:

F/V Blue Moon

Discharge Vessel:

F/V Blue Moon

Chief Investigator:

Mike Crook

Starkist Samoa Liaison:

Ian Price

STP/Tri Marine Liaison:

Craig Double

Determination of Sampling Positions:

All positions obtained by GPS

Satellite Navigation

Mike Crook P.O. Box 4933 Pago Pago, AS 96799 12 July, 2012

Introduction

On July 10, 2012 the wastewater tanker *Blue Moon* departed Starkist Samoa dock bound for the designated ocean dump-site area approximately seven miles south of Pago Pago Harbor, American Samoa, on a cargo tank cleaning voyage, there was none of the usual tuna cannery generated hi-strength liquid wastewater on board. Tank cleaning rinse waters were discharged over a three hour cleaning operation then Ocean Monitoring/Sampling activities were conducted as normal. This sampling and reporting were conducted in compliance with general permit conditions and Appendix A of Ocean Dumping Permits OD 93-01 & OD 93-02.

Chronology of Events

- <u>0535:</u> The *Blue Moon* departed Pago Pago Harbor bound for the dumpsite location with Master/Principal Investigator, Chief and two deckhands on board.
- **<u>0637:</u>** The *Blue Moon* entered the dumpzone circle @ 14*22.6' S / 170*38.7' W.
- <u>0646:</u> The *Blue Moon* arrived at the dump-zone center, where observed steady southeasterly winds and moderate southeasterly seas indicated cleaning operations be conducted in the southeast dump-zone quadrant.
- Control Station Monitoring. The Blue Moon arrived 1.1 nautical miles (NM) up-current or southeast (SE) of the dumpzone center, where discrete seawater samples were taken from depths of 1, 3, and 10 meters. Water temperatures, color, pH and observed sea/sky conditions with stations' position were recorded (Table 1). Seas at this time were moderate with SE swells to 2.0 meters and a steady SE wind of 15+ knots and the barometer reading 29.63. Current set and drift, of the ship, were to the northwest at 0.9 knots. No floating materials or sea life were observed here.
- <u>0710:</u> The *Blue Moon* began tank cleaning operations in the SE disposal zone quadrant and continued discharging rinse water with a northeast to southwest reciprocal, elliptical type pattern approximately 2 miles long (see Plot 1). The tank flushing/cleaning was concluded at 11:40 hrs.
- 1150: Station One Monitoring. Discrete water samples were drawn from depths of 1, 3, and 10 meters. Water temperatures, pH, stations' position and water color observations were all recorded in Table 1. The SE winds had increased to 18 knots during the flushing along with barometric pressure to 29.64. Skies remained partly cloudy to cloudy. Visual evidence of the wash water was not very apparent. A few small streaks of very light glassy surface sheen over clear, blue water. The current/wind drift of the ship was

again GPS determined to be northwesterly at 0.9 knots. No sea life or floatable/suspended particulates or other materials were observed.

<u>Station Two Monitoring.</u> Station two was sampled with the same procedures as station one with measurements and observations being recorded in Table 1. This position also had remnants of the *Blue Moon's* wash-water discharge track lines visible as patches and streaks of very light surface sheen over clear natural blue appearing seawater. The average drift rate of the ship with current and wind was GPS determined to be northwesterly (NW) at 0.9 knots between stations 2 & 3 (See Plot #1). Again, no sea-life or floatable materials were noted at this position.

<u>Station Three Monitoring.</u> Seawater samples were collected and measurements taken as with Stations 1 & 2. This position showed no visual evidence of the discharged wash-water only natural appearing, clear blue water. The drift rate of the ship between Stations #3 & 4 was 0.8 knots to the northwest.

Station Four monitoring. Standard sampling procedures were again carried out as in previous stations. This position, 0.25 miles NW of Station #3, showed increasingly lighter sheen characteristics than the previous sample stations, being barely visible to even the trained eye. There were no floating or suspended materials observed. The NW current/drift rate of the ship was noted here to be 1.0 knots which had carried the last visible remnants of the wash plume about an additional 0.25 of a mile further down-current to the NW.

Station Five monitoring. Sampling for this final station was conducted at the visual leading edge of the tank cleaning water and approximately 0.28 NM south of the zone center (see Plot #1). The leading edge of the wash water plume was again, just barely visible at this location as some occasional patches and streaks of very light glassy surface sheen with clear, natural appearing blue waters underneath and further down-current to the NW and no floating/suspended materials. No notable sea life was observed at this position or any of the previous stations other than a few random seabirds and flying fish. The final barometer reading was 29.64 when monitoring activities were concluded at 12:50 hrs. The Blue Moon exited the disposal zone at 13:01 hours and arrived back in Pago Pago Harbor to deliver the collected samples to the Starkist Samoa Co. laboratory at 13:55 hours.

Prepared by M. Cook
Mike Crook, Principal Investigator

OCEAN DUMPING RESEARCH PERMIT: OD-93-01 & 02

Table 1

<u>Date:</u> 10 July,	Sea Conditions: M	oderate w/Sou	itheast swe	lls to 2.0 m	eters. Wind:	Southeast @ 15 - 18 knots <u>Visibility:</u> Good, 6 - 10+ NM	
2012	Barometer: 29.62	^ 29.64	Current	Set & Drif	ft Rate: Northwes	t @ average 0.9 knots Sky: Partly cloudy to cloudy, 25 - 90%	
Time	Station	Depth (meters)	Temp.	pН	Odor	Color	
0655	Control	1 3 10	27.1 27.1 27.1	8.4 8.4 8.4	None	Clear and natural deep pelagic blue w/ no floating or suspended materials.	
1150	Station 1	1 3 10	28.0 27.9 27.8	8.5 8.5 8.5	None	Broken streaks and patches of previous vessel track lines of very light surface sheen over deep, clear blue water. No floating scum or other particulate type materials present.	
1205	Station 2	1 3 10	27.4 27.3 27.2	8.5 8.5 8.5	Slightly Pungent	Broken and scattered very light surface sheen over deep, clear blue. No particulates or floating scum.	
1220	Station 3	1 3 10	27.7 27.6 27.4	8.5 8.5 8.5	None	Same as Control Station (See above).	
1230	Station 4	1 3 10	27.6 27.6 27.6	8.5 8.5 8.5	None	Same as Station #1.	
1240	Station 5	1 3 10	27.6 27.5 27.5	8.4 8.5 8.5	None	Leading edge of flush water and 0.28 NM south of the disposal center Location showed just a few faint streaks of surface sheer deep, clear, natural appearing blue water. No suspended or float particulate material or sea life noted.	

SAMPLE STATIONS POSITIONS

	LATIT	UDE	LONGITUDE		
Control - C	14° 24.62'	South	170° 37.34'	West	
Station 1	14° 25.07'	South	170° 37.36'	West	
Station 2	14° 24.88'	South	170° 37.54'	West	
Station 3	14° 24.73'	South	170° 37.76'	West	
Station 4	14° 24.56'	South	170° 37.96'	West	
Station 5	14° 24.38'	South	170° 38.23'	West	

Poote Colfoant 5-7-12

January 30th 2012

Michael Wolfram Program Manager Pacific Islands Office USEPA Region IX 75 Hawthorne Street San Francisco, CA 94105

RE: OCEAN DUMPING PERMIT OD93-02 SPECIAL

Dear Michael:

Pursuant to the requirements of the above referenced permit, we are herewith submitting the Quarterly ocean dumping report for the period of October 2011 through December 2011 for Samoa Tuna Processors Inc. No waste has been generated or transferred or dumped in this quarter. Enclosed are the following:

- * EPA Forms 1, 2 and 3.
- * Results of Monthly Onshore Storage Tank Analysis. No testing was done. N/A
- * Letter to ASEPA reporting exceedances and irregularities during the 3 month period where applicable. There were no exceedances. N/A
- * Monthly Site Monitoring Reports. N/A
- * Results of Monthly Site Monitoring Analysis.

Please advise if additional information is required.

Sincerely

Craig Double

Facility Manager

Samoa Tuna Processors Inc.

Enclosures:

Pacific Island Office

Cc(1) Except Vessel Logs

Director

American Samoa Environmental

Protection Agency

American Samoa Government

Pago Pago, American Samoa 96799

Cc(1) Complete Report

Director of Engineering

Chicken of the Sea International

9330 Scranton Road

Suite 500

San Diego, California 92121

Allan Ota

Wetlands Office US EPA Region IX 75 Hawthorne Street

San Francisco, CA 94105

Cc(1) Vessel Logs Only

Commanding Chief

U.S. Coast Guard Liaison Office

P.O. Box 249

Pago Pago, American Samoa 96799

Cc(1) Except Vessel Logs:

Project Leader

Office of Environmental Services U.S. Fish and Wildlife Service 300 Ala Moana Boulevard

P.O. Box 50167

Honolulu, Hawaii 96850

John Naughton

Pacific Island Regional Office

1601 Kapiolani BLvd.

Suite 1110

Honolulu, Hawaii 96814-4700

Executive Director

Western Pacific Regional Fishery

Management Council

1164 Bishop Street, Suite 1405

Honolulu, Hawaii 96813

Ocean Disposal Site Monitoring Report

(OD Permit 93-01 & 93-02)

10 November, 2011

Monitoring Vessel: F/V Blue Moon

Discharge Vessel: F/V Blue Moon

Chief Investigator: Mike Crook

Starkist Samoa Liaison: Joe Carney

STP/Tri Marine Liaison: Craig Double

Determination of Sampling Positions: All positions obtained by GPS

Satellite Navigation



Mike Crook P.O. Box 4933 Pago Pago, AS 96799 14 November, 2011

Introduction

On November 10, 2011 the tank-ship *Blue Moon* departed Starkist Samoa dock bound for the designated ocean dump-site area approximately seven miles south of Pago Pago Harbor, American Samoa, on a routine wastewater disposal operation and for the purpose of monitoring this disposal of tuna cannery generated hi-strength liquid wastes into the waters of the Pacific Ocean. This monitoring and reporting were conducted in compliance with general permit conditions and Appendix A of Ocean Dumping Permits OD 93-01 & OD 93-02.

Chronology of Events

- <u>0515:</u> The *Blue Moon* departed Pago Pago Harbor bound for the dump-site location with Master/Principal Investigator, Chief and Mate on board.
- 0613: The Blue Moon entered the dumptone circle @ 14*22.6' S / 170*38.7' W.
- The Blue Moon arrived at the dump-zone center, where observed light northeasterly winds and slight east to NE seas initially indicated disposal operations be conducted in the northeastern dump-zone quadrant.
- Ochtrol Station Monitoring. The Blue Moon arrived 1.1 nautical miles (NM) up-current or northeast (NE) of the dump-zone center, where discrete seawater samples were taken from depths of 1, 3, and 10 meters. Water temperatures, color, pH and observed sea/sky conditions with station's position were recorded (Table 1). Seas at this time were slight with east & NE swells to 1.0 meters and a NE breeze of 10 knots with the barometer reading 29.53. Current set and drift, of the ship, were to the southwest at 0.6 knots. No floating materials or sea life were observed here.
- The *Blue Moon* began disposal operations in the NE dump zone quadrant and continued discharging cargo (high-strength waste water) with a northwest (NW) to SE reciprocal, elongated elliptical pattern, approximately 2.25 miles long (see Plot 1) until 10:15 hrs.
- Station One Monitoring. Discrete water samples were drawn from depths of 1, 3, and 10 meters. Water temperatures, pH, stations' position and water color observations were all recorded in Table 1. The NE winds had stayed constant at 10 knots with still overcast skies. The waste plume appeared here as an oblong body of light/moderate glassy surface sheen extending in a northwest (NW) to SE direction and moving slowly to the southwest (SW). The current/wind drift of the ship was GPS determined to be, as at Control Station, southwesterly @ 0.6 knots. No sea life or

floatable materials were observed.

- Station Two Monitoring. Station two was sampled with the same 1035: procedures as station one with measurements and observations being recorded in Table 1. This position showed some very light, glassy surface sheen but no floating or suspended particulate material. The average drift rate of the ship with current and wind was GPS determined to be southwesterly at 0.7 knots between stations 2 & 3 (See Plot #1). No sealife was noted at this position.
- Station Three Monitoring. Seawater samples were collected and 1045: measurements taken as with Stations 1 & 2. This position showed some streaks of moderate glassy surface sheen over clear blue water. The drift rate of the ship between Stations #3 & 4 was again, 0.7 knots to the SW.
- 1055: Station Four monitoring. Standard sampling procedures were again carried out as in previous stations. This position, 0.25 NM SW of Station #3, showed a long, unbroken vessel track-line of typical heavy glassy surface sheen characteristic of the high strength wastewater extending in a NW to SE direction over 2 NM long and was within 0.25 NM from the visible leading edge of the plume. There were no floating or suspended materials. The SW current/drift rate of the ship was again noted here to be at 0.7 knots.
- 1105: Station Five monitoring. Sampling for this final station was conducted at the visual leading edge of the waste plume and just slightly NE of the zone center (See Plot #1). The leading edge of the waste plume was not clearly visible at this location and consisted of just a few scattered streaks of very light glassy surface sheen with clear, natural appearing blue waters further down-current to the southwest. The final drift rate of the ship was noted to be 0.6 knots and the waste plume appeared to be nearly stationary. Other than a few random seabirds flying by, no notable sea life was observed at this position or any of the other sampling stations. The final barometer reading was 29.54 when monitoring activities were concluded at 11:19 hrs. The *Blue Moon* exited the disposal zone at 11:31 hours and arrived back in Pago Pago Harbor to deliver the collected samples to the Starkist Samoa Co. laboratory at 12:20 hours.

Prepared by _

Mike Crook, Principal Investigator


OCEAN DUMPING RESEARCH PERMIT: OD-93-01 & 02

Table 1

<u>Date:</u> November 10,	Sea Conditions: Sl	ight w/ East &	: NE swells	to 1.0 mete	rs. Wind:	Northeast @ 10 kmots steady. Visibility: Good 8-10 NM
2011	Barometer: 29.53	^ 29.54	Current Set & Drift Rate: Southwest @ average 0.6 knots			west @ average 0.6 knots Sky: Cloudy 100%
Time	Station	Depth (meters)	Temp.	рН	Odor	Color
		1	27.2	8.2	h Alas Maria and Anna and Anna and Anna and Anna and Anna and Anna and Anna and Anna and Anna and Anna and Anna	Clear and natural deep pelagic blue w/ no floating of suspended
0635	Control	3	27.2	8.2	None	materials.
		10	26.7	8.2		
		1	28.3	8.2	4. Administration delication of the second design o	Scattered patches of moderate surface sheen over deep, blue & clear
1025	Station 1	3	27.8	8.2	None	water. No floating or suspended materials
			27.8	3.2		
		Tit 1	27.8	8.2		A few broken patches and streaks of light surface sheen over deep,
1035	Station 2	3	27.8	8.2	Slightly	clear blue water. No floating scum or other particulate type materials
		10	27.8	8.2	Pungent	present.
		1	28.3	8.2		
1045	Station 3	3	28.0	8.2	Slightly	Same as Station #1.
		10	28.0	8.2	Pungent	
		TI.	28.3	8.1		Long northwest to southeast extending track line of moderate to
1055	Station 4	3	28.3	8.1	Slightly	heavy surface sheen over clear blue water.
		10	28.3	8.1	Pungent	
		1	28.3	8.2		Leading Edge of the waste plume. Indistinct boundary of plume and
1105	Station 5	3	28.3	8.2	None	clear, natural blue seas further down-current to the southwest. Just a
			28.3	8.2		few scattered streaks of very light surface sheen. No particulate materials.

SAMPLE STATIONS POSITIONS

	LATII	TUDE	LONGITUDE		
Control - C	14° 23.51°	South	170° 37.24'	West	
Station 1	14° 24.40°	South	170° 37.05'	West	
Station 2	14° 23.49°	South	170° 37.36'	West	
Station 3	14° 23.65°	South	170° 37.58'	West	
Station 4	14° 23.75°	South	170° 37.85'	West	
Station 5	14° 23.96°	South	170° 38.12'	West	



Ocean Disposal Site Monitoring Report

(OD Permit 93-01 & 93-02)

08 December, 2011

Monitoring Vessel: F/V Blue Moon

Discharge Vessel: F/V Blue Moon

Chief Investigator: Mike Crook

Starkist Samoa Liaison: Joe Carney

STP/Tri Marine Liaison: Craig Double

Determination of Sampling Positions: All positions obtained by GPS

Satellite Navigation

Introduction

On December 08, 2011 the tank-ship *Blue Moon* departed Starkist Samoa dock bound for the designated ocean dump-site area approximately seven miles south of Pago Pago Harbor, American Samoa, on a routine wastewater disposal operation and for the purpose of monitoring this disposal of tuna cannery generated hi-strength liquid wastes into the waters of the Pacific Ocean. This monitoring and reporting were conducted in compliance with general permit conditions and Appendix A of Ocean Dumping Permits OD 93-01 & OD 93-02.

Chronology of Events

- <u>0515:</u> The *Blue Moon* departed Pago Pago Harbor bound for the dump-site location with Master/Principal Investigator, Chief and Mate on board.
- <u>0606:</u> The *Blue Moon* entered the dumpzone circle @ 14*22.6' S x 170*38.7' W.
- <u>0615:</u> The *Blue Moon* arrived at the dump-zone center, where observed east winds and slight east southeasterly seas initially indicated disposal operations be conducted in the eastern dump-zone quadrant.
- Control Station Monitoring. The Blue Moon arrived 1.1 nautical miles (NM) up-current or east (E) of the dump-zone center, where discrete seawater samples were taken from depths of 1, 3, and 10 meters. Water temperatures, color, pH and observed sea/sky conditions with stations' position were recorded (Table 1). Seas at this time were slight with east/SE swells to 1.5 meters and east winds at 12 knots (kts.) with the barometer reading 29.59. Current set and drift, of the ship, were to the west at 0.7 knots. No floating materials or sea life were observed here.
- The *Blue Moon* began disposal operations in the eastern dump zone quadrant and continued discharging cargo (high strength waste water) with a north (N) to south (S) reciprocal, elongated elliptical pattern, approximately 2.4 miles long (see Plot 1) until 0922 hrs.
- <u>Station One Monitoring.</u> Discrete water samples were drawn from depths of 1, 3, and 10 meters. Water temperatures, pH, stations' position and water color observations were all recorded in Table 1. The east wind had increased to 15 kts. with partly cloudy skies. The waste plume was not visibly present here and was only apparent further down-current to the west a short distance, (approximately 0.25 miles) away. The current/wind drift of the ship was GPS determined to be westerly @ 1.3 knots. No sea life or floating materials were observed.

- Station Two Monitoring. Station two was sampled with the same procedures as station one with measurements and observations being recorded in Table 1. This position showed only a few scattered patches of light surface sheen over clear, natural blue appearing seawater. The average drift rate of the ship with current and wind was GPS determined here to be westerly (W) at a rate of 1.2 knots between stations 2 & 3 (See Plot #1). No sea-life or floating materials were noted at this position.
- <u>Station Three Monitoring.</u> Seawater samples were collected and measurements taken as with Stations 1 & 2. This position had the same color qualities as Station # 1, that is, no visible sign of the waste plume Sea & wind conditions remained the same as with the previous sample stations and the drift rate of the ship between Stations #3 & 4 was 1.2 knots, again, to the west.
- Station Four monitoring. This area showed more of the same broken streaks and patches of very light surface sheen over clear blue subsurface water present at Station #2. The westerly current/drift rate of the ship was again noted here to be at 1.2 knots. No floating scum or suspended particulate materials were observed at any of these sample stations.
- Station Five monitoring. Sampling for this final station was conducted at the visual leading edge of the waste plume and approximately 0.08 NM SW of the zone center (see Plot #1). The leading edge of the waste plume was not clearly visible at this location as there was only an occasional small patch or streak of very light, glassy surface sheen with clear, natural appearing blue waters further down-current to the west. Again, no floating or suspended scum or particulates were noted at any of the five sampling stations. No notable sea life was observed at this position or any of the previous stations, other than a few random seabirds flying by. The final barometer reading was 29.60 when monitoring activities were concluded at 1023 hrs. The *Blue Moon* exited the disposal zone at 1034 hours and arrived back in Pago Pago Harbor to deliver the collected samples to the Starkist Samoa Co. laboratory at 11:25.

Prepared by Mike Crook, Principal Investigator

OCEAN DUMPING RESEARCH PERMIT: OD-93-01 & 02

Table 1

<u>Date:</u> December 08	Sea Conditions: SI	ight with East	t/Southeast	swells to 1	.5 meters. V	Vind: East @ 10 - 15 knots <u>Visibility:</u> Unlimited
2011	Barometer: 29.58	29.60	Curre	nt Set & D	rift Rate: West @	average 1.2 knots <u>Sky:</u> Partly cloudy w/ some passing rain
Time	Station	Depth (meters)	Temp.	рН	Odor	Color
		1	27.8	8.0		Clear and natural deep pelagic blue w/ no floating or suspended
0625	Control	3	27.2	8.1	None	materials.
		10	27.2	8.0		
		1	28.3	8.3		Same color qualities as Control Station; clear and natural blue with
0935	Station 1	3	27.8	7.9	None	no floating or suspended particulate material. Waste plume noted just
		10	27.8	8.1		west of this position having been moved by the current
		1	27.8	8.3		Streaks and patches of light, glassy surface sheen from broken up,
0945	Station 2	3	27.8	7.7	Slightly	north to south running vessel discharge track lines. No sign of floating
		10	27.8	7.9	Pungent	or particulate materials.
		1	28.3	8.0		
0955	Station 3	. 3	28.0	8.1	none	Same color qualities as Control & Station #1
		10	28.0	8.2		
		11	28.3	8.2		A few scattered streaks & patches of very light, glassy surface sheen
1005	Station 4	3	28.3	8.1	Slightly	over deep, clear blue. No floating or suspended particulate or other
		10	28.0	7.5	Pungent	material.
		1	28.3	8.3		
1015	Station 5	3	28.0	8.2	Slightly	Leading edge of the waste plume: Same color & sheen observations as
		10	28.0	7.8	Pungent	at Station #4 and located very close to the disposal zone center.

SAMPLE STATIONS POSITIONS

	LATIT	TUDE	LONGITUDE		
Control - C	14° 24.09'	South	170° 37.17'	West	
Station 1	14° 24.10'	South	170° 36.94'	West	
Station 2	14° 24.13'	South	170° 37.30'	West	
Station 3	14° 24.14'	South	170° 37.52°	West	
Station 4	14° 24.12'	South	170° 37.85°	West	
Station 5	14° 24.08'	South	170° 38.30°	West	

N A	170 39.60 W	170 36.80 W	PLDT #1 Ocean Monitoring Sampling Stations Control (C) and Sampling Stations #1 - #5 08 December, 2011 M. Crook, Investigator	170 3400 W
14 22.40 S	Disposal Zone Center: 14*24.0' S x 170* 38.3' W	EX ** ** ** ** ** ** ** *	Current Set; West	
14 25.20 S				

Ocean Disposal Site Monitoring Report

(OD Permit 93-01 & 93-02)

07 October, 2011

Monitoring Vessel: F/V Blue Moon

Discharge Vessel: F/V Blue Moon

Chief Investigator: Mike Crook

Starkist Samoa Liaison: Joe Carney

STP/Tri Marine Liaison. Craig Double

Determination of Sampling Positions: All positions obtained by GPS Satellite Navigation



Mike Crook P.O. Box 4933 Pago Pago, AS 96799 10 October, 2011

Introduction

On October 07, 2011 the tank-ship *Blue Moon* departed Starkist Samoa dock bound for the designated ocean dump-site area approximately seven miles south of Pago Pago Harbor, American Samoa, on a routine wastewater disposal operation and for the purpose of monitoring this disposal of tuna cannery generated hi-strength liquid wastes into the waters of the Pacific Ocean. This monitoring and reporting were conducted in compliance with general permit conditions and Appendix A of Ocean Dumping Permits OD 93-01 & OD 93-02.

Chronology of Events

- <u>0520:</u> The *Blue Moon* departed Pago Pago Harbor bound for the dump-site location with Master/Principal Investigator, Chief and Mate on board.
- 10613: The Blue Moon entered the dumpzone circle @ 14*22.6' S x 170*38.8' W.
- <u>0624</u>: The *Blue Moon* arrived at the dump-zone center, where observed east winds and slight east to southeasterly seas initially indicated disposal operations be conducted in the eastern dump-zone quadrant.
- <u>Control Station Monitoring.</u> The *Blue Moon* arrived 1.1 nautical miles (NIM) up-current or east (E) of the dump-zone center, where discrete seawater samples were taken from depths of 1, 3, and 10 meters. Water temperatures, color, pH and observed sea/sky conditions with stations' position were recorded (Table 1). Seas at this time were slight with East & SE swells to 1.5 meters and east winds at 7 knots (kts.) with the barometer reading 29.61. Current set and drift of the ship, by GPS, were to the west at 0.7 knots. No floating materials or sea life were observed here.
- The *Blue Moon* began disposal operations in the eastern dump zone quadrant and continued discharging cargo (high strength waste water) with a north (N) to south (S) reciprocal, elongated elliptical pattern, approximately 2.25 miles long (see Plot 1) until 09:36 hrs.
- Station One Monitoring (See Plot #1). Discrete water samples were drawn from depths of 1, 3, and 10 meters. Water temperatures, pH, stations' position and water color observations were all recorded in Table 1. The east wind had increased to 10 kts. with partly cloudy skies. The waste plume was not visibly present here and was only apparent further down-current to the west some distance, (about 0.2 miles) away. The current/wind drift of the ship was GPS determined to be westerly at 0.9 knots. No floating or suspended materials were noted here.

- <u>Station Two Monitoring.</u> Station two was sampled with the same procedures as station one with measurements and observations being recorded in Table 1. This position showed some light sheen of previous vessel track lines as the only visible indication of the waste plume. The average drift rate of the ship with current and wind was GPS determined here to be westerly (W) at a rate of 1.0 knots between stations 2 & 3 (See Plot #1). No sea-life or floating materials were noted at this position.
- Station Three Monitoring. Seawater samples were collected and measurements taken as with Stations 1 & 2. This position showed a broad area of continuous streaks and patches of moderate surface sheen along with widespread swaths of floating brown scum and large brown particulates. Also present were much finer and lighter colored, suspended particulate material in light concentration extending down to the limit of visibility (approx. 3-4 maters). Sea & wind conditions remained the same as with the previous two sample stations and the drift rate of the ship between Stations #3 & 4 was 1.1 knots, again, to the west.
- Station Four monitoring. This position was in the same large area of moderate surface sheen as Station #3 and showed the same sparsely concentrated fine, light gray colored suspended particulate material but none of the floating soum etc. The westerly current/drift rate of the ship was again noted here to be at 1.1 knots. No sea-life was observed.
- Station Five monitoring. Sampling for this final station was conducted at the visual leading edge of the waste plume and approximately 0.35 NM west of the zone center (See Piot #1). The leading edge of the waste plume was distinctive at this location as an unbroken line of light, glassy surface sheen with clear, natural appearing blue waters further down-current to the west. Also present in this sheen were more swaths of the floating scum and large particulate material but none of the fine suspended particles. All these materials were various shades of brown. The final drift rate of the ship was noted to be 1.0 knots. Other than a few random seabirds flying, no significant sea life was observed at this position or any of the previous stations. The final barometer reading was 29.62 when monitoring activities were concluded at 1040 hrs. The *Blue Moon* exited the disposal zone at 1048 hours and arrived back in Pago Pago Harbor to deliver the collected samples to the Starkist Samoa Co. laboratory at 1140 hours.

Prepared by
Mike Crook, Principal Investigator

OCEAN DUMPING RESEARCH PERMIT: OD-93-01 & 02

Table

Date: 07 October,	Sea Conditions: Sl	ight w/ SE & I	Easterly s	wells to 1.5 n	neters.	Winds East @ 7 - 10 knots	Visibility: Unlimited
2011	Barometer: 29.61 ↑ 29.63 ↓ 29.62		2	Current Set & Drift Rate:		/est @ average 1.0 knots	Sky: Partly cloudy, 25 - 50%
Time	Station	Depth (meters)	Temp.	pH	Odor		Color
0635	Control	1 3	26.1 26.1	8.2	None		agic blue w/ no floating or suspended materials.
0945	Station 1	10 1 3 10	26.1 27.5 27.5 27.2	8.2 8.2 8.2 8.2	None	no floating or suspended parti	rol Station, clear and natural blue with culate material. Waste plume noted just iving been moved by the current
0955	Station 2	1 3 10	27.5 27.2 27.2	8.2 8.2 8.2	Slightly Pungent	Broken patches of previous surface sheen over deep, clear	vessel track lines and streaks of slight r blue water. No floating scum or other ype materials present.
1005	Station 3	1 3 10	27.8 27.2 27.5	8.2 8.2 8.2	Pungent	In a long north to south extending area of moderate surfa	
1015	Station 4	1 3 10	2.7.8 2.7.8 2.7.5	8.2 8.2 8.2	Pungent	Part of the same broad area of moderate surface sheen as S	
1030	Station 5	1 3 10	27.2 27.2 27.2	8.2 8.2 8.2	Pungent	Leading Edge of the waste plume. Distinct boundary of moderate surface sheen along with the same floating and particulates as described at Station #4 but not as dense. natural blue seas further down-current to the Western Station #4 but not as dense.	

SAMPLE STATIONS POSITIONS

	LATIT	'UDE	LONGITUDE		
Control - C	14° 24.05'	South	170° 37.18'	West	
Station 1	14° 24.00'	South	170° 36.99'	West	
Station 2	14° 23.95'	South	170° 37.24'	West	
Station 3	14° 23.97'	South	170° 37.53'	West	
Station 4	14° 23.95'	South	170° 37.89°	West	
Station 5	14° 23.96'	South	170° 38.64°	West	

NA	170 Jo. 23 W	170 \$4.32 W	176 33.41 W
		Control (C) and Sampling Stations 17 October, 2011 M. Crook Investigator	dJores お1 - W ^A
14 22.73 S	Disposal Zone Center. #4 #3 #2 #2 #24.0 s x 170 38.3 W #5	Current Sett West	
14 26.14 S			

Monthly Volumes of COS Samoa Pasking Fish Processing Wastes Generated Per Day and Volumes of Fish Processing Wastes Disposed at the Ocean Site

Month: Decemebr 2011

rhadisken. Selgent verbritisk statiskynteren et inskjer pri saparigen. Ne samminde opplytiskyntering	DAF Sludge	Precooker Water	Press Water	Total	Volume
	Generated	Generated	Generated	Generated	Ocean Disposed
OD 93-02	(gallons/day)	(gallons/day)	(gallons/day)	(gallons/day)	(gallons/day)
Permit					
Limits	600,00	100,000	40,000	200,000	200,000
Dec 2011	No waste for E	December		0	
Totals	0	0	0	0	0

Note: An asterisk(*) to the right of the fish processing waste volume signifies that a violation of the permit limit has occurred.

The number of violations are shown in the Monthly "Totals" row.

Monthly quantities of alum (aluminum sulfate) and coagulant polymer added to the fish processing waste streams:

Aluminum Sulfate:

0 pounds/month

Monthly Volumes of COS Samon Packing Fish Processing Wastes Generated Per Day and Volumes of Fish Processing Wastes Disposed at the Ocean Site

Month: Novemeber 2011

	DAF Sludge	Precooker Water	Press Water	Total	Volume
	Generated	Generated	Generated	Generated	Ocean Disposed
OD 93-02	(gallons/day)	(gallons/day)	(gallons/day)	(gallons/day)	(gallons/day)
Permit					
Limits	60,000	100,000	40,000	200,000	200,000
Nov 2011	No waste for November			0	
Totals	0	0	O State of the Control of the Contro	0	0

Note: An asterisk(*) to the right of the fish processing waste volume signifies that a violation of the permit limit has occurred.

The number of violations are shown in the Monthly "Totals" row.

Monthly quantities of alum (aluminum sulfate) and coagulant polymer added to the fish processing waste streams:

Aluminum Sulfate:

0 pounds/month

At withly Volumes of COS Comes Publing Fish Processing Miscles Generated Per Day and Volumes of Fish Processing Wastes Disposed at the Ocean Site

Month: October 2011

HERTORI G TOURSHOE SON IN B. HERMANINE BY BA LA CANDER, SI LANDER CORRESPONDENCI (STEERING)	DAF Sludge	Precooker Water	Press Water	Total	Volume
	Generated	Generated	Generated	Generated	Ocean Disposed
OD 93-02	(gallons/day)	(gallons/day)	(gallons/day)	(gallons/day)	(gallons/day)
Permit					
Limits	60,000	100,000	40,000	200,000	200,000
October 11	No waste for Oct	ober		0	
Totals	0	O State of the Control of the Contro	0	0	0

Note: An asterisk(*) to the right of the fish processing waste volume signifies that a violation of the permit limit has occurred.

The number of violations are shown in the Monthly "Totals" row.

Monthly quantities of alum (aluminum sulfate) and coagulant polymer added to the fish processing waste streams:

Aluminum Sulfate:

0 pounds/month

Data Form for 3-Month Report on Waste Stream Analyses for COS Samoa Packing MPRSA 102 Permit #OD 93-02

Reporting Period: From October 2011 to December

COS Samoa Packing - Onshore Storage Monitoring Report

Month & Year	Total Solids (mg/L)	Total Volatile Solids (mg/L)	5-Day Biological Oxygen Demand (mg/L)		Oil and Grease (mg/L)	No.	Total Phosphorus (mg/L)		Total Nitroger (mg/L)	Ammonia (mg/L)	2000	pH (pH units)	Density (g/mL)	l Lát
October-11 November-11 December-11	149			5 2										
OD 93-02 Permit Limits	54,590	58,760	87,780	-	48,630		2,820	75	11,070	5,200	(57)	5.8 to 7.5	.97 to 1.03	

2011

NOTE: An asterisk(*) next to the waste concentration signifies that an exceedance of the permit limit has occurred.

Cumulative Yearly Data on Fish Processing Wastes Generated at Samoa Tuna Processors Inc. and Disposed at the Ocean Site MPRSA 102 Special Permit #OD 93-02

Reporting Period: From

1 P ...

<u>01 JAN.</u>

2011 31 DEC.

2011

	DAF Sludge	Cooker Water	Press Water	Total		Volume
	DAI Sidage	Cooker Water	1 1033 VValor	10(4)		Volumo
	Generated	Generated	Generated	Generated	Coagulate polymer	Ocean Disposed
Month & Year	(gallons/month)	(gallons/month)	(gallons/month)	(gallons/month)	(pounds/month)	(gallons/month)
Jan. 2011	0	0	0	0	0	0
Feb. 2011	0	0	0	0	0	0
Mar. 2011	0	0	0	0	0	0
Apr. 2011	0	0	0	0	0	0
May. 2011	0	0	0	0	0	0
Jun. 2011	0	0	0	0	0	0
Jul. 2011	0	0	0	0	0	0
Aug. 2011	0	0	0	0	0	0
Sep. 2011	0	0	0	0	0	0
Oct. 2011	0	0	0	0	0	0
Nov. 2011	0	0	0	0	0	0
Dec. 2011	0	0	0	0	0	0
Cumulative						
Yearly Totals	0	0	0	0	0	0

NOTE: A seperate table shall be prepared for each calendar year.

StarKist

Jan 13, 2012

Mr. Alan Ota US EPA Region 9-OPINAP (E-4) WTR-2 75 Hawthorne Street San Francisco, CA 94105

Dr. Toafa Vaiaga'e, Director Office of the Governor, AS EPA EOB Utulei, American Samoa 96799

Gentlemen:

RE: OD 93-01 SECTION 6.2 Reports and Correspondence

Pursuant to the above referenced Ocean Dumping permit, the final quarterly report for OD 93-01 is enclosed.

Section 6.2.1 and Section 6.2.3

All reports and related correspondence required by General Condition 1.10, Special Conditions 3.2, 3.3, 4.3, 4.5, 4.7, 5.2, 5.3, 5.4, 6.1, and all other materials, including applications shall be submitted to (EPA Region IX) (American Samoa Environmental Protection Agency).

Data compiled are for the period of October 2011 to December 2011. Analytical performance concluded all parameters were met

Joe Carney.

Manager, Engeneering and Maintenance

cc: Brett Butler, SKS General Manager

Michael Wolfram, OPINAP Program Director

File

Data Form for 3-Month Report on Waste Stream Analyses for StarKist Samoa MPRSA 102 Permit #OD 93-01

Reporting Period: From October 2011

to

December 2011

StarKist Samoa - On Shore Storage Tank

Month & Year	Total Solids (mg/L)	Total Volatile Solids (mg/L)	5-day Biological Oxygen Demand (mg/L)	Oil & Grease (mg/L)	Total Phosphorus (mg/L)	Total Nitrogen (mg/L)	Ammonia (mg/L)	pH (pH units)	Density (g/mL)
7-Oct-11	43616	47629	64318	6015	515	5900	5200	6.68	1.01
OD 93-01 Permit Limits	95,760	77,170	105,900	52,110	3,080	13,370	7,640	6.2 to 7.3	0.93 to 1.05

StarKist Samoa - On Shore Storage Tank

Month & Year	Total Solids (mg/L)	Total Volatile Solids (mg/L)	5-day Biological Oxygen Demand (mg/L)	Oil & Grease (mg/L)	Total Phosphorus (mg/L)	Total Nitrogen (mg/L)	Ammonia (mg/L)	pH (pH units)	Density (g/mL)
10-Nov-11	53804	43171	39427	6045	625	7000	6050	6.66	1.01
OD 93-01 Permit Limits	95,760	77,170	105,900	52,110	3,080	13,370	7,640	6.2 to 7.3	0.93 to 1.05

StarKist Samoa - On Shore Storage Tank

Month & Year	Total Solids (mg/L)	Total Volatile Solids (mg/L)	5-day Biological Oxygen Demand (mg/L)	Oil & Grease (mg/L)	Total Phosphorus (mg/L)	Total Nitrogen (mg/L)	Ammonia (mg/L)	pH (pH units)	Density (g/mL)
8-Dec-11	70534	55400	44419	4469	600	5100	6600	6.57	1.01
OD 93-01 Permit Limits	95,760	77,170	105,900	52,110	3,080	13,370	7,640	6.2 to 7.3	0.93 to 1.05

Note: An asterisk (*) next to the waste concentration signifies that a violation of the permit limit has occurred.

Monthly Volumes of StarKist Samoa Fish Processing Wastes Generated Per Day and Volumes of Fish Processing Wastes Disposed at the Ocean Site

Month: October 2011

0D 93-01	DAF Sludge Generated (gallons/day)	Cooker Water Generated (gallons/day)	Press Liquor Generated (gallons/day)	Total Generated (gallons/day)
Permit Limits	30,000	70,000	100,000	

Date	DAF Sludge Generated (gallons/day)	Cooker Juice Generated (gallons/day)	Press Liquor Generated (gallons/day)	Total Generated (gallons/day)	Volume Ocean Disposed (gallons/day)
1-Oct-11	10000	40000	50000	100000	182500
2-Oct-11	1750	7000	8750	17500	
3-Oct-11	6500	26000	32500	65000	157500
4-Oct-11	6500	26000	32500	65000	
5-Oct-11	7500	30000	37500	75000	172500
6-Oct-11	8750	35000	43750	87500	
7-Oct-11	9750	39000	48750	97500	185000
8-Oct-11	2500	10000	12500	25000	
9-Oct-11	1750	7000	8750	17500	
10-Oct-11	7750	31000	38750	77500	197000
11-Oct-11	7250	29000	36250	72500	
12-Oct-11	9250	37000	46250	92500	172500
13-Oct-11	8000	32000	40000	80000	
14-Oct-11	9250	37000	46250	92500	185500
15-Oct-11	8750	35000	43750	87500	
16-Oct-11	250	1000	1250	2500	192500
17-Oct-11	9500	38000	47500	95000	
18-Oct-11	11500	46000	57500	115000	150000
19-Oct-11	7000	28000	35000	70000	
20-Oct-11	8000	32000	40000	80000	190000
21-Oct-11	7000	28000	35000	70000	
22-Oct-11	11250	45000	56250	112500	170000
23-Oct-11	1000	4000	5000	10000	
24-Oct-11	1500	6000	7500	15000	
25-Oct-11	7250	29000	36250	72500	147500
26-Oct-11	8500	34000	42500	85000	
27-Oct-11	9500	38000	47500	95000	185000
28-Oct-11	4250	17000	21250	42500	
29-Oct-11	9000	36000	45000	90000	182500
30-Oct-11	2500	10000	12500	25000	
31-Oct-11	6250	25000	31250	62500	165000
Monthly Totals	209500	838000	1047500	2095000	2635000

NOTE: An asterisk (*) to the right of the fish processing waste volume signifies that a violation of the permit limit has occurred.

The number of violations are shown in the Monthly Totals row.

Monthly quantities of alum (aluminum sulfate) and coagulant polymer added to the fish processing waste streams:

Aluminum sulfate:

19180.7 Pounds/Month

Coagulant polymer:

618.7 Pounds/Month

Monthly Volumes of StarKist Samoa Fish Processing Wastes Generated Per Day and Volumes of Fish Processing Wastes Disposed at the Ocean Site

Month: October 2011

0D 93-01	DAF Sludge Generated (gallons/day)	Cooker Water Generated (gallons/day)	Press Liquor Generated (gallons/day)	Total Generated (gallons/day)
Permit Limits	30,000	70,000	100,000	

Date	DAF Sludge Generated (gallons/day)	Cooker Juice Generated (gallons/day)	Press Liquor Generated (gallons/day)	Total Generated (gallons/day)	Volume Ocean Disposed (gallons/day)
1-Oct-11	10000	40000	50000	100000	182500
2-Oct-11	1750	7000	8750	17500	
3-Oct-11	6500	26000	32500	65000	157500
4-Oct-11	6500	26000	32500	65000	
5-Oct-11	7500	30000	37500	75000	1 7 2500
6-Oct-11	8750	35000	43750	87500	
7-Oct-11	9750	39000	48750	97500	185000
8-Oct-11	2500	10000	12500	25000	
9-Oct-11	1750	7000	8750	17500	
10-Oct-11	7750	31000	38750	77500	197000
11-Oct-11	7250	29000	36250	72500	
12-Oct-11	9250	37000	46250	92500	172500
13-Oct-11	8000	32000	40000	80000	
14-Oct-11	9250	37000	46250	92500	185500
15-Oct-11	8750	35000	43750	87500	
16-Oct-11	250	1000	1250	2500	192500
17-Oct-11	9500	38000	47500	95000	
18-Oct-11	11500	46000	57500	115000	150000
19-Oct-11	7000	28000	35000	70000	
20-Oct-11	8000	32000	40000	80000	190000
21-Oct-11	7000	28000	35000	70000	
22-Oct-11	11250	45000	56250	112500	170000
23-Oct-11	1000	4000	5000	10000	
24-Oct-11	1500	6000	7500	15000	
25-Oct-11	7250	29000	36250	72500	147500
26-Oct-11	8500	34000	42500	85000	
27-Oct-11	9500	38000	47500	95000	185000
28-Oct-11	4250	17000	21250	42500	
29-Oct-11	9000	36000	45000	90000	182500
30-Oct-11	2500	10000	12500	25000	
31-Oct-11	6250	25000	31250	62500	165000
Monthly Totals	209500	838000	1047500	2095000	2635000

NOTE: An asterisk (*) to the right of the fish processing waste volume signifies that a violation of the permit limit has occurred.

The number of violations are shown in the Monthly Totals row.

Monthly quantities of alum (aluminum sulfate) and coagulant polymer added to the fish processing waste streams:

Aluminum sulfate:

19180.7 Pounds/Month

Coagulant polymer:

618.7 Pounds/Month

Monthly Volumes of StarKist Samoa Fish Processing Wastes Generated Per Day and Volumes of Fish Processing Wastes Disposed at the Ocean Site

Month: November 2011

0D 93-01	DAF Sludge Generated (gallons/day)	Cooker Water Generated (gallons/day)	Press Liquor Generated (gallons/day)	Total Generated (gallons/day)
Permit Limits	30,000	70,000	100,000	200,000

Date	DAF Sludge Generated (gallons/day)	Cooker Juice Generated (gallons/day)	Press Liquor Generated (gallons/day)	Total Generated (gallons/day)	Volume Ocean Disposed (gallons/day)
1-Nov-11	8000	32000	40000	80000	
2-Nov-11	11000	44000	55000	110000	185000
3-Nov-11	8750	35000	43750	87500	
4-Nov-11	7000	28000	35000	70000	192500
5-Nov-11	1500	6000	7500	15000	
6-Nov-11	1000	4000	5000	10000	105000
7-Nov-11	10500	42000	52500	105000	
8-Nov-11	6750	27000	33750	67500	115000
9-Nov-11	5250	21000	26250	52500	774
10-Nov-11	9500	38000	47500	95000	177500
11-Nov-11	6750	27000	33750	67500	
12-Nov-11	500	2000	2500	5000	162500
13-Nov-11	2500	10000	12500	25000	
14-Nov-11	9500	38000	47500	95000	
15-Nov-11	10750	43000	53750	107500	150000
16-Nov-11	7750	31000	38750	77500	
17-Nov-11	9250	37000	46250	92500	182500
18-Nov-11	6750	27000	33750	67500	
19-Nov-11	500	2000	2500	5000	200000
20-Nov-11	500	2000	2500	5000	
21-Nov-11	250	1000	1250	2500	
22-Nov-11	0	0	0	SHUTDOWN	
23-Nov-11	0	0	0	"	
24-Nov-11	0	0	0	п	
25-Nov-11	0	0	0	"	
26-Nov-11	0	0	0	"	
27-Nov-11	0	0	0	**	
28-Nov-11	0	0	0	II	
29-Nov-11	0	0	0	11	
30-Nov-11	0	0	0		
Monthly Totals	124250	497000	621250	1242500	1470000

NOTE: An asterisk (*) to the right of the fish processing waste volume signifies that a violation of the permit limit has occurred. The number of violations are shown in the Monthly Totals row.

Monthly quantities of alum (aluminum sulfate) and coagulant polymer added to the fish processing waste streams:

Coagulant Polymer:

Aluminum Sulfate: 11866.7 Pounds/Month 565.1 Pounds/Month

Monthly Volumes of StarKist Samoa Fish Processing Wastes Generated Per Day and Volumes of Fish Processing Wastes Disposed at the Ocean Site

Month: December 2011

0D 93-01	DAF Sludge Generated (gallons/day)	Cooker Water Generated (gallons/day)	Press Liquor Generated (gallons/day)	Total Generated (gallons/day)
Permit Limits	30,000	70,000	100,000	200,000

Date	DAF Sludge Generated (gallons/day)	Cooker Juice Generated (gallons/day)	Press Liquor Generated (gallons/day)	Total Generated (gallons/day)	Volume Ocean Disposed (gallons/day)
1-Dec-11	0	0	0		
2-Dec-11	0	0	0		
3-Dec-11	0	0	0		
4-Dec-11	0	0	0		
5-Dec-11	6750	27000	33750	67500	130000
6-Dec-11	5250	21000	26250	52500	
7-Dec-11	10250	41000	51250	102500	160000
8-Dec-11	7000	28000	35000	70000	
9-Dec-11	8500	34000	42500	85000	
10-Dec-11	6500	26000	32500	65000	165000
11-Dec-11	2250	9000	11250	22500	
12-Dec-11	5750	23000	28750	57500	
13-Dec-11	8250	33000	41250	82500	194500
14-Dec-11	6750	27000	33750	67500	
15-Dec-11	9500	38000	47500	95000	192500
16-Dec-11	8750	35000	43750	87500	
17-Dec-11	2000	8000	10000	20000	190000
18-Dec-11	0	0	0		
19-Dec-11	0	0	0		180000
20-Dec-11	0	0	0		
21-Dec-11	0	0	0		
22-Dec-11	0	0	0		
23-Dec-11	0	0	0		
24-Dec-11	0	0	0		
25-Dec-11	0	0	0		
26-Dec-11	0	0	0		
27-Dec-11	0	0	0		
28-Dec-11	0	0	0		
29-Dec-11	0	0	0		
30-Dec-11	0	0	0		W-10
31-Dec-11	0	0	0		
Monthly Totals	87500	350000	437500		

NOTE: An asterisk (*) to the right of the fish processing waste volume signifies that a violation of the permit limit has occurred. The number of violations are shown in the Monthly Totals row.

Monthly quantities of alum (aluminum sulfate) and coagulant polymer added to the fish processing waste streams:

Aluminum Sulfate: 1604.0 Pounds/Month Coagulant Polymer: 460.2 Pounds/Month

StarKist Samoa CO Ocean Dump Site Monitoring Reports

08 - Oct - 2011		TSS	TVSS	TP	TN	O&G	Ammonia
		mg/i	mg/l	mg/l	mg/l	mg/l	mg/l
	Depth (m)	SKS	SKS	SKS	SKS	SKS	SKS
Station 1	control-1	4.0	1.5	0.010	0.25	0.50	0.041
	control-3	4.5	2.5	0.020	0.25	0.25	0.048
	control-10	5.0	2.0	0.015	0.35	0.25	0.043
	1	4.5	2.0	0.005	0.10	0.49	0.024
	3	4.5	3.5	0.025	0.20	0.25	0.032
	10	5.0	1,5	0.025	0.35	0.38	0.034
Station 2	1	4.5	2.0	0.005	0.30	0.37	0.040
	3	5.5	2.5	0.010	0.20	0.34	0.037
	10	4.5	2.5	0.015	0.15	0.36	0.037
Station 3	1	4.0	2.5	0.000	0.05	0.62	0.045
	3	5.0	2.5	0.005	0.25	0.25	0.041
	10	4.0	3.0	0.035	0.20	0.62	0.040
Station 4	1	5.0	3.0	0.000	0.10	0.45	0.028
	3	4.5	1.5	0.005	0.30	0.25	0.043
	10	4.5	1.5	0.015	0.10	0.37	0.049
Station 5	1	4.5	2.0	0.015	0.30	0.37	0.041
	3	5.0	3.0	0.030	0.05	0.23	0.046
	10	4.5	2.5	0.005	0.30	0.38	0.047

Nov - 11- 2011		TSS	TVSS	TP	TN	O&G	Ammonia
		mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
	Depth (m)	SKS	SKS	SKS	SKS	SKS	SKS
Station 1	control-1	4.5	3.0	0.025	0.30	0.47	0.039
	control-3	5.0	2.5	0.020	0.20	0.49	0.040
	control-10	5.0	2.0	0.000	0.25	0.36	0.027
	1	6.0	3.0	0.015	0.05	0.25	0.033
	3	4.5	2.5	0.005	0.00	0.25	0.042
	10	5.5	2.5	0.010	0.25	0.23	0.033
Station 2	1	5.0	1.5	0.015	0.40	0.25	0.040
	3	4.5	2.0	0.005	0.25	0.59	0.049
	10	4.5	2.5	0.015	0.25	0.25	0.043
Station 3	1	4.0	1.5	0.015	0.35	0.23	0.036
	3	5.0	1.5	0.025	0.20	0.25	0.042
	10	4.5	2.5	0.020	0.15	0.38	0.023
Station 4	1	4.5	3.0	0.005	0.35	0.37	0.027
	3	5.0	2.5	0.035	0.20	0.47	0.041
	10	5.0	2.5	0.020	0.05	0.37	0.044
Station 5	1	5.5	1.5	0.010	0.20	0.53	0.029
	3	5.5	3.0	0.000	0.45	0.37	0.025
	10	5.0	1.5	0.010	0.05	0.50	0.038

TSS is reported as non-filterable residue

TVSS is reported as volatile non-filterable residue

StarKist Samoa CO Ocean Dump Site Monitoring Reports

Dec - 09 - 2011		TSS	TVSS	TP	TN	O&G	Ammonia
		mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
	Depth (m)	SKS	SKS	SKS	SKS	SKS	SKS
Station 1	control-1	5.0	1.5	0.010	0.20	0.67	0.028
	control-3	4.0	3.0	0.020	0.15	0.63	0.020
	control-10	5.5	1.5	0.025	0.20	0.56	0.040
	1	4.5	2.0	0.025	0.05	0.49	0.028
	3	5.0	2.5	0.005	0.35	0.25	0.028
	10	4.5	2.5	0.020	0.30	0.64	0.041
Station 2	1	6.5	1.5	0.010	0.25	0.34	0.043
	3	4.5	2.5	0.015	0.10	0.48	0.022
	10	5.0	2.5	0.000	0.10	0.59	0.026
Station 3	1	5.5	2.5	0.000	0.15	0.22	0.033
	3	5.5	2.0	0.015	0.15	0.58	0.024
	10	6.5	1.5	0.020	0.15	0.49	0.032
Station 4	1	5.0	2.5	0.000	0.10	0.57	0.022
	3	5.0	3.0	0.010	0.15	0.58	0.041
	10	5.0	3.0	0.005	0.05	0.49	0.015
Station 5	1	5.0	2.5	0.005	0.30	0.76	0.023
	3	5.0	3.0	0.005	0.30	0.34	0.031
	10	5.5	3.5	0.015	0.00	0.51	0.035

TSS is reported as non-filterable residue TVSS is reported as volatile non-filterable residue

Ocean Disposal Site Monitoring Report (OD Permit 93-01 & 93-02)

07 October, 2011

Monitoring Vessel: F/V Blue Moon

Discharge Vessel: F/V Blue Moon

Chief Investigator: Mike Crook

Starkist Samoa Liaison: Joe Carney

STP/Tri Marine Liaison: Craig Double

Determination of Sampling Positions: All positions obtained by GPS

Satellite Navigation

Mike Crook P.O. Box 4933 Pago Pago, AS 96799 10 October, 2011

Introduction

On October 07, 2011 the tank-ship *Blue Moon* departed Starkist Samoa dock bound for the designated ocean dump-site area approximately seven miles south of Pago Pago Harbor, American Samoa, on a routine wastewater disposal operation and for the purpose of monitoring this disposal of tuna cannery generated hi-strength liquid wastes into the waters of the Pacific Ocean. This monitoring and reporting were conducted in compliance with general permit conditions and Appendix A of Ocean Dumping Permits OD 93-01 & OD 93-02.

Chronology of Events

- <u>0520:</u> The *Blue Moon* departed Pago Pago Harbor bound for the dump-site location with Master/Principal Investigator, Chief and Mate on board.
- <u>**0613:**</u> The *Blue Moon* entered the dumpzone circle @ 14*22.6' S x 170*38.8' W.
- The *Blue Moon* arrived at the dump-zone center, where observed east winds and slight east to southeasterly seas initially indicated disposal operations be conducted in the eastern dump-zone quadrant.
- Control Station Monitoring. The Blue Moon arrived 1.1 nautical miles (NM) up-current or east (E) of the dump-zone center, where discrete seawater samples were taken from depths of 1, 3, and 10 meters. Water temperatures, color, pH and observed sea/sky conditions with stations' position were recorded (Table 1). Seas at this time were slight with East & SE swells to 1.5 meters and east winds at 7 knots (kts.) with the barometer reading 29.61. Current set and drift of the ship, by GPS, were to the west at 0.7 knots. No floating materials or sea life were observed here.
- The *Blue Moon* began disposal operations in the eastern dump zone quadrant and continued discharging cargo (high strength waste water) with a north (N) to south (S) reciprocal, elongated elliptical pattern, approximately 2.25 miles long (see Plot 1) until 09:36 hrs.
- Station One Monitoring (See Plot #1). Discrete water samples were drawn from depths of 1, 3, and 10 meters. Water temperatures, pH, stations' position and water color observations were all recorded in Table 1. The east wind had increased to 10 kts. with partly cloudy skies. The waste plume was not visibly present here and was only apparent further down-current to the west some distance, (about 0.2 miles) away. The current/wind drift of the ship was GPS determined to be westerly at 0.9 knots. No floating or suspended materials were noted here.

- <u>Station Two Monitoring.</u> Station two was sampled with the same procedures as station one with measurements and observations being recorded in Table 1. This position showed some light sheen of previous vessel track lines as the only visible indication of the waste plume. The average drift rate of the ship with current and wind was GPS determined here to be westerly (W) at a rate of 1.0 knots between stations 2 & 3 (See Plot #1). No sea-life or floating materials were noted at this position.
- Station Three Monitoring. Seawater samples were collected and measurements taken as with Stations 1 & 2. This position showed a broad area of continuous streaks and patches of moderate surface sheen along with widespread swaths of floating brown scum and large brown particulates. Also present were much finer and lighter colored, suspended particulate material in light concentration extending down to the limit of visibility (approx. 3-4 meters). Sea & wind conditions remained the same as with the previous two sample stations and the drift rate of the ship between Stations #3 & 4 was 1.1 knots, again, to the west.
- 1015: Station Four monitoring. This position was in the same large area of moderate surface sheen as Station #3 and showed the same sparsely concentrated fine, light gray colored suspended particulate material but none of the floating scum etc. The westerly current/drift rate of the ship was again noted here to be at 1.1 knots. No sea-life was observed.
- Station Five monitoring. Sampling for this final station was conducted at the visual leading edge of the waste plume and approximately 0.35 NM west of the zone center (See Plot #1). The leading edge of the waste plume was distinctive at this location as an unbroken line of light, glassy surface sheen with clear, natural appearing blue waters further down-current to the west. Also present in this sheen were more swaths of the floating scum and large particulate material but none of the fine suspended particles. All these materials were various shades of brown. The final drift rate of the ship was noted to be 1.0 knots. Other than a few random seabirds flying, no significant sea life was observed at this position or any of the previous stations. The final barometer reading was 29.62 when monitoring activities were concluded at 1040 hrs. The *Blue Moon* exited the disposal zone at 1048 hours and arrived back in Pago Pago Harbor to deliver the collected samples to the Starkist Samoa Co. laboratory at 1140 hours.

Prepared by Mike Crook, Principal Investigator

OCEAN DUMPING RESEARCH PERMIT: OD-93-01 & 02

Table

Date:	Sea Conditions: SI	ight w/ SE & I	Easterly sv	vells to 1.5	meters.	Wind: East @ 7 - 10 knots	Visibility: Unlimited
07 October, 2011	Barometer: 29.61	↑ 29.63 ↓ 29.62	: !	Current Se	t & Drift Rate: V	West @ average 1.0 knots	Sky: Partly cloudy, 25 - 50%
Time	Station	Depth (meters)	Temp.	рН	Odor		Color
		1	26.1	8.2		Clear and natural deep pela	agic blue w/ no floating or suspended
0635	Control	3	26.1	8.2	None	1	materials.
		10	2.6.1	8.2			
		1	27.5	8.2			ol Station, clear and natural blue with
0945	Station 1	3	2.7.5	8.2	None		culate material. Waste plume noted just
		10	27.2	8.2		west of this position having been moved by the current	
		1	27.5	8.2			vessel track lines and streaks of slight
0955	Station 2	3	27.2	8.2	Slightly	surface sheen over deep, clear blue water. No floating scum o	
		10	27.2	8.2	Pungent		ype materials present.
		1	27.8	8.2	_		nding area of moderate surface sheen
1005	Station 3	3	2:7.2	8.2	Pungent	with many floating swaths composed of brown scum and la	
		10	27.5	8.2			ish particulates.
		1	27.8	8.2	_	1	f moderate surface sheen as St. #3 with
1015	Station 4	3	27.8	8.2	Pungent		brown particulates and also lighter, fine
		10	2:7.5	8.2			vater column to the limit of visibility.
		11	27.2	8.2			plume. Distinct boundary of light to
1030	Station 5	3	27.2	8.2	Pungent	1	g with the same floating and suspended
		10	27.2	8.2			Station #4 but not as dense. Clear &
			L			natural blue seas fur	ther down-current to the West

SAMPLE STATIONS POSITIONS

	LATIT	UDE	LONG	ITUDE
Control - C	14° 24.05'	South	170° 37.18'	West
Station 1	14° 24.00'	South	170° 36.99'	West
Station 2	14° 23.95'	South	170° 37.24'	West
Station 3	14° 23.97'	South	170° 37.53'	West
Station 4	14° 23.95'	South	170° 37.89'	West
Station 5	14° 23.96'	South	170° 38.64'	West

$N \blacktriangle$	170 40.23 W	170 36.82 W	170 33.41 W
		PLOT #1 Ocean Monitoring Sam Control (C) and Sampling 07 October, M. Crock, Investigator	opling Stations Stations #1 - #5 3011
.22.73 S	Disposal/Zone Center: 4*24.0' S x 170* 38.3' W #5	#4 #3 #2 Current Set: West	
26.14 S			

Ocean Disposal Site Monitoring Report (OD Permit 93-01 & 93-02)

10 November, 2011

Monitoring Vessel: F/V Blue Moon

Discharge Vessel: F/V Blue Moon

Chief Investigator: Mike Crook

Starkist Samoa Liaison: Joe Carney

STP/Tri Marine Liaison: Craig Double

Determination of Sampling Positions: All positions obtained by GPS

Satellite Navigation

Mike Crook P.O. Box 4933 Pago Pago, AS 96799 14 November, 2011

Introduction

On November 10, 2011 the tank-ship *Blue Moon* departed Starkist Samoa dock bound for the designated ocean dump-site area approximately seven miles south of Pago Pago Harbor, American Samoa, on a routine wastewater disposal operation and for the purpose of monitoring this disposal of tuna cannery generated hi-strength liquid wastes into the waters of the Pacific Ocean. This monitoring and reporting were conducted in compliance with general permit conditions and Appendix A of Ocean Dumping Permits OD 93-01 & OD 93-02.

Chronology of Events

- <u>0515:</u> The *Blue Moon* departed Pago Pago Harbor bound for the dump-site location with Master/Principal Investigator, Chief and Mate on board.
- **<u>0613:</u>** The *Blue Moon* entered the dumpzone circle @ 14*22.6' S / 170*38.7' W.
- <u>0623:</u> The *Blue Moon* arrived at the dump-zone center, where observed light northeasterly winds and slight east to NE seas initially indicated disposal operations be conducted in the northeastern dump-zone quadrant.
- Control Station Monitoring. The Blue Moon arrived 1.1 nautical miles (NM) up-current or northeast (NE) of the dump-zone center, where discrete seawater samples were taken from depths of 1, 3, and 10 meters. Water temperatures, color, pH and observed sea/sky conditions with station's position were recorded (Table 1). Seas at this time were slight with east & NE swells to 1.0 meters and a NE breeze of 10 knots with the barometer reading 29.53. Current set and drift, of the ship, were to the southwest at 0.6 knots. No floating materials or sea life were observed here.
- <u>0648:</u> The *Blue Moon* began disposal operations in the NE dump zone quadrant and continued discharging cargo (high-strength waste water) with a northwest (NW) to SE reciprocal, elongated elliptical pattern, approximately 2.25 miles long (see Plot 1) until 10:15 hrs.
- Station One Monitoring. Discrete water samples were drawn from depths of 1, 3, and 10 meters. Water temperatures, pH, stations' position and water color observations were all recorded in Table 1. The NE winds had stayed constant at 10 knots with still overcast skies. The waste plume appeared here as an oblong body of light/moderate glassy surface sheen extending in a northwest (NW) to SE direction and moving slowly to the southwest (SW). The current/wind drift of the ship was GPS determined to be, as at Control Station, southwesterly @ 0.6 knots. No sea life or

floatable materials were observed.

- Station Two Monitoring. Station two was sampled with the same procedures as station one with measurements and observations being recorded in Table 1. This position showed some very light, glassy surface sheen but no floating or suspended particulate material. The average drift rate of the ship with current and wind was GPS determined to be southwesterly at 0.7 knots between stations 2 & 3 (See Plot #1). No sealife was noted at this position.
- <u>Station Three Monitoring.</u> Seawater samples were collected and measurements taken as with Stations 1 & 2. This position showed some streaks of moderate glassy surface sheen over clear blue water. The drift rate of the ship between Stations #3 & 4 was again, 0.7 knots to the SW.
- Station Four monitoring. Standard sampling procedures were again carried out as in previous stations. This position, 0.25 NM SW of Station #3, showed a long, unbroken vessel track-line of typical heavy glassy surface sheen characteristic of the high strength wastewater extending in a NW to SE direction over 2 NM long and was within 0.25 NM from the visible leading edge of the plume. There were no floating or suspended materials. The SW current/drift rate of the ship was again noted here to be at 0.7 knots.
- Station Five monitoring. Sampling for this final station was conducted at the visual leading edge of the waste plume and just slightly NE of the zone center (See Plot #1). The leading edge of the waste plume was not clearly visible at this location and consisted of just a few scattered streaks of very light glassy surface sheen with clear, natural appearing blue waters further down-current to the southwest. The final drift rate of the ship was noted to be 0.6 knots and the waste plume appeared to be nearly stationary. Other than a few random seabirds flying by, no notable sea life was observed at this position or any of the other sampling stations. The final barometer reading was 29.54 when monitoring activities were concluded at 11:19 hrs. The *Blue Moon* exited the disposal zone at 11:31 hours and arrived back in Pago Pago Harbor to deliver the collected samples to the Starkist Samoa Co. laboratory at 12:20 hours.


OCEAN DUMPING RESEARCH PERMIT: OD-93-01 & 02

Table 1

<u>Date:</u> November 10,	Sea Conditions: Sli	ght w/ East &	NE swells	to 1.0 meter	rs. Wind:	Northeast @ 10 knots steady.	Visibility: Good 8-10 NM			
2011	Barometer: 29.53	^ 29.54	Curr	ent Set & D	rift Rate: Southw	est @ average 0.6 knots	Sky: Cloudy 100%			
Time	Station	Depth (meters)	Temp.	pН	Odor		Color			
0635	Control	1 3 10	27.2 27.2 26.7	8.2 8.2 8.2	None	Clear and natural deep pelagic blue w/ no floating or suspended materials. Scattered patches of moderate surface sheen over deep, blue & cle water. No floating or suspended materials				
1025	Station 1	1 3 10	28.3 27.8 27.8	8.2 8.2 8.2	None					
1035	Station 2	1 3 10	27.8 27.8 27.8	8.2 8.2 8.2	Slightly Pungent	A few broken patches and streaks of light surface sheen over dec clear blue water. No floating scum or other particulate type mater present.				
1045	Station 3	1 3 10	28.3 28.0 28.0	8.2 8.2 8.2	Slightly Pungent	Same :	as Station #1.			
1055	Station 4	1 3 10	28.3 28.3 28.3	8.1 8.1 8.1	Slightly Pungent	Long northwest to southeast extending track line of moderate heavy surface sheen over clear blue water. Leading Edge of the waste plume. Indistinct boundary of plume clear, natural blue seas further down-current to the southwest. Jefew scattered streaks of very light surface sheen. No particular materials.				
1105	Station 5	1 3 10	28.3 28.3 28.3	8.2 8.2 8.2	None					

SAMPLE STATIONS POSITIONS

	LATIT	UDE	LONGITUDE				
Control - C	14° 23.51'	South	170° 37.24'	West			
Station 1	14° 24.40'	South	170° 37.05'	West			
Station 2	14° 23.49'	South	170° 37.36'	West			
Station 3	14° 23.65'	South	170° 37.58'	West			
Station 4	14° 23.75'	South	170° 37.85°	West			
Station 5	14° 23.96'	South	170° 38.12'	West			



Ocean Disposal Site Monitoring Report (OD Permit 93-01 & 93-02)

08 December, 2011

Monitoring Vessel: F/V Blue Moon

Discharge Vessel: F/V Blue Moon

Chief Investigator: Mike Crook

Starkist Samoa Liaison: Joe Carney

STP/Tri Marine Liaison: Craig Double

Determination of Sampling Positions: All positions obtained by GPS

Satellite Navigation

Mike Crook P.O. Box 4933 Pago Pago, AS 96799 10 December, 2011

Introduction

On December 08, 2011 the tank-ship *Blue Moon* departed Starkist Samoa dock bound for the designated ocean dump-site area approximately seven miles south of Pago Pago Harbor, American Samoa, on a routine wastewater disposal operation and for the purpose of monitoring this disposal of tuna cannery generated hi-strength liquid wastes into the waters of the Pacific Ocean. This monitoring and reporting were conducted in compliance with general permit conditions and Appendix A of Ocean Dumping Permits OD 93-01 & OD 93-02.

Chronology of Events

- <u>0515:</u> The *Blue Moon* departed Pago Pago Harbor bound for the dump-site location with Master/Principal Investigator, Chief and Mate on board.
- **<u>0606:</u>** The *Blue Moon* entered the dumpzone circle @ 14*22.6' S x 170*38.7' W.
- <u>0615:</u> The *Blue Moon* arrived at the dump-zone center, where observed east winds and slight east southeasterly seas initially indicated disposal operations be conducted in the eastern dump-zone quadrant.
- Control Station Monitoring. The Blue Moon arrived 1.1 nautical miles (NM) up-current or east (E) of the dump-zone center, where discrete seawater samples were taken from depths of 1, 3, and 10 meters. Water temperatures, color, pH and observed sea/sky conditions with stations' position were recorded (Table 1). Seas at this time were slight with east/SE swells to 1.5 meters and east winds at 12 knots (kts.) with the barometer reading 29.59. Current set and drift, of the ship, were to the west at 0.7 knots. No floating materials or sea life were observed here.
- The *Blue Moon* began disposal operations in the eastern dump zone quadrant and continued discharging cargo (high strength waste water) with a north (N) to south (S) reciprocal, elongated elliptical pattern, approximately 2.4 miles long (see Plot 1) until 0922 hrs.
- <u>Station One Monitoring.</u> Discrete water samples were drawn from depths of 1, 3, and 10 meters. Water temperatures, pH, stations' position and water color observations were all recorded in Table 1. The east wind had increased to 15 kts. with partly cloudy skies. The waste plume was not visibly present here and was only apparent further down-current to the west a short distance, (approximately 0.25 miles) away. The current/wind drift of the ship was GPS determined to be westerly @ 1.3 knots. No sea life or floating materials were observed.

<u>Station Two Monitoring.</u> Station two was sampled with the same procedures as station one with measurements and observations being recorded in Table 1. This position showed only a few scattered patches of light surface sheen over clear, natural blue appearing seawater. The average drift rate of the ship with current and wind was GPS determined here to be westerly (W) at a rate of 1.2 knots between stations 2 & 3 (See Plot #1). No sea-life or floating materials were noted at this position.

<u>Station Three Monitoring.</u> Seawater samples were collected and measurements taken as with Stations 1 & 2. This position had the same color qualities as Station # 1, that is, no visible sign of the waste plume Sea & wind conditions remained the same as with the previous sample stations and the drift rate of the ship between Stations #3 & 4 was 1.2 knots, again, to the west.

Station Four monitoring. This area showed more of the same broken streaks and patches of very light surface sheen over clear blue subsurface water present at Station #2. The westerly current/drift rate of the ship was again noted here to be at 1.2 knots. No floating scum or suspended particulate materials were observed at any of these sample stations.

Station Five monitoring. Sampling for this final station was conducted at the visual leading edge of the waste plume and approximately 0.08 NM SW of the zone center (see Plot #1). The leading edge of the waste plume was not clearly visible at this location as there was only an occasional small patch or streak of very light, glassy surface sheen with clear, natural appearing blue waters further down-current to the west. Again, no floating or suspended scum or particulates were noted at any of the five sampling stations. No notable sea life was observed at this position or any of the previous stations, other than a few random seabirds flying by. The final barometer reading was 29.60 when monitoring activities were concluded at 1023 hrs. The *Blue Moon* exited the disposal zone at 1034 hours and arrived back in Pago Pago Harbor to deliver the collected samples to the Starkist Samoa Co. laboratory at 11:25.

Prepared by Mike Crook, Principal Investigator

OCEAN DUMPING RESEARCH PERMIT: OD-93-01 & 02

Table 1

<u>Date:</u> December 08	Sea Conditions: Sli	ght with East	t/Southeast	swells to 1	.5 meters. W	ind: East @ 10 - 15 knots <u>Visibility:</u> Unlimited
2011	Barometer: 29.58	29.60	Curre	nt Set & D	rift Rate: West @	average 1.2 knots <u>Sky:</u> Partly cloudy w/ some passing rain
Time	Station	Depth (meters)	Temp.	рН	Odor	Color
0625	Control	1 3 10	27.8 27.2 27.2	8.0 8.1 8.0	None	Clear and natural deep pelagic blue w/ no floating or suspended materials.
0935	Station 1	1 3 10	28.3 27.8 27.8	8.3 7.9 8.1	None	Same color qualities as Control Station; clear and natural blue with no floating or suspended particulate material. Waste plume noted just west of this position having been moved by the current
0945	Station 2	1 3 10	27.8 27.8 27.8	8.3 7.7 7.9	Slightly Pungent	Streaks and patches of light, glassy surface sheen from broken up, north to south running vessel discharge track lines. No sign of floating or particulate materials.
0955	Station 3	1 3 10	28.3 28.0 28.0	8.0 8.1 8.2	none	Same color qualities as Control & Station #1
1005	Station 4	1 3 10	28.3 28.3 28.0	8.2 8.1 7.5	Slightly Pungent	A few scattered streaks & patches of very light, glassy surface sheen over deep, clear blue. No floating or suspended particulate or other material.
1015	Station 5	1 3 10	28.3 28.0 28.0	8.3 8.2 7.8	Slightly Pungent	Leading edge of the waste plume: Same color & sheen observations as at Station #4 and located very close to the disposal zone center.

SAMPLE STATIONS POSITIONS

	LATIT	UDE	LONG	ITUDE
Control - C	14° 24.09'	South	170° 37.17'	West
Station 1	14° 24.10'	South	170° 36.94'	West
Station 2	14° 24.13'	South	170° 37.30'	West
Station 3	14° 24.14'	South	170° 37.52'	West
Station 4	14° 24.12'	South	170° 37.85'	West
Station 5	14° 24.08'	South	170° 38.30'	West

$N \blacktriangle$	170 39.60 W	170 36.80 W	PLOT #1 Ocean Monitoring Sampling Stations	170 34,00 W
14 22.40 S			Control (C) and Sampling Stations #1 - #5 08 December, 2011 M. Crook, Investigator	
	Disposal Zone Center: 14*24.0' S x 170* 38.3' V	C X X X X X X X X X X X X X X X X X X X	Current Set: West	
14 25.20 S			,	
*				

OCEAN DUMPING MONTHLY SUMMARY

F/V BLUE MOON		October, 2	2011	
NUMBER OF TRIPS:	Starkist 15	Other 0	Joint 0	TOTAL:
GALLONS-FOR THE MONTH:	Starkist 2,640,000	Other 0	Joint 0	TOTAL: 2,640,000
GALLONS FOR SOLO TRIPS:	Starkist 2,640,000	Other 0	_	
RUNNING TIME ON TRIPS:	83.0 hours			
DISCHARGE TIME ON TRIPS:	46.5 hrs.			
AV. GPM DISCHARGE RATE:	113.7 gal/min/kt			
AV. TRIP TIME:	5.53 hrs.			
AV. PERCENTAGE OF VESSE	L USED BY EACH CAN	NERY - BY	GALLONAGE:	Marie Company
Starkist Other				

MASTER:

	Date:	10/01/11 sat.			F∕\	/ Blue Mo	or	ı Oc	ean	Dumping	Loc	1	Voya	age #	: 5482	
	Time					Permit # OD				, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		•	•	O		
0125	0030	Begin 1 st Loading SK								Volume Loa	ded:	SK	18	7,50	170	
9/30	0380	Finish 1st Loading SK				T'rip # 1 - X				7 - 14.710 - 200		Other	C			-
11/00	1530	Begin 2 nd Loading SK				Trip#2						Total	18.	7,500		
	3/130	Finish 2 nd Loading SK					-67					10101		1100		
4(30	0-730		WP#	GPS	Posit	ion	\	Nind		% Clouds	Barom	eter	Swell		Speed	
	0515	Depart Starkist		14*16.50'	S	170* 41.2'	N (2 V	A	15	29	(1)		Metric		kt
	0612	Arrive Edge of Zone	# 1	14*22. 59	S	170*38. 68/1	W	11		20	29,	63	5to	E. Q.O	83	
	0624	Arrive Zone Center	# 2	14*24.0	S			Enst	-3	u		u	14	41	8.3	
	0634	Begin Discharge	#3	14*23.98	S	170 3 6.74 V	V	LŤ	11	u	,	(*	lı.	r X	7:6	
	" 49	<u> </u>	# 4	14*2.3.71	S	170*37.65'V	V	1	N	A	L ₁		u	is	8,3	
	0704	Remarks:	# 5	14-24,67	S	170*37.03' V		24	41	15	31	l	14	r)	8.1	-
	119		#6	14*23.11	S	170*3 7.65 V		ů.	36	2.4	V.		*1	>)	7.9	_
	34		#7	14*24 77	S	170*37-30' V		44	4	20	ч		-1	" 5	716	
	49		#8	1429 36	S	170-3 2.59 V		East	ئي-	41	(l	1,	d	7.5	
	4080		#9	14*24.73	S	170*37.53'V		ч	}z	25	1		41	*1	8,4	
	17		# 10	14*23.14	S	170*37.L7 V	N	ų.	W.	U.	29	164	``'	ν.(8.5	
	34		# 11	14*2 4. 32	s'	170*37,62 V	Ν	٧.	Ti.	'පිෆ	27	65	")	11	8.9	
	49		# 12	14*23 37	S	170*37.05' V	N	- (-	4	41		t,	5 40	E-[.510	9.0	
	0909		# 13	14-24/5	S	170-37.79"		"	£	u	29	.66	K	i.v	8.8	
	119		# 14	14*2 3.74	'S	170*37.01	N	£ (11	11	1		v		901	
	4 34		# 15	14+23.85	'S	170+37.74"		M	-1	+1	•	1	11	it	9.0	
	" पुष		# 16	14*2	S	170*3 V	Ν									
	, ,		# 17	14*2	\$	170*3 V	N							15		
			# 18	14*2	S	170*3 \	Ν									
			# 19	14*2	S	170*3 \	Ν									
			# 20	14*2	S	170*3	N									
				14*2	S	170*3 \	Ν									
				14*2	S		N							20		
				14*2	S	170*3 \	Ν									
	0949	Finish Discharge	#16	14*2 3 , 23	í s	170*3 7.76	W	Eas	1-5	30%	27	166	St	-E-1.5	9.1	
	AAC !!	Evit Disabarga Zono	117	142 7 5	71 0	170*3 797'	101	4(11	- (1	1		T^{-}		9.0	

Discharge Pattern Ellipse End of Discharge West Slow Current Direction: At Center Total Discharge Time: 195 mins. Average Speed During Discharge: 8.4 kts. Total Time Run 5,6 Navigational Plot made: Y25 Presence of Plume? No

S 170*41.2' W

Discharge Rate: 114.5 Gallons/min/kt. Time and position of any floating material: None Unusual Occurrences? None

7 1422.58' S 170"3 7.97' W

14*16.50

U.S.C.G.M.S.D. Notifications made: A.S.P.A.

9954

1050

Secure SK Dock

Exit Discharge Zone

Master: FN Blue Moon

	Date:	10/03/11 Mon.		F/	V Blue Mod	on Ocear	n Dumpin	ig Log	Voya	age #	<i>‡</i> : 5483
	Time				Permit # OD 93		,	0	•	•	
10/2	2300	Begin 1 st Loading SK					Volume Lo	aded: SK	15	7,50	ට
	01300	Finish 1" Loading SK			Trip # 1 - X			Other	0		
1813	7 200	Begin 2 nd Loading SK			Trip#2			Total	157	50	
		Finish 2 nd Loading SK				and the state of t			_ <u>, </u>	, 	
'			WP#	GPS Posit	ion	Wind	% Clouds	Barometer	Swell		Speed
I	13000	Depart Starkist	1	14*16.50' S	170* 41.2' W	FO-67-10	40	29.39	N	letric	kts
'	1353	Arrive Edge of Zone	# 1	14*22.63' S	170*38.74 W	East-12	l\	ч	East/S	E-1.5	8.4
	1403	Arrive Zone Center	#2		170*38.3 W	10 14	*(24		it	8/3
	1412	Begin Discharge	#3	14*24.03 S	170*3 7.24 W	ય હા	LL.	ч	, et	ų X	8.6
	" 27		# 4	14*2 3.34 S	170*3 7.78 W	17	1	B			7.9
	" 42	Remarks:	# 5	14*24.72 S	170*37.07' W		1	ja.		1	7.5
	" 57		#6	14*23.07 S	170*37.61' W			v			7.5
	1512		#7	14.2 4, 83' S	170*37.3(' W	1-4-1		ч		5	7.5
	27		#8	14*2'3.08 S	170*37.52! W			Tr.			7.0
	42		# 9	14-24.42 S	170*36,99° W		50	ч			7.0
	57		# 10	14*23,64 S	170*3 7. 61'W	Egat-10	11	21.58	1-/-		8.7
	1612		# 11	14 2 4 . Q(S	170*3 7.73' W	M jc	47	14			9.0
	27		# 12	14*24.06 S	170*37.56' W	4) (1) E	L		10	9.1
	42		# 13	14*23 32 S	170*37.19 W	h tv	60	37.58		1	86
	42 57		#14	14*24.62' S	170*37.54 W	13	50	41		-	8:7
	1712		# 15	14*2 S	170*3 W				1		
			# 16	14*2 S	170*3 W						
			# 17	14*2 S	170*3 W					15	
			# 18	14*2 S	170*3 W						
			# 19	14*2 S	170*3 W						
			# 20	14*2 S	170*3 W						
				14*2 S	170*3 W						
				14*2 S	170*3 W					20	
				14*2 S	170*3 W						
	1712	Finish Discharge	#15	14-23112 S	170-3 7.74 W	Enst-10	50	29.57	Ent/5	F-1.5	9.0
	17/6	Exit Discharge Zone			170°37-94' W		11	11	u	10	9-3
`	1810	Secure SK Dock	410	14*16.50' S	170*41.2' W	1	 				7 9
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	ection: At Center (1)	0.7		of Discharge V	Nost	Diec	charge Pattern	FILIP	(TO	
									1		
	Total Disch	arge Time: 180 m	iins. /	Average Speed I	Duriŋg Discharge	e: <u>831</u>	_kts. Total	⊺ime Run <u>5.</u>	<u>) </u>	r.	
		il Plot made: V&	Pres	sence of Plume?	No			_			
	Time and o	osition of any floating r	nateria	al: Nome	•	Discharge	Rate: 105	。 <mark>3</mark> Gallons/n	nin/kt.	_	\cap
	,	corrences? None							M.	0	(/_
	Ondoudin Od								0		

	Date:	10/05/11 Weds.		F.	/V Blue Mo	on Ocea	n Dumpir	ng Log	Voyage	#: 5484
	Time				Permit # OD 93					
10/04	830	Begin 11 Loading SK					Volume Loa	ded: SK	172,500)
1. (-)	2100	Finish 1st Loading SK			Trip # 1 - X			Other	0	
10(05	0(00	Begin 2 nd Loading SK			Trip # 2	-		Total	172,50	10
10/00	1200	Finish 2nd Loading SK				-			•	
			WP#	GPS Posit		Wind ,	% Clouds	Barometer	Swell	Speed
	15.35	Depart Starkist			170* 41.2' W	Calm	70	29.59	Metric	kts
	1634	Arrive Edge of Zone	# 1	14*22. 56° S	170*38.76 W	VE-3	tt	EL.	SE-1.5	7.0
	1145	Arrive Zone Center	#2		170*38.3 W		Ų		1)-;-	7.5
	1655	Begin Discharge	# 3	14*23, 6 S	170*37.23 W	East-3	60		/ / X	7.8
	1710		#4	14*23.33 S	170*37,81°W	ti ti	LL .	<u> </u>	1-6-	7.7
	25	Remarks:	# 5	14 25.09'S	170°37645 W		4	1		7-5
	40		#6	14'23,33'S	170°3 7.19 W		31			7-1
	55		#7	14.2 4 55 S	170*3-7:71' W		t ₁	1 /	5	8.5
	1810		#8	1424,24'5	170*37.06 W	50st-5	4		1 1 -	8.5
	25		#9	14*2 3,68'S	170*3 7 66 W	И п	59		1-1-1	8.5
	40		# 10	14*2 4 .39 S	170*37, 11. W	11 is	()	`		8.7
	55		# 11	14*2 3,548	170*3 7.69°W	M t.		29.60		8.7
	1910		# 12	14*2 5000 S	170*3 7,34 W	41 4	40	Eq	10	
,	25		# 13	14 23 . 16'S	170°376'W	11 *		27.61		8.4
	40				170*37.33 W			1		18.4
	55		# 15	14*23./4'S	170*3 7.64'W			27-62		2.5
	2010		# 16	14*2 S	170*3 W					
	- dy II, C		# 17	14*2 S	170*3 W				15	5
			# 18	14*2 S	170*3 W					
			# 19	14*2 S	170*3 W					
			# 20	14*2 S	170*3 W					
				14*2 S	170*3 W					
			<u> </u>	14*2 S	170*3 W				20	0
				14*2 S	170*3 W					
	2003	Finish Discharge	#16	14-2237 5	170 3 7 36 W	Enst-5	40%	29.63	SE-1-5	8.7
	2004	Exit Discharge Zone	#17		170 3 7-42 M		11	29.63	11	7-0
	2105	Secure SK Dock	1	14*16.50' S	170*41.2' W				3	
	1000		~ 		d of Discharge	1 21	Disc	harge Patterr	Fillesse.	
	Current Dire	ection: At Center (1)	204					in 5		-
	Total Disch	arge Time: 188_n	nins.	Average Speed	During Discharg	e: 0 · 2	kts. Total 1	ime Rufi 3	nr.	
	Navigations	al Plot made: 1/21	Pres	sence.of Plume?	No			_		Λ
	Time	osition of any floating		al None		Dischard	e Rate: 10.	S Gallons/	min/kt. 🗡	7 //
	rime and p	osition of any lioating	materi	al. 17 0700	00-11/200				DAA (V	14.10
	Unusual O	courrences? Late tix	10 CM	VI 10 1115 W.	Trace of the	to the	Master: F∆	/ Dina Mass	- pul (NOOCK
	Notification	s made: A.S.P.A	V	_ U.S.C.G.M.S	s.U		Master, F/V	Dide MOOII		/

	Date:	10/07/11 Fri.		FΛ	Blue Moo			Log	Voyage #:	: 5485
ulr	7700	Begin 1 st Loading SK			Permit # OD 93	3-01 & OD 93-	-02 Volume Loa	ded: SK	185,00	7)
10/6					T 44 V		volume Lua			<u>C'</u>
	2/30	Finish 1" Loading SK			Trip # 1 - X:	-		Other	_	
0/7	0/00	Begin 2nd Loading SK			Trip # 2			Total	185,000	<u>'</u>
, -	0430	Finish 2nd Loading SK	WP#	GPS Pos	ition	Wind	% Clouds	Barometer	Swell	Speed
	0520	Depart Starkist	T		6 170* 41.2' W		30	27.61	Metric	kts
	0613	Arrive Edge of Zone	#1		170*38. 84 ° W		0	4	E+SE-1.5	
	0624	Arrive Zone Center	#2	14*24.0 S		4	1;	et	11 11	7.6
	0645	Begin Discharge	#3	14*23.88 S	170*37-27 W	4 11	410	el.	1 CT X	7.2
	0 700		#4	14*23,60' S	170*3'7.76'W	177	10	le .	77	8:1
	(5	Remarks: () Celin	# 5	14.24.62'S	170*37.04' W	1 / -	+-)		+	8.3
	30	Mondoning	#6	14*23,62 S	170*37.68' W	11	+-/	29.62	+ (- + -	7.8
	45	Cantral Samples		14*25,04' S	170*3 7.35 W	11-1-	1	11	5	
	0880	DROWN at	#8	14*23, 23' S	170*37,10' W	1	50	h	+ <u>*</u>	8.6
	15	Time: 0635 hrs	# 9	14*2 4. 35'S	170*37.76' W	1.	191	t!		8,6
	30	Position:	# 10	14*2 3 .78' 5	170*36.57' W	+++-		В		9.0
		14" 24.055" X		14*23,85'S	170*3 7 79' W	Fast-10	40	29.63		8.8
	45	170° 37.18 W		14*2 4, 10'S	170*36.97°W	B U	1	101,00	10	
	0900	110, 3(48 M	# 13	14*23, 32'S	170*37.86' W	14	130	-	10	89
	30			1424,47/5	170*37.17' W		30	1 1		96
	45			14*2 S	170*3 W	 			+	9.0
				14*2 S	170*3 W				+	
	1000		# 17	14*2 S	170*3 W			 	15	-
				14*2 \$	170*3 W				13	
				14*2 S	170*3 W					
					170*3 W					
			# 20							
				14*2 S				 		
			-	14*2 S 14*2 S	170*3 W		-		20	-
			B //					55.72		7 .
	0936	Finish Discharge	11/5		s 170 36 79' W	1000	25%	29.63	E+5E-1.5	9.1
	1048	Exit Discharge Zone	# 16	14*2 2.79"	S 170 39.14 W	1 4 1	n	29-62	11 11	9.3
	1140	Secure SK Dock	1		170*41.2' W					
	Current Dir	rection: At Center <u></u>	24	En	d of Discharge <u>U</u>	Vest.	Disch	narge Pattern	Ellipse	
					During Discharge	e:8.55	kts. Total Ti	me Ruri 6	33 hr.	
	Navigation	al Plot made: VIL	Pres	sence of Plume	? No		_			
	Time and	position of any floating r	nateria	al: None		Discharg	e Rate: 126.	Gallons/r	nin/kt.	
	Unusual O	occurrences? None	,							Λ
		ns made: A.S.P.A	4	_ U.S.C.G.M.S	S.D.		Master: F/V	Blue Moon	M. Cros	1

	Date:	10/10/11 Mon.		F	-/\	/ Blue Mod			' '	g Lo	og	Voyage		
	Time					Permit # OD 93	3-01	& OD 93-0		4 - 4.	sk	77	0-6-6 20 -67.	m.c.
10/8	1700	Begin 1 st Loading SK							Volume Load	jed.		300)	7-4	
10/10	1200	Finish 1 ⁵¹ Loading SK				Trip # 1 - X					Other			
r .		Begin 2 nd Loading SK				Trip # 2					Total	197,	20-(1	
		Finish 2 nd Loading SK	MIDA	CDC D		• -	Win		% Clouds	Baro	meter	Swell	Spe	od
	1200	Depart Starkist	WP#	GPS Pc		170* 41.2' W		ut-15	30		. 63	Metri		kts
	1320		# 1	.1		170*38.72 W	10	MY - (3	1 11	-	14	EISE-1.		8.0
	1314	Arrive Edge of Zone	# 2			170 38.7 W	1		40	-	ii.	AT TH		7.7
	1325	Arrive Zone Center	#3			170 38.3 W	1 4		40		1.62		\times	(
	1535	Begin Discharge	# 4	14*24.07' 8			+ -		E1			11 3		
	50			14*2 3,38 '5		170*3 7.79'W	+		50		11	11 3	8	3
	1405	Remarks:	# 5	14-2 4.94'5		170*3 7.43 W	+-		30	70	.61	(1 11	2	:/2
	20		#6	14*23.05/ 5		170°3 7.23′W	+-,				101	+	5 8	
	35		#7	14*24,15	2	170*37,9[W	1-1		Ço			+1-/-	78	· Y
	50		# 8	14*2 3 96 9	>	170*37.06'W	+-1	+	+	a.	1.60	+\-	13	37
	1305		#9	14*2 3, 23'5		170°37.76′ W		1	 	176	~C	+-}-(3.0
	90			14*2 4.61	5	170*37, 32′W		} }-	 		.59	1-1-		
	35		# 11	14-2 3.15		170*3 7.70 W	 	-	100		<u>ξ</u>	1 1	10 8	
	6.5		# 12	14*24.99'		170*37.65 W		-	70- Main		LI		10 7	7.0
	605 20 35		# 13	14-2 3. 30 5		170*3 7. 19' W			70%	1	71			. 0
	20		# 14	14*24.61'5		170*37-84'W	1	1	70					1.0
	35			14*23.72	S	170*3 7./Y' W		1_1	11		11		- 8	.5
						170*3 W	<u> </u>			↓				
			# 17			170*3 W				<u> </u>			15	
						170*3 W								
			# 19	14*2	S	170*3 W								
			# 20	14*2		170*3 W								
				14*2	S	170*3 W								
				14*2	S	170*3 W	T						20	
				14*2	S	170*3 W								
	1643	Finish Discharge	#16	14.22 82	S	170*37-55 'W	Fo	101-15	70%		4.59	ESE-1.3	5 6	7.1
	1647	Exit Discharge Zone		14-22.59	S	170 3 7.92 W			(1		(1	(1)	9	./
	1740	Secure SK Dock	1.1	14*16.50'		170*41.2' W	_			1				
			o e +			of Discharge_V	105	7	Disch	12100	Dattern	Ellipse		
		rection: At Center W						402						
	Total Disch	narge Time: 88m	ins.	Average Spee	ed D	Ouring Discharg	e:	8.7	_kts. Total Ti	me F	Run <u> 5 -</u>	<u> </u>		
	Navigation	al Plot made: Vos	Pre	sence,of Plum	ne?	No								
		position of any floating						Discharge	Rate: 128	(Sallons/n	nin/kt.		
		occurrences? 1/02		ar, y ar v				- iounary			10110111	,	\cap	
		ns made: A.S.P.A.	/	HECCN	101	D 1/			Master: F/V	Blue	Moon	MI	mk	
	Notification	is made: A.S.P.Av		_ 0.5.0.6.10	1.0.1	U			Masici. F/V	שומפ	1410011		- NATA	

	Date:	10/12/11 Weds.		F	Voyage #: 5487					
10/11	700 2100	Begin 1st Loading SK Finish 1st Loading SK			Permit # OD 93 Trip # 1 - X	3-01 & OD 93	3-02 Volume Loa	ded: SK Other	172,50	0
10/12	0430	Begin 2 nd Loading SK Finish 2 nd Loading SK			Trip#2	_		Total	172,50	•
,	0550	Depart Starkist	WP#	GPS Posit	170* 41.2' W	Wind East-15	% Clouds	Barometer	Swell Metric	Speed kts
			4 4			+ · · · · · · · · · · · · · · · · ·		29.61	E 25-3.0	
	OEY9	Arrive Edge of Zone	#1		170*38. 68 W 170*38.3 W	East-1	<u> </u>	d. 15-3	12176-3-0	4.6
	0700	Arrive Zone Center					100-Kain		10. St. X	1.76
	0710	Begin Discharge	#3		170*3 7. [5 W	East-15	100,	10	- N - N - N	1/2
	25		# 4	14*2 3,47'S	170*37.55 W	1, 1,	90	29.64	1 1	7.8
	40	Remarks:	# 5		170*37.09 'W	11 11	9	21.67	" "	7.5
	55		#6	14*23,1915	170*37.45 W		> 11	C)	11 (1 5	1. /
	0810		# 7		170*37.61 W	E007-18		77	1	7.3
	25		#8		170°3 7,0以W	Fout-2	<u>0</u>			8.2
	40		#9	14*24.24'8	170*37.67'W	11 11	,,	u		10:4
	\$\$		# 10	14*23.71 S	170*36 38'W	 	1			8.2
	0910		# 11	14*23,85'8	170*3°7-60′ W	1-(-	80	29.63		5
	32				170*3 6.90W	1 7		 	10	
	40 55		# 13	14-23,49'8	170*37.62'W		70			8.5
	55		# 14	14*24. 37'S	170*36.96' W	1 1	(0			8.2
	1010		# 15	14*23,25 S	170*37.63° W		_50			7.6
	25			14*24,81'S	170*37.16' W	1 1	40	29.62		7.9
				14*2 S	170*3 W				15	5
					170*3 W					
			# 19		170*3 W					
			# 20	14*2 S	170*3 W					
					170*3 W					
					170*3 W				20)
					170*3 W					
	1030	Finish Discharge	#17	14*24.18' S	170*36.97'W	East-2	0 30%	29.62	E/5E-2.0+	8.5
	1041	Exit Discharge Zone	#18	14.22.86' S	170*3 7, 42' W	11 11	٠,	21.63	4 "	8.7
	1140	Secure SK Dock	1	14*16.50' S	170*41.2' W					
		rection: At Center 🔱	1		of Discharge	NOAT	Discl	narga Pattern	Ellipse	
							Disci			
	Total Disch	narge Time: 200m	nins.	Average Speed I	During Discharge	e: 7.9	kts. Total T	ime Run <u>5 ·</u>	<u></u> hr.	
	Navigation	al Plot made: YD	Pres	sence of Plume?	No		100			
	Time and p	position of any floating	materia	al: None		Dischar	ge Rate: 109	Gallons/r	nin/kt.	\wedge
	Unusual O	ccurrences? //cs	re						M. C	
	Notification	ns made: A.S.P.A 🗸		U.S.C.G.M.S	.D		Master: F∕V	Blue Moon	10.0	COLCY

		10/14/11 Fri.		F∕V	Blue Mooi			Log '	Voyage#	: 5488
10/13	Time 1530 2130	Begin 1 st Loading SK Finish 1 st Loading SK			Permit # OD 93 Trip # 1 - X	-01 & OD 93-0	Volume Loa	ded: SK Other	185,5	00
1414	0300	Begin 2 rd Loading SK Finish 2 rd Loading SK	WP#	GPS Posit	Trip#2	Vvind	% Clouds	Total Barometer	0 185, 58	Speed
[0530	Depart Starkist	T		170* 41.2' W	Cirn	100	27163	Metric	kts
	0624	Arrive Edge of Zone	# 1		170*38. GI W	East-10	L L	29.66	ESE-3.0	8.0
	0634	Arrive Zone Center	#2		170*38.3 W	19 11	7	H	7 1	7.9
1	0643	Begin Discharge	# 3		170*37.19 W	11 11	1	er.	1 /. X	Ø: √3
1	82 "	3	# 4		170-37, 61 W	1		29:67		8.3
	0713	Remarks:	# 5	14*2 4.97'S	170*37.22W			Ü		7.4
(28		#6		170*37.30' W	177		31		7. 3
	" 43		#7	14*24, 89 'S	170*37.55°W			и	5	7.1
	" 43	'	#8	14*23,34'5	170*37.03' W	41		27.68		7.7
	0813		#9	14*24.47 S	170*37,57W	1)	7	;1		8.7
	" 28		# 10	14*23,79'S	170*36.90' W	East-12		1)		8:1
	" 43		# 11	14*2 4.02, S	170°37.59' W	' L'		£1		8.8
ĺ	" 58		# 12	14*24,05'S	170*3692' W	ч		29.69	10	8.6
j	0,913		# 13	14'2 3,74' S	170*37.58'W			4		8.6
	(28		# 14	14*2 4. 33' S 14*2 1. 03'S	170*36.72 W			4		8.4
	43		# 15	14.2 4.03'5	170*3 ~7.70 W			-1		8.5
	. 58		# 16	14.2 1.00 S	170*3'7154'W			29-70		8.6
			# 17	14*2 S	170*3 W				15	
İ			# 18	14*2 S	170*3 W					
			# 19	14*2 S	170*3 W					
			# 20	14*2 S	170*3 W					
				14*2 S	170*3 W					
					170*3 W				20	
				14*2 S	170*3 W					
	1000	Finish Discharge	#17	14*23 75's	170°3 7.60' W	East-12.	100%	29.70	E2E-3:0	8.6
	1009	Exit Discharge Zone	#18		170+3 7. 96 W		et.	- 1	" Ł	8.7
	1100	Secure SK Dock	1.0	14*16.50' S	170*41.2' W					
		ection: At Center W		End	l of Discharge ∬	lest	Disc	harge Pattern	Ellipse	
	Total Disch	arge Time: <u>[97</u> rr	nins.	Average Speed	During Discharge	e: 8. F	_kts. Total T	ime Run <u></u> <u>5</u> -	<u></u> hr.	
			_		1/					
	Time and n	neition of any floating	matari	al Nono		Discharge	Rate: 115	Gallonelm	nin/kt	
	Offusual Of	osition of any floating occurrences?				Discharge			and Po	P
	Notification	s made: A.S.P.A	V	_ U.S.C.G.M.S	.D		Master: F/V	Blue Moon	1. (10)	1

Voyage #: 5489 Date: 10/16/11 sun. F/V Blue Moon Ocean Dumping Log Permit # OD 93-01 & OD 93-02 Time 192,500 Begin 1st Loading SK SK Volume Loaded: 1500 2130 Finish 1st Loading SK Trip # 1 - X Other 192,500 Begin 2nd Loading SK Trip#2 Total 0100 10 16 0200 Finish 2nd Loading SK % Clouds Barometer Swell Speed WP# GPS Position VVind Depart Starkist S 170+41.2' W East-15 50 29.62 Metric kts 14*16.50' ESE-2.0 14*22.57' S 170*38.71' W 29.63 Arrive Edge of Zone S 170*38.3 061 22,64 14*24.0 Arrive Zone Center 06 2 14+2 4.79 S 170+37-52 W 7.6 Begin Discharge 14*24, 28'S 170*37.49' W L à. 14*25,(('S 170*37,42' W 14*24.04'S 170*37.39' W Remarks: ESE-15 1 8 8 60 0714 7:0 14*25,1(S 170*37,65°W ``` " 29 *** #8 14*24.01'S #9 14*25.24'S #10 14*23.95'S 170*37.26 W n 170*37-75 W 0814 170*3**7.31'** W 11 # 11 14*25. 34' S 170*38. 28' W 7.4 1 29 8.5 # 12 14*2 4 00'S 170*37-22'W 44 # 13 14*25.32'S 170*38 00 W 7.4 + 1 # 14 14*2 4.17'S 170*36.91'W 11 # 15 14*2 5.38'S 170*3 X. 3L'W 50 29.65 7.0 # 16 14*24.26S 170*36-92'W 40 # 17 14*2 15 170*3 # 18 14*2 S 170*3 # 19 14*2 S 170*3 # 20 14*2 S 170*3 W 14*2 S 170*3 20 14*2 S 170*3 W W 14*2 S 170*3 40% ESE-2.0 #17 14-2 3,92' S 170-37. 13' W ESE-15 29.65 0948 Finish Discharge # 18 14-2 2 .70 S 170-3 7.74 W 0957 Exit Discharge Zone Secure SK Dock 14*16.50 S 170*41.2' W 1050 Current Direction: At Center <a href="https://www.ncharge-blocks.com Navigational Plot made: Presence of Plume? No Discharge Rate: 121 Gallons/min/kt. Unusual Occurrences? None

Notifications made: A.S.P.A. U.S.C.G.M.S.D.

Master: F/V Blue Moon

	Date:	10/18/11 Tues.			F	∨ Blue Mo			•	ng Lo	g	Voya	age i	# : 549	90
	Time					Permit # OD 93	3-01 &	OD 93-0			211				
81(01	0000	Begin 1st Loading SK							Volume Lo	aded:	SK	150,	000		(
, 0 , 0	00,00	Finish 1" Loading SK				Trip # 1 - X	-				Other	0			(
ļ		Begin 2 nd Loading SK				Trip # 2	_				Total	150	000		
		Finish 2 nd Loading SK								_					
	460=		WP#		Posit		Wind		% Clouds	Barom		Swell		Speed	
	0625	Depart Starkist		14*16.50'		170* 41.2' W		M	60		CD		etric		kts
	0719	Arrive Edge of Zone	# 1			170*38. 68 W		1-10	50	V		ESE -	<u> </u>	8.2	
	0730	Arrive Zone Center	# 2	14*24.0		170*38.3 W	u	Ls	V	·				8.2	
	0739	Begin Discharge	#3	14*24.08	S	170*37.19'W	u	r/	4	29.	59	\perp_{\sim}) X	7.8	
	7 54		# 4	14*23.67	'S	170*37.75' W			15	L	1 '	\perp		કે.હ	
	0809	Remarks:	# 5	14*2 4,89	` \$	170*3 7.33'W			60	`)			7.9	
	" 24		#6	14*2 2-96	,′ S	170*3 7.36 W		7	1					3.8	
	" 39		# 7	14-2 4.50) S	170*37.80'W		7					5	8.5	-
	* 39 * 54		# 8	14*23.83	'S	170*36.96W	1		(\top		8.4	
	0909		# 9	14*23.53	-'S	170*37-78'W	Ega	7-12	75			1 /		8.5	-
	7 24					170*37-15W	1 300		ч	25	1-60			8.4	
	" 39			14*2 3.03		170°37.67'W					'1		*	8.3	
	" 54			14*24.89		170°3 7-42'W	 			 ,	r _p	+	10	8/	
	1009			14*23:22		170*3 7.08'W	 		70	1 3	9.61			8.1	
	3 2 u			14*2		170*3 W	 			+ ~	101	1	1	0.7	
	" 39			14*2		170*3 W	<u> </u>			+					
				14*2		170*3 W			 	+					
				14*2		170*3 W				-			15		
				14*2		170*3 W	-			-			13		
						170*3 W	+								
				14*2								-			
			# 20	14*2		170*3 W	 					<u> </u>			
			-	14*2		170*3 W	 								
				14*2		170*3 W							20		
			1	14*2		170*3 W		•	<u></u>	1			*		
	1012	Finish Discharge	4101	14*2 3 ,0	6 S	170+3 7.43' W	tras	1-12	70%	127	.61	EZE -	٦.0	7.1	
	1016	Exit Discharge Zone	# 15	14+2 2. 6		170'37,77 W	u	#			4*	u,	•	9.0	
	1110	Secure SK Dock		14*16.50'		170*41.2' W	/								
	Current Dir	ection: At Center 🕠	4		End	of Discharge <u>V</u>	125	- 11				Ellips		-	
	Total Disch	narge Time: <u>/53</u> m	iins. /	Average Sp	eed l	During Discharge	e:	3.9	_kts. Total T	ime Ru	ın_4-	75_h	r.		
	Navigation	al Plot made: Y.&&	Pres	sence of Pla	ume?	No									
	Time and r	position of any floating r	nateri	al Nomo			Die	scharge	Rate: 17	G	allons/n	nin/kt			
	Linuxual A	ccurrences?	natena *	31,41010				Scharge	11410.		AHOH ISHI	DEDIKE.		1	
		is made: A.S.P.A		USCG	MS	D ./			Master: F/V	' Blue M	/loon	M	1)	400/x	C .

	Date:	10/20/11 Thurs.		F	∨ Blue Mo		•	g Log	Voyage	#: 5491
	Time				Permit # OD 93-	·01 & OD 93-0				
10/19	1530	Begin 1 st Loading SK					Volume Load		190,000)
الدام	2130	Finish 1" Loading SK			Trip # 1 - X			Other	0	
10/20	0000	Begin 2 nd Loading SK			Trip#2			Total	190,000	
open	0100	Finish 2nd Loading SK								
,			WP#	GPS Positi		Wind		Barometer		Speed
	0520	Depart Starkist				N-5	30 30	28.59	Metric	kts
,	0610	Arrive Edge of Zone	# 1	14*22. 56′ S	170*38. 70 ′ W	NE - 7	30	и	SE to 2.0	8.3
	0621	Arrive Zone Center	#2		170*38.3 W	u u u	25 30	11	u u	8.3
	0630	Begin Discharge	#3	14+24-6 S	170*3 7.20 W	11 41	30	u	u ux	8.7
	45		# 4	14*2 3.34' S	170*3 7.75°W	10 11	Ęž	11))	8.0
	0700	Remarks:	#5	14*25.00'S	170*3 7.41' W	NE - 10	40	ıı		7.5
	15		#6	14*23.36'S	170*37.06' W	u u	,		1	8.1
	30		#7	14*24.3('S	170°37.82'W	н и			5	9.0
	45		#8	14*24.05 S	170*36.98'W	14 ,1				8.3
	0800		# 9	14*2 3 -52'S	170*37-72°W	1 1				9.1
	16		# 10	14-24, 85'S	170*3 7:13' W					7.8
	30		# 11		170*37:25°W					8.6
	45		# 12	14*25.01' S	170*3 7. 59 W	1		V	10	7,5
	0900		# 13	14*2 3.40' S	170*37.03'W					8.4
	15		# 14	14*24.63 S	170*37.68'W	///				9.6
	30		# 15	14*2 3. 80'S	170*36.96'W	1				8.6
	30			14*2 S	170*3 W				1	
			# 17		170*3 W				15	
				14*2 S	170*3 W					
			# 19	14*2 S	170*3 W					
				14*2 S	170*3 W					
			7 20		170*3 W					
			-	14*2 S	170*3 W				20	
			+	14*2 S	170*3 W					
	0000	Finish Director	#16		170*37.39' W	NE-10	40%	29.59	SE to 2.0	8.6
	0937	Finish Discharge			170'3 7.68' W	WC-10	1 70 70	" "	11 11	8.5
	0940	Exít Discharge Zone	#17		170*41.2' W					V 3
	1040	Secure SK Dock			<u> </u>				E-//:050	
		ection: At Center			of Discharge W			arge Pattern		-
	Total Discha	arge Time: <u>/8 7</u> m	ins.	Average Speed I	During Discharge	8.4	_kts. Total Ti	me Run 5.	から hr.	
		Plot made: (/오)								
	-	osition of any floating r		/	*	Discharge	Rate: 121	Gallons/m	nin/kt	
				ar. Mong		Discharge	nute.		, ()	1
		currences? None	/			***************************************		m) 44	MI nad	-
	Notifications	s made: A.S.P.A		_ U.S.C.G.M.S	.D		Master: F/V	Rine Moou	th. Jan	

Date:	10/22/11 Sat.		FΛ	/ Blue Moo		, ,	g Log	Voyage -	5492
Time	70 (148) 11 016			Permit # OD 93	3-01 & OD 93-		adad. CV	122	
10/20 1800	Begin 1st Loading SK			T: " 4 S		Volume Loa		170,00	
10/2 0100	Finish 1st Loading SK			Trip # 1 - X	-		Other		
V 1200	Begin 2 nd Loading SK			Trip # 2	_		Total	170,00	O
	Finish 2nd Loading SK	WP#	GPS Posit	ion	Vvind	% Clouds	Barometer	Swe!l	Speed
0520	Depart Starkist	701#		170* 41.2' W	Calm	70	29.59	Metric	Kłs
06/7	Arrive Edge of Zone	# 1	14*22.55' S	170*38. 71' W	East-7	1 1	21.60	JE 16 JUI-2	2.7
0628	Arrive Zone Center	#2		170*38.3 W	- (1	F1	14	11	7,6
0637	Begin Discharge	#3	14*24.05/ S	170*37.18 W	i. 11	75		9 11 X	7
52		# 4	14*2 3, 33'S	170*37.74" W	Cast-10	70	29.59	4 0	1.7.7
0.707	Remarks:	# 5	14*24.90/ S	170*37,32 W	/1	Li.		1 1	1 5.0
, aa		#6	14*23.17 S	170*37-// W	a II	Ł			1 8.9
. 37		#7	14*24.20'S	170*37-73 W	1.	75		1	5 3.4
1. 52		#8	14*24.05'S	170*37.02' W	14 /	80	27.60	1 1	8.4
6807		#9	14*2 3.42 S	170*3 753 W	1	1			83
"22		# 10	14*2 4.70 S	170*37.14' W		- 1)		85
037		# 11	14*2 3.10' S	170*37.68' W		96			8.4
"50		# 12		170*37.51 W		35		1	0 8, 3
0907		# 13	14*2 3,46 S	170*37.13° W		100	09.61		3.6
122		# 14		170*37.84°W	100st-12		15		8.9
" 37		# 15	14*2 S	170*3 W					
" 50		# 16		170*3 W					
		# 17	14*2 S	170*3 W					5
		# 18	14*2 S	170*3 W					
				170*3 W					
		# 20	14*2 S	170*3 W		1			
			14*2 S	170*3 W					
			14*2 S	170*3 W					21
			14*2 S	170*3 W			1000		
093/	Finish Discharge	#15		170 37.79' W		5°29	12/16/	SEtoSW-2	106
0345	Exit Discharge Zone	#16	14-2 2.54 S	170°38. 22 W	ં સ પ	11	Ц	<u>''</u>	1.2
1040	Secure SK Dock		14*16.50' S	170*41.2' W	1				
Current Di	rection: At Center 🕡	201	End	l of Discharge 🗸	Veit	Disc	harge Patterr	Elliese	
	harge Time: <u>/80</u> n	nins.	Average Speed	During Discharge	7	_kts. Total T	ime Run 5 -	33 /hr.	
Navigation	nal Plot made:	Pres	sence of Plume?	WO_		1. :			
-	position of any floating	-	1		Discharge	e Rate: 114	Gallons/	min/kt.	/)
	occurrences? News			/			the Grand State of the State of	1 1	0.00
	ns made: A.S.P.A	/	U.S.C.G.M.S	.D		Master: F/V	Blue Moon	M.C	CONS

	Date:	10/25/11 Tues.			F۸	V Blue Mod	on Ocea	an	Dumpin	g Lo	g	Voy	/age	#: 5493	,
	Time					Permit # OD 93									
10/22		Begin 1 st Loading SK							Volume Loa	ded:	SK	14	17,500)	
, of EE	2100	Finish 1st Loading SK				Trip # 1 - X					Other		0		
	1/00	Begin 2nd Loading SK				Trip#2					Total	197	7,500)	
10/25	0400	Finish 2nd Loading SK			-							-7			
	0900		WP#	GPS P	ositi	no	Wind	9	% Clouds	Barom		Swell		Speed	
	0520	Depart Starkist	T	14*16.50		170* 41.2' W	Cam		100	129.	52		Metric		ts
	0615	Arrive Edge of Zone	#1			170*38. 67 W	East -	5	Lt	29.	54	ESE	-2.0	8.2	
	0625	Arrive Zone Center	#2			170*38.3 W	" 4		Ll	129.	22	u	fs.	8.3	
	0 634	Begin Discharge	#3			170*37.22W	μ 4	1	h		56	I.	σX	7.8	
	" 49	Jog J. John J. S. S. S. S. S. S. S. S. S. S. S. S. S.	# 4	14*23.55	S	170*37.69' W	4		J.E		V	4	u	8.0	
	0704	Remarks:	#5	14*2 4.96	S	170*3 7. 27'W	ч	4		1	4		1	7.4	
	- 19		#6	14*23.18	s	170*37.22 W	\	1		29.	57			8.8	
	+ 34		#7	14*24, 64		170*3 7.79' W				29.	58		5	8.5	
	" 49		#8	14*23.63	Š	170*36.95 W	1 7				1			8.6	
	0804		# 9	14*2 3.68		170*37.73' W	1/				h		9	8.5	
	4 19		# 10		S	170*3 7.06° W	1			1				8.6	
	" 34		# 11	14-23.16		170°37-69'W	East-7	7		1	11			8-3	
	" 49		# 12			170*37.40'W	4 4		l		יו		10		
	0904					170*37.06.W	1,3		90		(,			9.0	
	0,904		# 14	14*25.51	S	170*37-75'W	East-1	ð	Ŋ	27.	59			8.9	
	" 34		# 15		s	170*36-97W	24 (1		þ.			C		18.7	
			# 16		S	170*3 W									
					S	170*3 W							15	5	
					s	170*3 W									
					Ś	170*3 W									
					S	170*3 W									
					S	170*3 W									
				14*2	S	170*3 W							20)	
				14*2	S	170*3 W									
	0940	Finish Discharge	# 16		\$	170 37 24' W	East-1	0	90%	29	.59	EZE	-2.0	8.3	—
	0942	Exit Discharge Zone		14"22.81"		170'3 7.43' W			**		44	4	٦	9.1	
	1040	Secure SK Dock	7	14*16.50'		170*41.2' W	7								
		ection: At Center We	oct			of Discharge (lost		Disc kts. Total	harge	Pattern	Elli	05e		
							<u> </u>		7-1-13	D		33	h.r.		
		narge Time: 186 n				/	e: <u>0 · -</u>		_kts. Total	ime K	un_ ,		_111.		
	Navigation	al Plot made: yls	Pre	sence of Plur	ne?	No			~ ~ -						
	Time and r	position of any floating	– materi	al Nano		-	Discha	arge	Rate: 73.	5 G	allons/i	min/kt.		^	
	Houseupl A	ccurrences? Non	9					~	Master: F∧			al	0	/)	
		•		U.S.C.G.I	110	D /			Master: EA	/ Blue	Moon	M.	(na	H	
	Notification	ns made: A.S.P.A	V	0.5.0.6.1	VI.S	.U			Mastel, 177	, Dide	TTOON	· <u>· · · · · · · · · · · · · · · · · · </u>			_

allons allons allons

True*

/6/
/63

090
/83

7.45

342
/8/
0/6
/88

031


340
/82

000

	Date:	10/27/11 Thurs.			F	√ Blue Mo	on Oce	an Dumpin	ig Log	Voy	age	#: 5494
	Time					Permit # OD 93						
1-6-	1630	Begin 1 st Loading SK						Volume Load	ded: SK	125	,000	
10/36	2100	Finish 1" Loading SK				Trip # 1 - X			Other	0	<u>, </u>	
	(900	Begin 2 nd Loading SK				Trip#2	·•		Total	185,	200	
10/27	0200	Finish 2nd Loading SK								7		
			WP#	GPS	Positi	ion	Wind ,		Barometer	Swell		Speed
	0525	Depart Starkist		14*16.50'	\$	170* 41.2' W	Calm	100-RaIN			/letric	kts
	0620	Arrive Edge of Zone	# 1	14*22. S 7	''S	170*38. 66 ′ W	SE - 7	/00'	29.53	E/JE.	1.5	8.2
	6631	Arrive Zone Center	#2	14*24.0	S	170*38.3 W	u C	h	u	u	ħ.	7.5
	0640	Begin Discharge	#3	14"24.55	''S	170*3 7.37 W	4	f _z	i)	Łŧ	чX	8.2
	" 55		#4	14*2 4.73	, S	170°3 7.93′W	SE-5	۲,	v	4	14	8.4
	0710	Remarks:	# 5	14*2 4.84	S	170*3 7. 6 W	u M	in	4			7.7
	1 25		#6	14*24, 56	, S	170*3 7,7) W	SE- 2	90	29.54	/_		8.8.
	" 40		#7	14*24.95	´S	170*3 7. 21' W	- 11	4	11		5	A 1 -
	" 55		#8	14*2 4.60	íS.	170*3 7.90°W	ч	и	28.55		<u> </u>	8.8
	0810		#9	14*25.08	°S	170*3 7.42 W	6 4	ч	29.56		1	8.2
	" 25		# 10	14*2 Y.47	'S	170*37-64 W	1,		и	{		9./
	" 40		# 11	14*24.71	/ S	170*37.08'W		4	n			9.1
	\$5		# 12	14*24, 9	ı′S	170°3 7.90'W		ч	28.55		10	9.1
	0910		# 13	14*24.5	'S	170*3 7.03' W		63	**			8.8
	7 25		# 14	14*24.86	S	170*38-12 W	Calm	80	29.54			8.8
	" 40		# 15	14*24.2	8'5	170*36.93 W	East - 2	_ tt	i ii			8.6
	(.57		# 16	14*2	S	170*3 W]			
			# 17	14*2	S	170*3 W					15	
			# 18	14*2	S	170*3 W						
			# 19	14*2	S	170*3 W						
			# 20	14*2	S	170*3 W						
				14*2	S	170*3 W						
				14*2	S	170*3 W					20	<u> </u>
				14*2	S	170*3 W						
	0947	Finish Discharge	#/6	14-2 4-3	('s	170-37-52 W	\$E-2	- 80 %	29.53	EZE	-1.5	7.0
	1002	Exit Discharge Zone		14*22.59	' S	170°3 8, 32 W	East- 3	М	4	t ₁	t#	9-0
	1135	Secure SK Dock		14*16.50	S	170*41.2' W						
		ection: At Center XV	V		End	of Discharge_/	VW-5(00	₩ Disch	narge Pattern	Ellip	se_	
	Total Disch	narge Time: 18 7 m	nins /	Average Si	need l	During Discharg	e: 8.56	kts. Total T	ime Run 6	.21	٦r.	
	TOTAL DISCL	181 1110. 10 7				No						
	Navigation	al Plot made: Yes	_ Pres	sence of Pl	ume?	700		ge Rate: 115.0		· - a ·		Α
	Time and p	position of any floating	materia	al: None			Dischar	ge Rate: 113.	Gallons/i	min/kt.		//
	Unusual O	ccurrences? Nove	(+00)	Live of	110	0-/his				All	· ()	
	Notification	is made: A.S.P.A. 🗸	~	_ U.S.C.C	S.M.S	.D. V	1	Master: F/V	Blue Moon	M	<u>. </u>	
		-								C		-

	Date:	10/29/11 Sat.		FΛ	/ Blue Moo Permit # OD 93			Log	Voyage #	t: 5495
Г	1500	Begin 1 st Loading SK			7 011111(1) 000		Volume Loa	ded: SK	182,50	<u> </u>
10/28	\$130	Finish 1 st Loading SK			Trip # 1 - X		70.0.110	Other		
	-,0,0	Begin 2nd Loading SK			Trip#2	***		Total	L	·
		Finish 2nd Loading SK			111p # 2	_		Total	182,500	, , , , , , , , , , , , , , , , , , , ,
			WP#	GPS Posit	tion	Wind	% Clouds/ ,	Barometer	Swell	Speed
	0515	Depart Starkist			170* 41.2' W	Calm	100-Days		Metric	kts
	0613	Arrive Edge of Zone	#1		170*38.68'W	East - 2	100	11	E+SE-1.5	
	0624	Arrive Zone Center	#2	14*24.0 S	170*38.3 W	East-7	100 Rain	ч	n 10	8.2
ľ	0633	Begin Discharge	#3		170*37.23 W	7 0001	100	14	4 1. X	8.2
	48		#4		170*3 7.71'W	4 12	100			8.0
	0703	Remarks:	#5	14*2 4.98' S	170*37.32 W	\$1 M	1			7.7
	118		#6	14*2 3.22'S	170+37-15'W	11)		 	8.2
<u> </u>	" 33		#7		170*3 7.79'W	22 (0	 	 		
<i>- 1</i>	1 48		#8	14.24.28'S	170°36.94'W	East -10	 		 	2.0
	0803		#9		170*37.74'W	и		 		8.7
<u> </u>	" iX				170*36.95' W	- 11				8.1
	; 33 ; 33		# 11	14*23.26'S	170*37.56' W	II II	 			8.3
	" US				170*37.41' W	ц ч	1 -/	1 (10	
	0963				170*3 7.12 W	1 1°	 	29.51		8.4
	18		# 14	14*24, 88' S	170*37.82'W		1	21.21		9.0
	<u>"_33</u>		# 15		170*37. 0(W			29.50		8.5
	48				170*3 7.76' W	<u> </u>		29.49		9,0
			# 17	14*2 S	170*3 W		 	ALU.	15	
			# 18		170*3 W				1	
			# 19		170*3 W	 				
			# 20		170*3 W					
					170*3 W	 				
			 		170*3 W				20	
					170*3 W	ļ				1
	0955	Finish Discharge	#17		170°3 7.72' W	East-10	100%	29.49	E+SE-1.5	00
	10/6	Exit Discharge Zone	#18		170*3 8,36 W		100,0	DAI:Y/	E475-1-2	8.8
-	1110	Secure SK Dock	210		170*41.2' W		1 1	- 11		0.8
(4	ction: At Center <u>U</u>	est		of Discharge	tack	Disch	arge Pattern	Ellipse	1
Т	Total Discha	rge Time: 202 m	ins. F	verage Speed [During Discharge	8.4	_kts. Total Tir		. /	
١	Navigational	Plot made: 194	Pres	ence of Plume?	No	•			•	
T	Time and no	sition of any floating n	natorio	at don 9		Dinaharra	Rate: 07.5	, Callan-(alm flak	\wedge
1	Inneual Occ	surrences? None	11411111111111111111111111111111111111	II. 1/0/13	,	_ Discusige	Kale: 101.0	Gallons/m	nin/kt.	
		made: A.S.P.A.		U.S.C.G.M.S.	D		Master: F/V i	Blue Moon	M.Ca	00/2

	Date:	10/31/11 Mon.			F/	V Blue Mod	on C	cean	Dumping	g Lo	g	Voya	ige #	<i>‡</i> : 549	6
	Time					Permit # OD 93			, ,		•	,	•		
30	2000	Begin 1 st Loading SK							Volume Loa	ded:	SK	165	600		
30	2130	Finish 1 st Loading SK				Trip # 1 - X					Other	O	1		
	0000	Begin 2 nd Loading SK				Trip#2					Total	165,	000		
i	1200	Finish 2 nd Loading SK					***								
,		_	WP#	GPS I	² osit	ion	Wind		% Clouds	Barom		Swell		Speed	
	1250	Depart Starkist		14*16.50'		170* 41.2' W	N-	7	90	29.	45		letric		kts
	1347	Arrive Edge of Zone	# 1	14*22.53		170*38. 68 ' W	şl	ท	195	29	44	S+5E	-20	8.5 8.7 8.7	
	1358	Arrive Zone Center	# 2	14*24.0	S	170*38.3 W	ч	u	t.	29.	43	in	+1	8.1	
	1407	Begin Discharge	# 3	14*2 2.93	S	170*3 8.25W	n	**	4	1		A .	чχ	8,7	
	" 22		#4	14*2 3-33	S	170*3 8.67'W	£1	ţ,	100	1	lı	1		8.5	,
	"37	Remarks:	# 5	14*22.73'	S	170*37-84°W	Non	th-10	13	,			7	7-5	
	1 52		#6	14*23.30		170*38.62'W	41	. 1	4	29.	42			9.0	
	1507		#7	14*2 2.68'		170*37-95' W	Noar	th-7	ч	29.		1	1 5	811	
	" 22		#8	14*23-36		170*3 7.90' W	11	vi	15.	เก				8.7	
	- 37		# 9	14*22.81		170*37.63° W	NW.	10	۸	4				8.6	
	· 5a		# 10	14*23.591	S	170*3 9.55 W	63	,vl		2 1		17	/	8.3	
	1607		# 11	14*23.43"	S	170*38.41' W	н	,1	100- Rain	(1			1	8.9	
	" 22		# 12	14.23.57		170*39.49'W	u	4	100	~	, 1	1	10		
	~ <u>32</u> ^ 37			14-22.86		170*37.12-W	41	ч	ч		4			8.8	
	" 5a		# 14	14*2 3.80	S	170*39-58 W	ч	',	31	29	-42			8.5	,
	1707		# 15		S	170*3 W				1					
				14*2		170*3 W									
			# 17	14*2		170*3 W	†			1			15		
				14*2		170*3 W				1					
				14*2	S	170*3 W				†		~~~~			
			# 20			170*3 W	1								
				14*2		170*3 W	†			<u> </u>		İ			
			1	14*2		170*3 W	 			 			20		
				14*2		170*3 W	1								
	1705	Finish Discharge	# 15	14*2 3.24		170-38.29'W	MIL)-10	5001	28	.42	5+38	ta a a	9.8	
	1709	Exit Discharge Zone		14-22 59		170*38.24 W		10	(00.00	-	и	17 425	10 4.0	9 5	
	1805	Secure SK Dock	(10)	14*16.50'	<u>-</u> -	170*41.2' W	 			1		1		7. 2	
			+1			of Discharge S	1 12	Past.	Disal		2-4	Ellips			
	Current Dire	ction: At Center So	uin												
	Total Discha	arge Time: <u>178 </u>	ins. /	Average Spe	ed [During Discharge	e: <i>X</i>	.60	_kts. Total Ti	me Rı	Jn_ 🔾 🕛	25 h	r.		
		Plot made: V=3				1									
	*			. /			Ο:		201-108	0	-11 - v - <i>l</i>	.: 11-A			
		osition of any floating r		ai: // º /C			U	scnarge	Rate: 0 X	G	allons/m	iin/Kt.	\wedge	Δ	
		currences? None										11/1	'.)	1	
	Notifications	made: A.S.P.A		U.S.C.G.!	M.S.	.D			Master: F/V	Blue N	/loon	1/1/1	15	4/8	
												t		V	



$N \blacktriangle$	170 40.23 W	18	170 36.82 W	03 October, 2011 - Mon. Voyage # 5463 Starkist Cargo, Trip #1 M. Crook, Master F/V Blue Moon	170 33.41 W
122.73 \$		isposal Zone Center: 4524.0'S x 170'S5.3 W	3	Which East @ 10 - 12 hts.	
126,145					

$N \blacktriangle$	170 40.23 W		170 36.82 W	05 October, 2011 - Weds. Voyage # 5465 Starkist Cargo, Trip #1 M. Crock, Master F/V Blue Moon	
122.73 \$		Disposal Zone Center:	17	Wind: Calm to East @ 3 -5 kts.	
		Disposal Zone Center; 14/24.3 S x 178/ 38/3 VI	3		
126.14 \$					

$N \blacktriangle$	170 40.23 W		170 36.82 W		174 33.41 W
			Voyage Sterkist *Ocean	ber, 2011 - Fri. # 5485 Cargo, Trip M Monttoring Conducted **CAROK K. Master : Moon	
14 22.73 \$	16)		715		
	Disposal 14*24.0' S	Zone Cerrier: 5x 170+36,5' W	V.Wndt E	ast @7 -10 kts.	
14 26,14 S					


N \blacktriangle	170 36.82 W	170 33.41 W
		10 October, 2011 - Mon. Voyage # 5486 Starkist Cargo, Trip #1 M. Crook, Master FN Blue Moon
1422.73 \$		
	Disposal Zone Certer: 14*24.0 S x 170* 38.3*W	Wind: East @ 15 kts.
14 26.14 S		

NA	170 40.23 W	770 36.82 W
		12 October, 2011 - Weds: Voyage # 5487 Standar Cargo, Trip #1 W. Crook, Master FN Blue Moon
4 22.73 S	16	
	Disposal Zone Center 14'24.0' S x 17.0' 38.3' VV	177 * Wind: East @ 15 - 20 kts.
426,145		

$N \blacktriangle$	170 40.23 W	170 36.82 W	14 October, 2011 - Fri.
			14 October, 2011 - Fri. Voyage # 5488 Starkist Cargo, Trip #1 M. Crook, Master FN Blue Moon
14 22,73 \$		18	
		Disposal Zone Center: 14*24.0 S x 170* 38 3*4V	Wind: East @ 10 - 12 kis.
14 26.14 \$			


N \blacktriangle	170 45.23 W	170 36,32 W	16 October, 2011 - Sun; Voyage # 5489 Sterkist Cargo, Trip #1
		18	Starkist Cargo, Trip #1 M. Crook, Master FN Blue Moon
1422.73 \$			
	Disposal Zone Centa 14*24.0' S x 170° 38		And ESE @ 12 - 15 批志
14 26.14 \$			

NA	170 40.23 W		170 36.32 W	
				18 October, 2011 - Tues. Voyage # 5490 Starkist Cargo, Trip #1 M. Crook, Master FN Blue Moon
122.73 S			15	
		Olspansel Zone Center:	3	Wind East @ 10-12 Vas.
426.148				



01) - Sait. 92 b, Trip #1 cook
12 los.

NA	170 40,23 W		n	ctober, 2011 - Set. age # 5495 ust Cargo, Trip #1 Cook, Master Sue Moon
4 22.73 5	Dies 14th	trosal Zone Center 24.0' S x 17.0" 36.3" W		nd East @ 2 - 10 kts.
4 26.14 \$				



OCEAN DUMPING MONTHLY SUMMARY

F/V BLUE MOON		November	, 2011	
NUMBER OF TRIPS:	Starkist 10	Other 0	Joint 0	TOTAL:
GALLONS-FOR THE MONTH:	Starkist 1,489,500	Other 0	Joint 0	TOTAL: 1,489,500
GALLONS FOR SOLO TRIPS:	Starkist 1,489,500	Other 0	_	
RUNNING TIME ON TRIPS:	51.4 hours			
DISCHARGE TIME ON TRIPS:	27.4 hrs.			
AV. GPM DISCHARGE RATE:	101.3 gal/min/kt			
AV. TRIP TIME:	5.14 hrs.			
AV. PERCENTAGE OF VESSEL	USED BY EACH CA	NNERY - BY	GALLONAGE:	
Starkist Other 100.00% 0.00%	_			

-	11/02/11 Weds.			F	/V Blu	e Mo	on C	cea.	n Dumpii	ng Log	Voyage	e #: 5497	•
							-01 & O			0 0	, ,		
_	Begin 1 st Loading SK								Volume Loa	aded: SK	185,00	O	Gallons
	Finish 1st Loading SK				Trip # 1 -	X				Other	0		Gallons
_	Begin 2 rd Loading SK				Trip#2		-			Total	185,00	Ō	Gallons
	Finish 2 nd Loading SK				· · · · · · · · · · · · · · · · · · ·						10073		7
_		WP#		PS Positi			Wind		% Clouds	Barometer	Swell	Speed	Course
	Depart Starkist		14*16.5		170* 41.2		NW-		75	29-43	Metric	kts	True*
	Arrive Edge of Zone	# 1			170*38.		West	- [0	W	29.45	SW-1.5	8.0	163
	Arrive Zone Center	#2	14*24.0		170*38.3		н	, 45	70	и	u u	8.2	156
	Begin Discharge	#3	14-24		170*39	46'W	Ct.	-1	А	ú	74 % X	3.1	270
		#4			170*37		ч	ન	80	ክ	1	8.6	002
_	Remarks:	# 5	14*22.		170*38 5		u	4	ն	29.46		7.1	223
		#6	14*24.9		170*39-	31 M	A	1,1	70	ч	}	7.7	223
		# 7	14*23.7	9'S	170*3 %.		ч	*1	CI.	1 1		5 8.7	358
_		#8	14*23.	68'S	170*39.		11	h	И	L K		8.2	193
		#9			170*3 🞖 .			1	60	29-47		9.0	002
		# 10	14*23.	22/s	170*3 9.	<u>23′W</u>				a		7.9	212
_		# 11	14"25.1	64'S	170*39.	03 W		_(//	11		8.6	057
_		# 12	14*23.	3 3′S	170*3 🞖 ,	74. M				29.48	1	0 9.3	358
			14*2 4-		170*3 9 -					L)		8.5	139
		#14	14*2 3.		170*38:	70'W				ži.		9.7	003
		# 15	14*2		170*3	W					ŀ		
_			14*2		170*3	W							
_			14*2		170*3	W					1	5	
			14*2		170*3	W							
,			14*2		170*3	W							
		# 20			170*3	W							
_			14*2		170*3	W							
			14*2		170*3	W					2	ol	
			14*2		170*3	W							
	Finish Discharge	年15	14*2 8	1021'S	170*3 🐍	05'W	West	-10	503	29.48	SW-1.5	7.4	164
	Exit Discharge Zone	416	14*2 23	76's	170 3 8.	83' W	11	12		1		7.3	358
	Secure SK Dock		14*16.50	S	170*41.2	W							700
ec	tion: At Center <u>Ea</u>	st		End	of Discha	arge E	ant		Discl	harge Pattern_	Ellipse		
	ge Time: <u>175</u> m		Average				V - V	.4		ime Run_5			
			ence of l		1 /				. w. =		1111		
ים	sition of any floating n						Diec	harne	Rate 126	Gallons/m	in/kt	\wedge	
	urrences? Next	idione		~~.			_ 0130	naige	Male. I TO	Gallons/II	, /	1/0	
	made: A.S.P.A.		U.S.C	.G.M.S.	D	/			Master: F/V	Blue Moon	M. 1	106	

11/04/11 Fri.		ĺ	F∕V				Dumping	Log	√oyage #	5498		
Begin 1 st Loading SK Finish 1 st Loading SK Begin 2 nd Loading SK Finish 2 nd Loading SK				Trip#1-X Trip#2		-01 & OD 93-0	Volume Loa	ded: SK Other Total	192,50		Gallons Gallons Gallons	
	WP#	GPS	Positi	ion		Wind	% Clouds	Barometer	Swell	Speed	Course	
Depart Starkist		14*16.50'	S	170* 41.2	W	North-5	75	29.44	Metric	kts	True*]
Arrive Edge of Zone	# 1	14*22.57	'S	170*38.7	OW	N-7	80	29.48	SE-20	8.2	166	
Arrive Zone Center	#2	14*24.0	S	170*38.3	W	3 7	Й.	l i	uu	8.1	162	}
Begin Discharge	#3	14*22,83	′S	170*38.	0 W	North-10	64	29-49	11 11 X	8.0	ර්ර]
	# 4	14*23.44	'S	170*37.9	8. M	4 V	90	u	* *	7.5	092	
Remarks:	# 5	14-2 2.95	' '\$	170*37.2	7' W	North-15	80	v		6.8	339	
	#6	14*2 2.98	'\$	170*39.1	1'W	N-12	75			8.3	225	
	#7	14*2 3. 18		170*37.4		15 4	-1		5	8.1	508	
	# 8	14*23.04	'S	170+39-1	Z, M	u si	65			8.6	226	
	#9	14*23.28	'S	170*37.6	7 W	N-15	65			8.6	089	
	# 10	14*2 2-97	' S	170*3 ዓ. 0	Y'W	11 00	n			8.7	235	
	# 11	14*2 3.37	's	170*377	9'W	r "	M			8-6	690	
	# 12	14*2 2-71	's	170*38-0	7'W	n u	45	29.50	10	9.0	371	
	# 13	14*2'3.24	' S	170*37. 8			60	n		8.5	093	
	# 14	14*22.83	'S	170*38.7	9'W		U	7		9.0	2-32	
	# 15	14*23 40	'S	170*37.8	7'W		.50	e)		8-9	229	108.6
	# 16	14*2 2.77	'S	170*38.8	3 W					8.7	229	}
	# 17	14*2	S	170*3	W				15			7
	# 18	14*2	S	170*3	W							7
	# 19	14*2	S	170*3	W							7
	# 20	14*2	S	170*3	W							
	1	14*2	S	170*3	W							
		14*2	Ś	170*3	W				20			1
		14*2	S	170*3	W							1
Finish Discharge	*17	14.22.89	/ s	170*38.9	R' W	North-12	50%	29,50	SE-2.0	9.1	228	1
Exit Discharge Zone		14.20-94		170 3 9.	25' W	u 4		LI	SE- (.S	8.6	343	1
Secure SK Dock		14*16.50			W					0.3		1
ection: At Center Soc	ath		End	of Discha	rge_S	outh-Slow	Disch	arge Pattern_	Ellipse		N. S. C. C. C. C. C. C. C. C. C. C. C. C. C.	_
arge Time: 198 m					charge	: <u>8.4</u>	_kts. Total Ti	me Run_ 5.1	5hr.			
l Plot made: yes	Pres	ence of Plu	me?	No						4		
osition of any floating r						Discharge	Rate: //6	Gallons/m	in/kt.			
currences? None									1.11	//		
made: A.S.P.A.		11000	MC	D			Mostor: EA/	Dhia Maas	WAS AX	$\mathcal{C}_{\mathcal{P}}$		
s made, A.S.P.A.		_ 0.5.0.6.	. C. IVI.	U			Master: F/V	DIUE MOON	1	× 4		

11/06/11 sun.			F/					Dumpin	g Log	3	Voya	ige#	±: 5499	
				Permit	# OD 93	8-01 8	OD 93-							_
Begin 1 st Loading SK								Volume Loa	aded:	SK	105	,000		Gallons
Finish 1 st Loading SK				Trip # 1 -	- X					Other	0			Gallons
Begin 2 nd Loading SK				Trip#2						Total	103	7,000)	Gallons
Finish 2 nd Loading SK												7		
	WP#		S Posi			Wind	1	% Clouds	Barome		Swell		Speed	Course
Depart Starkist	<u> </u>	14*16.50		170* 41		Ca	m	90	29.5	50	N	letric	kts	True*
Arrive Edge of Zone	# 1	14*22.5		170*38.		NE	-7	7,5	29.		E+SE	-1.5	2.6	165
Arrive Zone Center	#2	14*24.0		170*38.		v.	u	v	·h		u	L?		167
Begin Discharge	#3	14*23.5	38	170*37	.29 'W	11	11	r,	U		\t	чХ	8.6	050
	# 4	14*23.5	1'8	170*37.	53'W	14	ч.	סד			н	(1	8.9	128
Remarks:	# 5	14*22.9	7'8	170*37.	35'W	и	n	60	-		14	60	8.2	302
	#6	14*23.9	6'S	170*3 7.		4	4)	0	A				2.7	132
	#7	14*2 2.7	7' S	170*3 7		it	-4	4	1			3 5	7.9	240
	#8	14*23.8		170*3 6		"	"~	70			1-1-	7	7.9	319
	#9	14*23.3	0'S	170*37		NE	-10	12	1		1-/-	/	8.5	136
	# 10	14*23.5	8'S	170*36		LI	41	21	1		1	1	8.9	
	# 11	14*23.6	I'S	170*37		7	11	60	29.	72	<u> </u>	1	9.1	131
	# 12	14*23,2	n' S	170*37	17' W	4	h	a	11	30		10	8.9	303
	# 13	14+24.0	5' S	170*37		63	(*		-		 			
	# 14	14*22.7	9 ' S	170*37.		 			+				9.0	127
	# 15	14*2	S	170*3	W	 		+						291
		14*2		170*3	W						 	— - i		
	# 17	14*2		170*3	W	-		+	+		 	15		
		14*2		170*3	W			-			-	-15		
		14*2		170*3	W	-		 	 -					
		14*2		170*3	W			 			<u> </u>			
	# 20	14*2		170*3	W				1		<u> </u>			
		14*2		170*3										
	-	14*2		170*3	W			-				20		
Finish Disaba	40					1		- 65						
		14-2 2.73		170*37		NE	- 10_	66 %	29.	52	E+SE-	1.5	8.8	288
Exit Discharge Zone	# (6	14*22.5		170138	.07 W	m.	ч	45 -1			ы	41	8.8	331
Secure SK Dock		14*16.50'		170*41.2										
ection: At Center $\underline{\mathcal{S}}$ ou	<u>th</u> u	past	End	of Disch	arge_S	, M	_	Disch	narge Pa	attern	Ellip	se		
arge Time: 167 mi	ins. A	Average S	peed [During Di	ischarge			_kts. Total Ti	ime Run	4.	hr			
Il Plot made: Yes	Pres	ence of Pi	lume?	No			1				-			
osition of any floating m						_ Di	ischarge	Rate: 72.3	Gall	lons/m	in/kt.		,	
currences? None		`			<u> </u>						. 16)	1	
s made; A.S.P.A	V	U.S.C.	G.M.S.	D. 🗸				Master: F/V	Blue Mo	on	W. C	roof	Z	

11/08/11 Tues.		F			on Ocear		g Log	Voyage	#: 5500	
Begin 1" Loading SK			remat # C	رو رار	-01 & OD 93-0	Volume Loa	ded: SK	1/5,000		Gallons
Finish 1 st Loading SK			Trip # 1 - X			VOIDING LOD	Other	7/3/00/)	Gallons
Begin 2 nd Loading SK			Trip#2		-		Total	115,000		Gallons
Finish 2 nd Loading SK				A 1984			r Otal	1131000		Jeanons
FIRST E COROLLY OF	WP#	GPS Pos	iltion		Wind	% Clouds	Barometer	Swell	Speed	Course
Depart Starkist	T	14*16.50'	3 170* 41.2'	W	Ralm	100	27:60	Metric	kts	True*
Arrive Edge of Zone	#1	14*22. 53 S	170*38.6	'W	East -10	100	011	Eost-1.0	8.8	158
Arrive Zone Center	#2		170*38.3	W	1. //	11	r ₂	to v	23	160
Begin Discharge	#3	14-24.12 S	170*3 7.15	7 W	ii li	()	Į,	0 # X	7.5	070
	#4	14*23,37/8			1 7	^	N.	1 1		180
Remarks:	# 5		170*37.00		1 7		1 5		8.6	016
	#6	14+2318 'S					32.61		8.0	281
	#7	14*24 73 'S	170*3 7. 2	7W	C I			5	8.2	0300
	# 8	14*23 08 'S							7.3	2671
	#,9	14*2*/, 6n S	170*37.	,′ W					94	178
	# 10		170*3 (, 35						8.8	000
	# 11	14*24.36 S		\$'W					9.3	179
		14*2 S	170*3	W				10	ī	
			170*3	W						
		14*2 S	170*3	W						
		14*2 S		W						
		14*2 S		W						
		14*2 S	170*3	W				15		
		14*2 S		W						
		14*2 S		W						
	# 20		170*3	W						
		14*2 S		W						
		14*2 S	170*3	W			ļ	20		
	ļ	14*2 S	170*3	W		<u> </u>				
Finish Discharge			s 170*3 7.56			Hi 0/0 100	29.61	East-1.0	8.6	337
Exit Discharge Zone	#/3	14*2 2.57	S 170*38.1	W	IX 4	N A	`el	ii Zi	9.3	339
Secure SK Dock	<u> </u>		1	W	L.					
rection: At Center 🐠	st.	En	d of Dischar	ge 🕕	<u> 122t - 5100</u>) Disch	arge Pattern	Ellipse		
narge Time: 12°1 m									Marie Control of the	
al Plot made: <u>VCC</u>						1 m 1 d				
position of any floating	materia	al: <u>///5//3</u> k			Discharge	Rate: 104	Gallons/m	iin/kt.	Λ	
ccurrences? <u>f\sqrts</u>		110000	- /		Mary and the state of the state		D: 14	14/ 1/20	μ,	
is made: A.S.P.A;/		_ U.S.C.G.M.S	s.D. <u>1/</u>	-		Master: F/V	Blue Moon	19. 1.10		


11/10/11 Thurs.		F	W Blue Mo	oon Oc	ear	n Dumpir	ig Log	Voyage	#: 5501	
			Permit # OD 9			•	0 0	, 0		
Begin 1st Loading SK						Volume Load	ded: SK	177,500		Gallons
Finish 1* Loading SK			Trip # 1 - X				Other	6		Gallons
Begin 2 rd Loading SK			Trip#2	W.A			Total	17,500		Gallons
Finish 2nd Loading SK			The Committee of the Co	- content				14110-5		4
	WP#	GPS Posi		Wind		% Clouds	Barometer	Swell	Speed	Course
Depart Starkist			3 170* 41.2' W			100	29.53	Metric	kts	True*
	# 1		170*38. 68 W)	41	41	E/NE-10	7.8	163
Arrive Zone Center			170*38.3 W			- Ա	ωť	100 00	8.2	167
Begin Discharge	#3	14*2 3 . 3 9′S	170*3 7. (8 W		14	4	ξι	и и Х	7.5	338
		14"2"3 .41"5	170*37.81'W	1 -	ta .	3*	29.54	h d	8.2	142
Remarks: Monitoring		14*23.53'S	170*37.00° W		14		£1		8.2	338
Control JAmples	#6	14*23,49' 5	170*3 7.86' W		4		i		8.5	147
drawn at-0635	# 7	14*23.81 S	170*36.97'W	ų,			4	5		348
Position:	#8		170*37.98'W	1, 1,0			4		8.3	143
140 23.51'S X			170*36.92 W				ㅋ		8.21.	005
170° 37-24' W	# 10	14*2 2.96' S	170*38.01' W				61		8.3	166
			170*36.93' W	50	4	<u> </u>	1		8.3	34/
	# 12	14*2 2. 8 S	170*3 7.99'W	h	h			10		155
			170*37.01' W	, N	Sel.	90			8.7	008
	# 14	14*22.75'S	170*38.68 · W	и	ş.l	ય			7.8	194 343
		14*23.79'S	170*36.85′ W	*1	a				8.9	343
		14*2 3.18' S							8.9	162
		14*2 S	170*3 W					15		
	1	14*2 S	170*3 W							
	# 19		170*3 W							
	# 20	1	170*3 W							
		14*2 S	170*3 W							
		14*2 S	170*3 W		N.c.			20		
		14*2 S	170*3 W	10						
Finish Discharge	#17	14*24-72' 5	170 3 7.19 W	NE-L	Ď	900	29.54	EENE-1.0	9.0	048.
Exit Discharge Zone	* 18	14-22.69' 5	170'38 .73'W	10 70			3	tr 1/	9.6	337
Secure SK Dock	1	14*16.50' S	170*41.2' W							
ection: At Center SW	7	Enc	d of Discharge S	W don)	Diech	arge Pattern_	Fllipse.		
narge Time: 207_m			,	e: 8 · 7		kts. Total Ti	me Run <u>/~/</u>	hr.		
al Plot made: 124	Pres	ence of Plume?	No			100				
position of any floating n		11: Nonc		Discha	arge i	Rate: 102	Gallons/m	in/kt.		
ccurrences? None								MAP.	0	
s made: A.S.P.A	V	U.S.C.G.M.S	S.D			Master: F/V I	Blue Moon	M.Cr	orte	


	11/12/11 sat.			F٨	V Blu	е Мос	n O	cean	Dumping	Loa	Voyage #	± 5502	
	_				Perm	it # OD 93	3-01 & 0	DD 93-	02	, 5	veyage,	,. 000L	
_	Begin 1" Loading SK								Volume Loa	ided: SK	182,000)	Gallons
_	Finish 1 st Loading SK				Trip # 1	- X				Other	0		-
_	Begin 2 nd Loading SK				Trip#2	the same of the sa	-			Total	182,000		Gallons
	Finish 2nd Loading SK					***************************************	A			Total	150100		Gallons
_		WP#		PS Posi			Wind		% Clouds	Barometer	Swell	Speed	Course
7	Depart Starkist	1	14*16.50		170* 4		Cali	M	100	29.53	Metric	kts	True*
_	Arrive Edge of Zone	# 1	14*22.5			.66' W	Wes	1-3	11	29.54	mix-1.0	8.6	161
_	Arrive Zone Center	#2	14*24.0	S	170*38		Wes	-5	+1	11	4 0	8 7	164
	Begin Discharge	#3	14*241			7-36'W	կ	29	11	VI	13 11 X	8.4	270
	Desiration	#4	14*24.5		170*3 \$	3-70'W	11	4	1,	25.35	11	8.4	002
-	Remarks:	# 5	14*23.1		170*3	7.25'W	ч	N		29.56	166	7.6	249
-		#6	14*24.9			30'W	1 "	"		1			147
_		# 7	14-23.6			7.78'W		и			5	8.6	000
-		# 8	14*2 4-16			-21-M	NW					8-5	186
		# 9	14*25.			.53'W	Was					8.7	35 7
_		# 10		0'5		111. M	Wes	1-2				8.4	254
		# 11	14*2 4.		170*39	1.38'W	d	**				9.1	130
		# 12	14*23.6		170*38	3.61'W	MW.	· <u>\$</u> _		29.57	\10		358
_		# 13 # 14	14-24.5			Al. M	NO-		100-Rain	11		3.8	181
-		# 14	14*2 4.1			3.62'W	41	s)		K		9.2	003
		# 16	14*2 3.5			.35'W	H	1/1		29-58		8.7	180
_			14*2	<u>S</u> _	170*3	W	ļ						
			14*2	<u>s</u> _	170*3	W					15		
_			14*2		170*3	W							
_			14*2	<u>S</u> _	170*3	W							
		# 20	14*2	<u> </u>	170*3	W							
_		-	14*2		170*3	W							
			14*2	S	170*3	W					20		
_	Finish Discharge				170*3	W	. 4.						
			14*2 4.0	8' S	170*3 7	13. M			41N-100%	29.58	mixed-1.0	8.1	347 346
_	Exit Discharge Zone Secure SK Dock	417	14*2 2.9	/' S	170*3	-3/W	NW-	7	100	N	ध ।।	9-3	346
_			14*16.50		170*41.2								
ec	tion: At Center Ea	2		End	of Disch	narge <u>,∫o</u>	utte	ast	Discha	arge Pattern_	Ellipse		
ar	ge Time: 185 mir	ns. A	verage S	peed D	uring D	ischarge:	8	6	kts. Total Tin	ne Run 5.3	3 hr		
1 1	Plot made: Yeu	Prese	ence of PI	ume?	No				_		,		
วร	ition of any floating ma	aterial	1. N/000			•	Dias	har '	0-41144	6 "			
	irrences? Non a		·········				_ DISC	narge	Rate: 14.4	Gallons/mi	n/kt.	\cap	
	nade: A.S.P.A.		U.S.C.C	2 14 0 1	5.7						All CAM	n/2	
- 1	THE OWNER OF THE OWNER		0.5.0.0	J. (Z. IVI. C	J. 1/_				Master: F/V B	llue Moon	M. Ca	1	
											-		


11/17/11 Thurs.			F	√ Blue Permit # 0					ng Log	Voyage	#: 5504	
Begin 1 st Loading SK				Lenning.	OD 33	-01 & 05	30-02	Volume Loa	ded: SK	182,50		Gallons
Finish 1st Loading SK				Trip # 1 - X				VOIDING LOD	Other	6/30		Gallons
Begin 2 rd Loading SK				Trip # 2	k				Total	182,500	`	Gallons
Finish 2 nd Loading SK				1110 # 2		-			Joiai	1000	<u> </u>	Joanons
rinisir 2 Loading SK	WP#	GPS	Posit	ion		Wind		% Clouds	Barometer	Swell	Speed	Course
Depart Starkist	1	14*16.50'		170* 41.2	W	Carton		60%	Lans9_	Metric	kts	True*
Arrive Edge of Zone	#1	14*22.52		170*38.7		SE - 3		50	29.56	mixed to 1.0	8.0	158
Arrive Zone Center	#2	14*24.0		170*38.3	W	4 4		ц	ч	11 11	8.3	164
Begin Discharge	#3	14*24.62		170*37.38	Ľ W	SE- 2		40	29-85	и 4 X	8.1	135
	# 4	14*24-46		170*375		SE-3		11	29.54	11 11	8.4	218
Remarks:	# 5	14+24.36	S	170*36.9		M 11		13	и	la Li	8.5	005
	#6	14+24-98	S	170*38.(0	o'W	и и	-	.\	29.53	" ч	8-8	217
	#7	14*24.03		170*37.30		Fr 13		И	17	5		223
	#8	14*25.26		170*37.70		il a		, L	+1		8.0	028
	#9	14+24,25	S	170*37.5/		SE - 2		18	29.52		8.6	028 2/9 634
	# 10	14-24.87	S	170 37.31		ji y	-	35	11	14 17	8.7	834
	# 11	14-24.68		170*37-87		1 1	-	.\	29.51	1 1	5.9	201
	# 12	14*25-23	's	170*37.8			-	•)	11	1 10	8.8	059.
		14"24.22"		170*37-40		111		ч	29.50		9.1	221
		14*2 4. 38		170*36.9				30	n		8.8	810
		14-24-76		170*37.7		1		1,0			8.8	037
		14*2	S	170*3	W							
		14*2	S	170*3	W					15		
	# 18	14*2	S	170*3	W							
	# 19	14*2	S	170*3	W							
	# 20	14*2	S	170*3	W							
		14*2	S	170*3	W							
		14*2	S	170*3	W					20		
		14*2	S	170*3	W							
Finish Discharge	#16	14"2 1, 12	s	170*37.3	I' W	SE- 2		38%	29.50	mixed to 1.0	8.9	0/6
Exit Discharge Zone	#17	14.22.66		170*37.7			ч	L	11	4 11	9.4	326
Secure SK Dock	183	14*16.50'	S	170*41.2'	W							
irection: At Center N	W		End	of Dischar	ae A	su)		Disch	narge Pattern_	Ellipse		
harge Time: 187 n		Average Spe					>			ì		
nal Plot made: '쏫호도	Pres	sence of Plu	me?	No		-						
position of one floation	1 TVS	,01100 01 1 10 N		w #		Diagh	2000	Pate: 112 6	Collans (m	sin/let		
position of any floating of courrences? /400 -	mate⊓a / • ∡	al	0 -	.1	(30.00	DISCN	arge יירו	rate. //J·	/ Garrons/ir	iiii/KL	\wedge	
occurrences? /790=	LAILGI	blace a	1	OLIBM G	17 %	5.21.0. W	(10,	- 38 VBY. W	,	DALP	J _	
ons made: A.S.P.A	V	_ U.S.C.G	.M.S	.D. <u> / </u>				Master: F/V	Blue Moon	14.11		


Permit # OD 93-01 & OD 93-02 Begin 1 st Loading SK Volume Loaded: SK 17,500 G	Gallons Gallons
Begin 1 st Loading SK Volume Loaded: SK 77,500 G	Sallons
	S-11
Begin 2 nd Loading SK Trip # 2 Total 17,500 G	Sallons
Finish 2 nd Loading SK	
	Course
Depart Starkist 14*16.50' S 170* 41.2' W 800+-7 100-RAIN 27.59 Metric kts	True*
Arrive Edge of Zone # 1 14*22.55 'S 170*38.68 W SE-10 /00 29.60 SE-1.0 8.7	160
Arrive Zone Center # 2 14*24.0 S 170*38.3 W SE-12 M W N N N N N N N N N	/63
Begin Discharge #3 14*2 1, 66'S 170*37.33'W " " " " " " X 7.6	130
	220
Remarks: #5 14*24.43 S 170*37.04 W " 90 9 9 8.5	011
#6 14*2 \$. 20' \$ 170*3 \$. 09' W " " 14*2 \$. 70' \$ 170*3 \$. 06' W GO " 5 8' Y	134
	305
#8 14*2 S 170*3 W	
# 9 14*2 S 170*3 W	
8 # 10 14*2 S 170*3 W	
# 11 14*2	
# 12 14*2 S 170*3 W 10	
# 13 14*2 S 170*3 W	
# 14 14*2 S 170*3 W	
# 15 14*2 S 170*3 W	
# 16 14*2 S 170*3 W	
# 17 14*2 S 170*3 W 15	
# 18 14*2 S 170*3 W	
# 19 14*2 S 170*3 W	
# 20 14*2 S 170*3 W	
14*2 S 170*3 W	
14*2 S 170*3 W 20	
14*2 S 170*3 W	
Finish Discharge #8 14°23.97' S 170°37.28' W SE-12 100% 27.60 SE-1.0 8.5	216
Exit Discharge Zone 4 14*2 2.55 S 170*3 8.46 W " " " 9.2	398
Secure SK Dock 14*16.50' S 170*41.2' W	
irection: At Center NW End of Discharge NW Discharge Pattern Ellipse	
harge Time: 62 mins. Average Speed During Discharge: 8.4 kts. Total Time Run 3.5 hr.	
nal Plot made: Yes Presence of Plume? No	
position of any floating material: None Discharge Rate: 33. 6 Gallons/min/kt.	
Occurrences? None	
ns made: A.S.P.A. U.S.C.G.M.S.D. Master: F/V Blue Moon	


170 39.30 W	Modern service	170 36.51 W	170 33.72 W
	Wind: North @ 7-16 lds.	04 November, 2011 - Fri. Voyage # 5498 Starlist Cargo, Trip #1 W. Cook, Master FM Blue Moon	
115	The state of the s		
	Disposal Zone Center: 14*24 0' S & 170* 38.3"W		





















OCEAN DUMPING MONTHLY SUMMARY


F/V BLUE MOON		December	, 2011	
NUMBER OF TRIPS:	Starkist 7	Other 0	Joint 0	TOTAL:
GALLONS-FOR THE MONTH:	Starkist 1,211,500	Other 0	Joint 0	TOTAL: 1,211,500
GALLONS FOR SOLO TRIPS:	Starkist 1,211,500	Other 0		
RUNNING TIME ON TRIPS:	36.7 hours		_	
DISCHARGE TIME ON TRIPS:	20.7 hrs.			
AV. GPM DISCHARGE RATE:	105.8 gal/min/kt			
AV. TRIP TIME:	5.24 hrs.			
AV. PERCENTAGE OF VESSEL	USED BY EACH CAI	NNERY - BY C	GALLONAGE:	····
Starkist Other 100.00% 0.00%	_			

M. Croft 1/05/2012


1	12/06/11 Tues.			F/	V Blue				1	Dumping Log Voyage #: 5507					
)	Begin 1st Loading SK								Volume Loa	aded: SK	130	,000		Gallons	
	Finish 1" Loading SK				Trip # 1 - X					Other	0			Gallons	
	Begin 2 nd Loading SK				Trip#2		-			Total		1000		Gallons	
	Finish 200 Loading SK					_	-					1000	T	104	
	1	WP#	GPS	Posit	ion		Wind.		% Clouds	Barometer	Swell		Speed	Course	
	Depart Starkist		14*16.50'	S	170* 41.2'	W	Cal	W	90	27.52	1	Metric	kts	True*	
	Arrive Edge of Zone	# 1	14*22. 59	S	170*38. 60	S'W	NE-		ч	29.53	E+8	E-1.5	8-7	162	
	Arrive Zone Center	#2	14*24.0	S	170*38.3	W	u	F.,	И	29.54	Li	H	8.9	161	
)	Begin Discharge	#3	14*23.53	S	170*37.3	W	ti	11	v1	· ·	u	41 X	9.6	045	
		#4	14*23.48		170*3 7.7	S'W	11	11	Li	28.55	l.	'n	9.1	137	
	Remarks:	# 5	14*23.27	'S	170*37.07		*1	**	80	ч	L.	ţ,	9.1	3/5	
		#6	14*2 3.65	'S	170*37.69	S'W	1.	11	L/I	29.56		14	9-2		
		#7	14"2 3,06"	S	170*37.2	8/W)	11	CA	4	5	9.5	325	
		#8	14*2 3.79	'S	170*37.6	₹′₩		7	u	28:55))	9.1	129	
		#9	14*22.93	S	170*37.3	1'W			-	29-54	1		9.2	302	
		# 10	14.22.93	'S	170*37.4	3'W			70	11	E+SE	tolio	9.6	136	
		# 11	14*2 2.71	S	170*3 7.7	a'W	NI		-1	£1	1	1	8.9	296	
		# 12	14*24.05	'S	170*36.8	5'W	NE-	7	80	11		10	9.6 8.9 8.7	315	and the same of
		# 13	14*23,15		170*38.0	W.	NE-	5	70				9.2	137	
		# 14			170*3	W									
		# 15			170*3	W									
		# 16		S	170*3	W									
			14*2	S	170*3	W						15			
		# 18		Š	170*3	W									- Constitution of the Cons
		# 19		S	170*3	W									
		# 20		S	170*3	W									-
			14*2	S	170*3	W	<u> </u>								
			14*2		170*3	W						20			ĺ
			14*2		170*3	W									
	Finish Discharge		14*23.50					S	70%	29.54	E+SE	\$ 1.0	8.4	261	
	Exit Discharge Zone		14-22.57	′ S	170*3 8.[q' w	u	u	Li	4	ч	u	10,2	343	
	Secure SK Dock		14*16.50'	S	170*41.2'	W									
ire	ction: At Center <u>らい</u>	√_		End	of Dischar	ge 3	SLACK	<	Disc	harge Pattern	Ellip	re,			
ha	irection: At Center <u>SW</u> End of Discharge <u>Slack</u> Discharge Pattern <u>Ellipse</u> , tharge Time: <u>155</u> mins. Average Speed During Discharge: 9.13 kts. Total Time Run <u>4.75</u> hr.														
nal Plot made: Yes Presence of Plume? No															
position of any floating material: Nove Discharge Rate: 922 Gallons/min/kt.															
Occ	Occurrences? None														
ns	made: A.S.P.A.		_ U.S.C.G.	M.S.	D				Master: F/V	Blue Moon	14.	1/4	MIX		




4	12/08/11 Thurs.	F/V Blue Moon Ocean Dumping Log Voyage #: 55												#: 550	8(
	Pagin 18 Londing CV				Permit #	OD 93	-01 & C	93-0 טנ	2 Volume Load	dod:	ch.	1/1				Gallons	
	Begin 1" Loading SK				resta da la ligación				voiume Loai	aea:	SK	1 *	1000				
	Finish 1 st Loading SK				Trip # 1 - X		-				Other	0				Gallons	
	Begin 2 rd Loading SK				Trip#2		-				Total	140	,000			Gallons	
	Finish 2nd Loading SK	WP#	GPS F	2neiti	ion		Wind .		% Clouds	Barome	eter	Swell		Speed		Course	
_	Depart Starkist	7 77	14*16.50		170* 41.2	W		(F	80	29.			/letric		kts	True*	1
		# 1			170*38.6				76	27.		E+58		8.8			
		#2	14*24.0		170*38.3	W	Eas	1-12	50	4		1)	12	8.9		165	1
	Begin Discharge		14*2 4.17				4	и	50	a		11	ηХ	7.8		129	
	^		14*23.35		170*37.7		1+	44	13	1.1		f,	2.4	8.9		188	
	Remarks: Oclan		14'24.66'		170*37.0		East	-15	Ţ.	N.		ίτ	P.	8.6			
	Manytoning	#6	14*23,02	S	170*37 8	o'W	H	Į1	17	,	\		,	8.3		039 184	
_	Conducted.	#7	14*24.79	S	170*37.3	80' W	11	4	CI.				5	8.2		07.3	1
_	Control Samples	#8	14*22.97'	S	170*377	5'W	11	<i>(</i>)	60		1		7	8.5		186	1
	Rawn: 0606hrs	# 9	14*24.99	S	170*37.6	W)	N	V	41							171	1
		# 10	14*2 3.66	S	170*3 7.3	R'W	LL,	ls,	£s.					9.2		286	
	Posn: 14°24.095x	# 11	14*24.651	S			11	Ü	· ·				}	9.4		134	
	170°37.17'W	# 12	14-2 2-95	S	170*3 7.4	6W	17	11	ν,	1			10	19.5	2_	269	
			14*24.60		170*37.7		Fast	-12	70- Rain	29-	60		\ .	9.7		172	
		# 14	14*2		170*3	W											
		# 15	14*2	S	170*3	W											
		# 16	14*2	S	170*3	W											
		# 17	14*2	S	170*3	W							15				
		# 18	14*2	S	170*3	W						Ţ,———					
_		# 19	14*2	\$	170*3	W											1
		#20	14*2	S	170*3	W					-						
			14*2	S	170*3	W											
			14*2	S	170*3	W						1	20				1
			14*2		170*3	W											
	Finish Discharge	#14	14*23.22	s	170*3 7. 1	6 W	Eart	-17-	60	29.	60	E 626	to 15	9.9		338	[
_	Exit Discharge Zone	410	14*2 2, 66	' S	170-38-8	7 W	EGA		ı.t.	1	L	Ą	J	10-0		3350	
	Secure SK Dock		14*16.50'		170*41.2'			\ <u>1</u>				<u> </u>		7.0			
	ction: At Center (1)	w-1			of Discha			_	Disch	arge P	attern_	Ellip	se_				
na	rge Time: <u>/65</u> m	ins. A	Average Spe	ed [During Disc	charge	ə: <u>\</u>	7.0	_kts. Total Ti	me Ru	n 6. 2	<u>Z′</u> h	r.				
al Plot made: V& Presence of Plume? No																	
position of any floating material: None Discharge Rate: 107-7 Gallons/min/kt.																	
	ccurrences? A TA 2																
	made: A.S.P.A.	/	U.S.C.G.I	M.S.	D. 1/		_		Master: F/V	Blue M	loon	111	MOHA				




12/10/11 Sat.		FΛ	/ Blue Mod				g Log	Voyage #	: 5509			
Begin 1 st Loading SK			Permit # OD 9	3-07 8	K OD 93-0			115		7- 0		
Finish 1 st Loading SK			Trin # 4 V			Volume Lo		165,00	0	Gallons		
Begin 2 nd Loading SK			<u>Trip # 1 - X</u> Trip # 2				Other	9		Gallons		
Finish 2 nd Loading SK			111p#2				Total	/65,000		Gallons		
randre boading of	WP#	GPS Posit	lion	Wind	ł	% Clouds	Barometer	Swell	Speed	Course		
Depart Starkist	T		170* 41.2' W			75	39.52	Metric	specu kts	Course True*		
Arrive Edge of Zone	#1	14*22.57' S	170*38. 63 W		at-10	"	4	E/SE TO 1.0	9.3	161		
Arrive Zone Center	#2	14*24.0 S	170*38.3 W	-	11	65	f.c	7/30 18/10	9,2	163		
Begin Discharge	#3	14*24-(3'S	170-3 7.19 W) bt	41	60	e).	H h X	8:3	092		
	# 4	14*23.77'S	170*3 7.73′ W	1)	(3		1	9.5	182		
Remarks:	# 5	14+2 4.64' S	170*3 7,08 W			1)	1)))	8, 6	004		
	#6	14"2 3167"S	170*37.69 W			50			9.4	186		
	#7	14"2 4.76" S	170*37.23' W	Ea	st-12)	\	5	8.6	032		
	#8	14*2 3.12'S		rJ	ļi.				9.0	191		
	#9	14*25-14'5	170*3 7-67 W	+ "	4		12.95		8.5	088		
	# 10	14*23.2¢\$	170*37. [4' W	$\perp \lambda$					9.4	294		
		14*25.03 S	170*3 7-73 ′W						9.4	117		
			170*37.24' W	11				10	3.8,	3/2		
			170*37.82°W	-					10,0	783		
		14*2 3.77 S	170*36,99'W						9.7	(उवर)		
		14*2 S	170*3 W	ļ								
	-	14*2 S	170*3 W									
	# 17		170*3 W	ļ				15				
			170*3 W									
		14*2 S	170*3 W				1					
	# 20	14*2 S	170*3 W	-								
			170*3 W									
	 		170*3 W	-				20				
	14.00		170*3 W	-		200						
Finish Discharge		14*22.93 s		Ea	et-12	50	29.51	E/5E to 1.0	9.7	331		
Exit Discharge Zone	井(**		170*3 7.28" W	n		દા	ч	u h	9-7	331		
Secure SK Dock	1		170*41.2' W	-	,							
rection: At Center We	٦٦	End	of Discharge V	62	†	Discl	harge Pattern_	Ellipse				
narge Time: 170 mi				: <u> </u>	.15	kts. Total T	ime Run <u></u> 4.	<u>9</u> hr.				
al Plot made: VII Presence of Plume? No												
position of any floating material: None Discharge Rate: 106 Gallons/min/kt.												
ccurrences? None												
is made: A.S.P.A/	/	_ U.S.C.G.M.S.	D. 1/			Master: F/V	Blue Moon	M. (9	HOTE			




1	2/13/11 Tues.			F/	V Blue Permit #				Dumpin	#: 5510				
	Begin 1 st Loading SK				remm #	OD 93	-01 & O	D 83-0	Volume Loa	ded: SK	10	4,500		Gallons
	Finish 1s Loading SK				Trip # 1 - X				VOIGING LOS	Oth				Gallons
	Begin 2 [™] Loading SK				Trip#2					To		C C C C C C C C C C C C C C C C C C C		Gallons
	Finish 2 nd Loading SK				111972		-			10	iai //	1,500		Jeanons
	I mon z Loading Or	WP#	GPS	Positi	ion		Wind		% Clouds	Barometer	Sweli		Speed	Course
	Depart Starkist	T -	14*16.50		170* 41.2'	W	7	7-3	100	29.5		Metric	kts	True*
		#1	14*22.57		170*38. €		East	-10	11	u v		0.1-32		164
,	Arrive Zone Center	#2	14*24.0		170*38.3	W	ŧη	11	L)	12	N	41	9-1	158
	Begin Discharge	#3	14*2 4.05	S	170*3 7.0	9 W	h	t,	(1	29.58	u	'' X	8.6	088
		#4	14*2 3.57	'S	170*37.7	ŚW	11	4		29:59	A		8.5	177
	Remarks:	#5	14*24.87		170*37.	9'W		1		1		1	8.3	019
		#6	14.23.04		170 37.3)					\$ 9.4	306
		#7			170*37,8							5	9-2	/73
		#8	14+2 3.64		170*36.9					(7.4	342
		#9	14*23.91		170*37.7			<u> </u>		\	/		9.5	180
		# 10	14*24.30		170*36.9	I.M	,	1					9.6	357
		# 11	14*2 3,41	S	170*37-7		East		1	29.60	_ \		9.5	180
		# 12	14*24.64	'S	170*37.6	7. W	East		100-Rain			10	1 7 /	008
			14*23.15		170*3 7.7		- 1	E1	4 (1	4			8.8	191
		# 14			170*37.3		Eost.		100	"			9.4	047
		# 15	14-22-91	S	170*37-7		East	-10	100	29.61			9.5	262
		# 16			170*3	W								
		# 17			170*3	W			ļ			15		
		# 18			170*3	W	<u> </u>							
		# 19		S	170*3	W								
		# 20	14*2		170*3	W								
		-	14*2		170*3	W_	-			-				
_			14*2		170*3 170*3	W	-				_	20		
	e: 1 D: 1	ILIC					-	·		2001		7-10	05/	100
	Finish Discharge		14*24.22		170*3 7.7		East	-10	100%	29.61	F4.	SE-1.0	9.8	180
_	Exit Discharge Zone	#17		S	170*38,5				ŧ\	()			10.	337
	Secure SK Dock	1	14*16.50		170*41.2'	W	1.1		<u> </u>					
		201		End	of Dischar	rge_(_	Vesi		Disch	narge Patte	rn_ <i>E//</i> _	DSR		
	rge Time: <u>/ 90</u> mi			eed D	During Disc	charge	9.	25	_kts. Total Ti	me Run	7.33	_hr.		
ıal	al Plot made: Vox Presence of Plume? No													
pos	sition of any floating material: Nove Discharge Rate: 10.7 Gallons/min/kt.													
	courrences? None Signature A.S.P.A. V. U.S.C.G.M.S.D. Master: F.V. Blue Moon. M. M. M. M. M. M. M. M. M. M. M. M. M.													
	made: A S.P.A.	,	USCG	MSI	DV				Master: EA/	Blue Moon	M	1.11	1012	




12/15/11 Thurs.		F	✓ Blue Mo			#: 5511						
Begin 1st Loading SK			Permit # OD 93	-01 & 0	D 93-0	Volume Load	dod: CV	103	3	70-11		
Finish 1 ^{et} Loading SK			This H.A. W			volume Load	_,-	192,00	0	Gallons		
Begin 2 nd Loading SK			Trip#1-X Trip#2				Other	100		Gallons		
Finish 2 rd Loading SK			100 # 7				Total	192,000		Gallons		
	WP#	GPS Posit	ion	Wind		% Clouds	Barometer	Swell	Speed	Course		
Depart Starkist	1		170* 41.2' W	East	7	20	29-60	Metric	kts	Course True*		
Arrive Edge of Zone	#1		170*38.67 W	East	-10	90	79 61	East -1.0	9.0	162		
Arrive Zone Center	#2	4	170*38.3 W	1-2000A	110	11	29.61	u n		164		
Begin Discharge	#3		170*37-12 W	н	и	41	29.63	East-1.5X	9.1 8.8	090		
	#4	14*2 3.58'S	170*37-75' W	V		u	007165	F 4 1.2 V	8.9	180		
Remarks:	#5		170*36,99'W	East	-12-	~	29,64	n 4	8,3	022		
	#6	14*22.88'S	170*37.70' W	μ	1.	95	29.65	£* £1	8.6	207		
	#7	14'2 4,85'S	170*37.77W	1/	11	11	4	11 4 5		267		
	#8	14*23.66' S	170*37.23'W	-		hi .	71		9.2	3/6		
	#9	14*2 4. 09'S	170*3 7.83'W	East	-10	11	29.66		9.5	180		
	# 10	14*24.15'S	170*36,98'W	14	11	1	2)	1 1 1	7.1	009		
	# 11	14*2 3.60'S	170*3 7.85' W	и	67	į,		1-1-1-	9.7	178		
	# 12		170+3 7. 00 W	East	-12	100 - Rain		1 10	9.4	021		
	# 13	14.2 3,09'5	170*3 7.8 I'W	24	١,	11 } н		1 / / -	9.7	184		
	# 14		170*37.38'W	n	1/1	и д	29.67		9.1	033		
	# 15	14 2 2 . 90'S	170*37.63'W	East.	-10	100	ix		9.8	256		
	# 16	14*2 S	170*3 W							200		
	# 17	14*2 S	170*3 W		7			15				
	# 18	14*2 S	170*3 W									
	# 19		170*3 W									
	# 20		170*3 W									
		14*2 S	170*3 W									
		<u> </u>	170*3 W					20				
			170*3 W					0				
Finish Discharge	#16	14*23,50 S	170*37.79'W	East	-10	100%	29.68	Fast-15	9.1	349		
Exit Discharge Zone	#17		170*3 7.97' W	e.	tt	95%	£.A	14 16	10.0	342		
Secure SK Dock		14*16.50' S	170*41.2' W									
rection: At Center We			of Discharge W		2	Discha	arge Pattern /	Ellipse				
narge Time: 190 m					1	kts. Total Tir	ne Run <u>5. 2</u>	ے hr.				
al Plot made: Vos Presence of Plume? No												
position of any floating material: Nove Discharge Rate: 10 Gallons/min/kt.												
courrences? Nove												
ns made: A.S.P.A		U.S.C.G.M.S.	D			Master: F/V E	Blue Moon	M. Croo	1			



	12/17/11 Sat.			FΛ					Dumping	Log	Voya	age #	: 5512	
	Denin 48 Landing CK				Permit # C	D 93	-01 & O	D 93-0					~	٦
	Begin 1st Loading SK				··				Volume Loa		17	0,00	·)	Gallons
	Finish 1 st Loading SK				Trip # 1 - X					Other	L _ C)		Gallons
	Begin 2 nd Loading SK				Trip#2					Total	17	0,000		Gallons
	Finish 2 rd Loading SK	WP#	CD2	S Posit	ion		Wind		% Clouds	Poromotor	Swell		Canad	0
5	Depart Starkist	AALM	14*16.50		170* 41.2'	W	East	-10	60	Barometer 29.59		Metric	Speed kts	Course True*
<u>S</u>	Arrive Edge of Zone	# 1	14*22. 58		170*38. 7/	-W	- · · · · ·		90	81.3				159
<u></u>	Arrive Zone Center	#2	14*24.0		170*38.3	W	Enal	-15	(1	i n	11	-1.5	8.7	162
	Begin Discharge	#3	14*2 4:15		170*3 7.2		CAAI	10	ч	371	t.c	чX	8-8	
	Degiii Discharge	# 4	14*23.3		170*37.64		и	· i)	u	и	N	-: ^	8.9	091
	Remarks:	#5	14*2 4.7	\$15	170*37-34		L.	.,		28.60	N.	и	6.7	185
-	TOTTOTIO.	#6	14*23.00		170 37 - 37		4	Li Li	50	21.60	11	1)	0.0	288
		# 7	14*2 4.95		170 3 7, 30		U	11	1)		E . 1	-2.05	9-0	049
_		# 8	14*23,14		170*3 7.20		b1	1,		1	Cari	2.03	9.3	316
		# 9	14*24.50		170*37.66		34	·····	 	 	 		9.4	178
		# 10	14*2 3.44		170*3 7.03		Į1	13	 	 	 		977	312
		# 11	14*2 4. a		170*37.70		41	41		 	+		187	176
		# 12	14*2 3 .9		170*36.96	√W	1)	11	60	 		10	9.7 9.7	005
		# 13	14*2 4, 4		170*3 7. 66		h	4,	90	29.59	 	10		181
		# 14		ı's	170*3 6.98		L)	N	50	1 0 1 3 1 Li	·		9.6	+
		# 15	14*2 3 . 9		170*3 7- 73		<u> </u>		30				9.5	178
		# 16	14*2	S	170*3	W			 		 	-	1.3	1.7.8
		# 17	14*2	s	170*3	W					 	15		
		# 18	14*2		170*3	w			 		-			
		# 19	14*2	s	170*3	W			 		 -			
		# 20	14*2	s	170 ° 3	W				-	***************************************			<u> </u>
		" = 0	14*2		170*3	W					 			
		 	14*2		170*3	W					 	20		
		+	14*2	S	170*3	W	-				 	20		
	Finish Discharge	#16	14*2 3.16		170*37.70		East	-15	56 %	29.59	Fac	1-2.0	97	344
	Exit Discharge Zone	#17			170*3 7,07		L	11	20 (0	X 1131	Las	1-0.0	9.9	
	Secure SK Dock	1#11	14*16.50'	<u>, s</u>		W	-						7:7	327
			117 10.00		·		1051	~~~			- 11.			
ireo :ha	ction: At Center <u>()</u> rge Time: <u>/88</u> m	est ins A	Average Sr	Ena Deed C	of Discharg	e <u>V</u> V	· 9	. 3	Disch kts Total Ti	narge Pattern_	25	pse or		
امد	Plot made: Vo A	Dec			1	- 90				orian				
naı	Plot made: VO 3	Pres	ence of Pil	ume (_	/Vo				100				\wedge	
ро	position of any floating material: Nove Discharge Rate: 109 Gallons/min/kt.													
Occurrences? None uns made: A.S.P.A. U.S.C.G.M.S.D. Master: FN Blue Moon M. 195														
-					-									



	12/19/11 моп			F/	V Blue					ng Log	Voyage	#: 5513	
	Begin 1st Loading SK				,,,,,,,	••			Volume Loa	aded: SK	180,00		Gallons
	Finish 1st Loading SK				Trip # 1 - X					Other	5		Gallons
	Begin 2 nd Loading SK				Trip#2		-			Total	180,000	1	Gallons
	Finish 2 rd Loading SK				1110 # 4		-			Total	700,000	, 	Joanons
	I whom E Lodding of	WP#	GPS	Posit	ion		Wind		% Clouds	Barometer	Swell	Speed	Course
<u> </u>	Depart Starkist	1	14*16.50		170* 41.2	W			75	29.57	Metric	kts	True*
4	Arrive Edge of Zone	#1	14*22.58				East		60	29:59	Fast-1.0	9,1	163
	Arrive Zone Center	#2	14*24.0		170*38.3	W	11	11	50	4	4 "	87	158
	Begin Discharge	#3	14*24.09		170*37.13	W	5	м	n		" X	8.7	090
		#4	14.23.31		170*37.6		1	1		je .	1	9.1	178
	Remarks:	# 5	14.54.29	S	170*3690	W.		/	 	și.		9.3	012
		#6	14*23.24	18	170*37.69	, M	1	f		P.c.		9.2	183
		# 7	14*24.55	'S	170*36.9			}	20	И	1 5		021
		#8	14*2 3.29		170*37.7			1	(1	/1		9.1	194
			14*2 4-68		170*37. D		Fas	1-12	70	.1	+ +	9.4	042
		# 10	14*23.05	'S	170*37.7	7. M	10	1,		29.60		95	257
		# 11	14*25-01	'S	170*3 7.3		11	r	60	1.00		9.2-	034
			14*23.60		170*37.43		u	м	"	n	1 10		293
		# 13	14'24.89	'S	170*3 7.5		6.	. 41	35			67	118
			14*2 3, 14		170*37. 2			u	ił	***************************************		9.6	701
			14*23.35		170*37.8		и	11	70			9.9	351
		# 16		S	170*3	W			70			1. /	1337
		# 17		S	170*3	W		~·	 	 	15		
_			14*2		170*3	W	 				10		
~			14*2		170*3	W							
		# 20			170*3	W							
			14*2		170*3	W							
			14*2		170*3	W	 				20		
		1	14*2		170*3	W	-						
	Finish Discharge	#16	14-22.98		170*3 7.8		F. +.	17.	-70 9	29.60	East-1.0	10.0	337
	Exit Discharge Zone		14.22.59					11	70%	121,00	12051-1.0	10.0	
	Secure SK Dock	1707	14*16.50	5	170*41.2	W						10.0	334
	ction: At Center (2)	0 44			- CD: 1		1 1 5	Talel		5 "	511:0C=		
				End	of Dischar	ge <u>u</u>	1021-0	100	Disci	harge Pattern_			
	rge Time: <u>182</u> m					harge	:	-4	kts. Total T	ime Run <u> 5.0</u>) <u>/</u> hr.		
nal Plot made: VQ1 Presence of Plume? Ma													
	position of any floating material: None Discharge Rate: 105 Gallons/min/kt.												
	ccurrences? Nove												
	s made: A.S.P.A. U.S.C.G.M.S.D. Master: F/V Blue Moon												
	-		_										



January 30th 2012

Michael Wolfram Program Manager Pacific Islands Office USEPA Region IX 75 Hawthorne Street San Francisco, CA 94105

RE: OCEAN DUMPING PERMIT OD93-02 SPECIAL

Dear Michael:

Pursuant to the requirements of the above referenced permit, we are herewith submitting the Quarterly ocean dumping report for the period of October 2011 through December 2011 for Samoa Tuna Processors Inc. No waste has been generated or transferred or dumped in this quarter. Enclosed are the following:

- * EPA Forms 1, 2 and 3.
- * Results of Monthly Onshore Storage Tank Analysis. No testing was done. N/A
- * Letter to ASEPA reporting exceedances and irregularities during the 3 month period where applicable. There were no exceedances. N/A
- * Monthly Site Monitoring Reports. N/A
- * Results of Monthly Site Monitoring Analysis.

Please advise if additional information is required.

Sincerely,

Craig Double Facility Manager

Samoa Tuna Processors Inc.

Enclosures:

Pacific Island Office

Cc(1) Except Vessel Logs

Director

American Samoa Environmental

Protection Agency

American Samoa Government

Pago Pago, American Samoa 96799

Cc(1) Complete Report

Director of Engineering

Chicken of the Sea International

9330 Scranton Road

Suite 500

San Diego, California 92121

Allan Ota

Wetlands Office US EPA Region IX 75 Hawthorne Street

San Francisco, CA 94105

Cc(1) Vessel Logs Only

Commanding Chief

U.S. Coast Guard Liaison Office

P.O. Box 249

Pago Pago, American Samoa 96799

Cc(1) Except Vessel Logs:

Project Leader

Office of Environmental Services U.S. Fish and Wildlife Service 300 Ala Moana Boulevard

P.O. Box 50167

Honolulu, Hawaii 96850

John Naughton

Pacific Island Regional Office

1601 Kapiolani BLvd.

Suite 1110

Honolulu, Hawaii 96814-4700

Executive Director

Western Pacific Regional Fishery

Management Council

1164 Bishop Street, Suite 1405

Honolulu, Hawaii 96813

Ocean Disposal Site Monitoring Report (OD Permit 93-01 & 93-02)

10 November, 2011

Monitoring Vessel: F/V Blue Moon

Discharge Vessel: F/V Blue Moon

Chief Investigator: Mike Crook

Starkist Samoa Liaison: Joe Carney

STP/Tri Marine Liaison: Craig Double

Determination of Sampling Positions: All positions obtained by GPS

Satellite Navigation



Mike Crook P.O. Box 4933 Pago Pago, AS 96799 14 November, 2011

Introduction

On November 10, 2011 the tank-ship *Blue Moon* departed Starkist Samoa dock bound for the designated ocean dump-site area approximately seven miles south of Pago Pago Harbor, American Samoa, on a routine wastewater disposal operation and for the purpose of monitoring this disposal of tuna cannery generated hi-strength liquid wastes into the waters of the Pacific Ocean. This monitoring and reporting were conducted in compliance with general permit conditions and Appendix A of Ocean Dumping Permits OD 93-01 & OD 93-02.

Chronology of Events

- <u>0515:</u> The Blue Moon departed Page Page Harbor bound for the dump-site location with Master/Principal Investigator, Chief and Mate on board.
- <u>0613:</u> The Blue Moon entered the dumptione circle @ 14*22.6' S / 170*38.7' W.
- The Blue Moon arrived at the dump-zone center, where observed light northeasterly winds and slight east to NE seas initially indicated disposal operations be conducted in the northeastern dump-zone quadrant.
- Ocntrol Station Monitoring. The Blue Moon arrived 1.1 nautical miles (NM) up-current or northeast (NE) of the dump-zone center, where discrete seawater samples were taken from depths of 1, 3, and 10 meters. Water temperatures, color, pH and observed sea/sky conditions with station's position were recorded (Table 1). Seas at this time were slight with east & NE swells to 1.0 meters and a NE breeze of 10 knots with the barometer reading 29.53. Current set and drift, of the ship, were to the southwest at 0.6 knots. No floating materials or sea life were observed here.
- The Blue Moon began disposal operations in the NE dump zone quadrant and continued discharging cargo (high-strength waste water) with a northwest (NW) to SE reciprocal, elongated elliptical pattern, approximately 2.25 miles long (see Plot 1) until 10:15 hrs.
- Station One Monitoring. Discrete water samples were drawn from depths of 1, 3, and 10 meters. Water temperatures, pH, stations' position and water color observations were all recorded in Table 1. The NE winds had stayed constant at 10 knots with still overcast skies. The waste plume appeared here as an oblong body of light/moderate glassy surface sheen extending in a northwest (NW) to SE direction and moving slowly to the southwest (SW). The current/wind drift of the ship was GPS determined to be, as at Control Station, southwesterly @ 0.6 knots. No sea life or

floatable materials were observed.

- Station Two Monitoring. Station two was sampled with the same procedures as station one with measurements and observations being recorded in Table 1. This position showed some very light, glassy surface sheen but no floating or suspended particulate material. The average drift rate of the ship with current and wind was GPS determined to be southwesterly at 0.7 knots between stations 2 & 3 (See Plot #1). No sealife was noted at this position.
- Station Three Monitoring. Seawater samples were collected and measurements taken as with Stations 1 & 2. This position showed some streaks of moderate glassy surface sheen over clear blue water. The drift rate of the ship between Stations #3 & 4 was again, 0.7 knots to the SW.
- Station Four monitoring. Standard sampling procedures were again carried out as in previous stations. This position, 0.25 NM SW of Station #3, showed a long, unbroken vessel track-line of typical heavy glassy surface sheen characteristic of the high strength wastewater extending in a NW to SE direction over 2 NM long and was within 0.25 NM from the visible leading edge of the plume. There were no floating or suspended materials. The SW current/drift rate of the ship was again noted here to be at 0.7 knots.
- Station Five monitoring. Sampling for this final station was conducted at the visual leading edge of the waste plume and just slightly NE of the zone center (See Plot #1). The leading edge of the waste plume was not clearly visible at this location and consisted of just a few scattered streaks of very light glassy surface sheen with clear, natural appearing blue waters further down-current to the southwest. The final drift rate of the ship was noted to be 0.6 knots and the waste plume appeared to be nearly stationary. Other than a few random seabirds flying by, no notable sea life was observed at this position or any of the other sampling stations. The final barometer reading was 29.54 when monitoring activities were concluded at 11:19 hrs. The *Blue Moon* exited the disposal zone at 11:31 hours and arrived back in Pago Pago Harbor to deliver the collected samples to the Starkist Samoa Co. laboratory at 12:20 hours.

Prepared by
Mike Crook, Principal Investigator


OCEAN DUMPING RESEARCH PERMIT: OD-93-01 & 02

Table 1

<u>Date:</u> November 10,	Sea Conditions: S	light w/ East &	Northeast @ 10 knots steady. Visibility: Good 8-10 NM							
2011	Barometer: 29.53	^ 29.54	<u>Curr</u>	ent Set & Di	rift Rate: South	west @ average 0.6 knots Sky: Cloudy 100%				
Time	Station	Depth (meters)	Temp. (°C)	рН	Odor	Color				
0635	Control	1 3 10	27.2 27.2 26.7	8.2 8.2 8.2	None	Clear and natural deep pelagic blue w/ no floating or suspended materials.				
1025	Station 1	1 3 10	28.3 27.8 27.8	8.2 8.2 3.2	None	Scattered patches of moderate surface sheen over deep, blue & cle water. No floating or suspended materials				
1035	Station 2	1 3 10	27.8 27.8 27.8	8.2 8.2 8.2	Slightly Pungent	A few broken patches and streaks of light surface sheen over deep, clear blue water. No floating scum or other particulate type materials present.				
1045	Station 3	1 3 10	28.3 28.0 28.0	8.2 8.2 8.2	Slightly Pungent	Same as Station #1.				
1055	Station 4	1 3 10	28.3 28.3 28.3	8.1 8.1 8.1	Slightly Pungent	Long northwest to southeast extending track line of moderate to heavy surface sheen over clear blue water.				
1105	Station 5	1 3 10	28.3 28.3 28.3	8.2 8.2 8.2	None	Leading Edge of the waste plume. Indistinct boundary of plume and clear, natural blue seas further down-current to the southwest. Just a few scattered streaks of very light surface sheen. No particulate materials.				

SAMPLE STATIONS POSITIONS

	LATI	TUDE	LONGITUDE			
Control - C	14° 23.51°	South	170° 3′7.24°	West		
Station 1	14° 24.40°	South	170° 37.05°	West		
Station 2	14° 23.49°	South	170° 3′7.36°	West		
Station 3	14° 23.65°	South	170° 3′7.58′	West		
Station 4	14° 23.75°	South	170° 37.85°	West		
Station 5	14° 23.96°	South	170° 38.12'	West		



Ocean Disposal Site Monitoring Report

(OD Permit 93-01 & 93-02)

08 December, 2011

Monitoring Vessel: F/V Blue Moon

Discharge Vessel: F/V Blue Moon

Chief Investigator: Mike Crook

Starkist Samoa Liaison: Joe Carney

STP/Tri Marine Liaison: Craig Double

Determination of Sampling Positions: All positions obtained by GPS

Satellite Navigation

Introduction

On December 08, 2011 the tank-ship *Blue Moon* departed Starkist Samoa dock bound for the designated ocean dump-site area approximately seven miles south of Pago Pago Harbor, American Samoa, on a routine wastewater disposal operation and for the purpose of monitoring this disposal of tuna cannery generated hi-strength liquid wastes into the waters of the Pacific Ocean. This monitoring and reporting were conducted in compliance with general permit conditions and Appendix A of Ocean Dumping Permits OD 93-01 & OD 93-02.

Chronology of Events

- <u>0515:</u> The *Blue Moon* departed Pago Pago Harbor bound for the dump-site location with Master/Principal Investigator, Chief and Mate on board.
- **<u>9606:</u>** The *Blue Moon* entered the dumpzone circle @ 14*22.6' S x 170*38.7' W.
- <u>0615:</u> The *Blue Moon* arrived at the dump-zone center, where observed east winds and slight east southeasterly seas initially indicated disposal operations be conducted in the eastern dump-zone quadrant.
- Control Station Monitoring. The Blue Moon arrived 1.1 nautical miles (NM) up-current or east (E) of the dump-zone center, where discrete seawater samples were taken from depths of 1, 3, and 10 meters. Water temperatures, color, pH and observed sea/sky conditions with stations' position were recorded (Table 1). Seas at this time were slight with east/SE swells to 1.5 meters and east winds at 12 knots (kts.) with the barometer reading 29.59. Current set and drift, of the ship, were to the west at 0.7 knots. No floating materials or sea life were observed here.
- The *Blue Moon* began disposal operations in the eastern dump zone quadrant and continued discharging cargo (high strength waste water) with a north (N) to south (S) reciprocal, elongated elliptical pattern, approximately 2.4 miles long (see Plot 1) until 0922 hrs.
- <u>Station One Monitoring.</u> Discrete water samples were drawn from depths of 1, 3, and 10 meters. Water temperatures, pH, stations' position and water color observations were all recorded in Table 1. The east wind had increased to 15 kts. with partly cloudy skies. The waste plume was not visibly present here and was only apparent further down-current to the west a short distance, (approximately 0.25 miles) away. The current/wind drift of the ship was GPS determined to be westerly @ 1.3 knots. No sea life or floating materials were observed.

- Station Two Monitoring. Station two was sampled with the same procedures as station one with measurements and observations being recorded in Table 1. This position showed only a few scattered patches of light surface sheen over clear, natural blue appearing seawater. The average drift rate of the ship with current and wind was GPS determined here to be westerly (W) at a rate of 1.2 knots between stations 2 & 3 (See Plot #1). No sea-life or floating materials were noted at this position.
- <u>Station Three Monitoring.</u> Seawater samples were collected and measurements taken as with Stations 1 & 2. This position had the same color qualities as Station # 1, that is, no visible sign of the waste plume Sea & wind conditions remained the same as with the previous sample stations and the drift rate of the ship between Stations #3 & 4 was 1.2 knots, again, to the west.
- Station Four monitoring. This area showed more of the same broken streaks and patches of very light surface sheen over clear blue subsurface water present at Station #2. The westerly current/drift rate of the ship was again noted here to be at 1.2 knots. No floating scum or suspended particulate materials were observed at any of these sample stations.
- Station Five monitoring. Sampling for this final station was conducted at the visual leading edge of the waste plume and approximately 0.08 NM SW of the zone center (see Plot #1). The leading edge of the waste plume was not clearly visible at this location as there was only an occasional small patch or streak of very light, glassy surface sheen with clear, natural appearing blue waters further down-current to the west. Again, no floating or suspended scum or particulates were noted at any of the five sampling stations. No notable sea life was observed at this position or any of the previous stations, other than a few random seabirds flying by. The final barometer reading was 29.60 when monitoring activities were concluded at 1023 hrs. The *Blue Moon* exited the disposal zone at 1034 hours and arrived back in Pago Pago Harbor to deliver the collected samples to the Starkist Samoa Co. laboratory at 11:25.

Prepared by Mike Crook, Principal Investigator


OCEAN DUMPING RESEARCH PERMIT: OD-93-01 & 02

Table 1

<u>Date:</u> December 08	Sea Conditions: Sli	ght with East	t/Southeast	swells to	1.5 meters. V	Vind: East @ 10 - 15 knots Visibility: Unlimited
2011	Barometer: 29.58	29.60	Curre	nt Set & D	rift Rate: West @	average 1.2 knots Sky: Partly cloudy w/ some passing rain
Time	Station	Depth (meters)	Temp.	pН	Odor	Color
0625	Control	1 3 10	27.8 27.2 27.2	8.0 8.1 8.0	None	Clear and natural deep pelagic blue w/ no floating or suspended materials.
0935	Station 1	1 3 10	28.3 27.8 27.8	8.3 7.9 8.1	None	Same color qualities as Control Station; clear and natural blue with no floating or suspended particulate material. Waste plume noted just west of this position having been moved by the current
0945	Station 2	1 3 10	27.8 27.8 27.8	8.3 7.7 7.9	Slightly Pungent	Streaks and patches of light, glassy surface sheen from broken up, north to south running vessel discharge track lines. No sign of floating or particulate materials.
0955	Station 3	1 3 10	28.3 28.0 28.0	8.0 8.1 8.2	none	Same color qualities as Control & Station #1
1005	Station 4	1 3 10	28.3 28.3 28.0	8.2 8.1 7.5	Slightly Pungent	A few scattered streaks & patches of very light, glassy surface sheen over deep, clear blue. No floating or suspended particulate or other material.
1015	Station 5	1 3 10	28.3 28.0 28.0	8.3 8.2 7.8	Slightly Pungent	Leading edge of the waste plume: Same color & sheen observations as at Station #4 and located very close to the disposal zone center.

SAMPLE STATIONS POSITIONS

Control - C	LATIT	TUDE	LONGITUDE				
	14° 24.09'	South	170° 37.17'	West			
Station 1	14° 24.10'	South	170° 36.94'	West			
Station 2	14° 24.13'	South	170° 37.30'	West			
Station 3	14° 24.14'	South	170° 37.52'	West			
Station 4	14° 24.12'	South	170° 37.85°	West			
Station 5	14° 24.08'	South	170° 38.30°	West			



Ocean Disposal Site Monitoring Report

(OD Permit 93-01 & 93-02)

07 October, 2011

Monitoring Vessel: F/V Blue Moon

Discharge Vessel: F/V Blue Moon

Chief Investigator: Mike Crook

Starkist Samoa Liaison: Joe Carney

STP/Tri Marine Liaison. Craig Double

Determination of Sampling Positions: All positions obtained by GPS Satellite Navigation



Mike Crook P.O. Box 4933 Pago Pago, AS 96799 10 October, 2011

Introduction

On October 07, 2011 the tank-ship *Blue Moon* departed Starkist Samoa dock bound for the designated ocean dump-site area approximately seven miles south of Pago Pago Harbor, American Samoa, on a routine wastewater disposal operation and for the purpose of monitoring this disposal of tuna cannery generated hi-strength liquid wastes into the waters of the Pacific Ocean. This monitoring and reporting were conducted in compliance with general permit conditions and Appendix A of Ocean Dumping Permits OD 93-01 & OD 93-02.

Chronology of Events

- <u>0520:</u> The *Blue Moon* departed Pago Pago Harbor bound for the dump-site location with Master/Principal Investigator, Chief and Mate on board.
- 1613: The Blue Moon entered the dumpzone circle @ 14*22.6' S x 170*38.8' W.
- The Blue Moon arrived at the dump-zone center, where observed east winds and slight east to southeasterly seas initially indicated disposal operations be conducted in the eastern dump-zone quadrant.
- Control Station Monitoring. The Blue Moon arrived 1.1 nautical miles (NM) up-current or east (E) of the dump-zone center, where discrete seawater samples were taken from depths of 1, 3, and 10 meters. Water temperatures, color, pH and observed sea/sky conditions with stations' position were recorded (Table 1). Seas at this time were slight with East & SE swells to 1.5 meters and east winds at 7 knots (kts.) with the barometer reading 29.61. Current set and drift of the ship, by GPS, were to the west at 0.7 knots. No floating materials or sea life were observed here.
- The *Blue Moon* began disposal operations in the eastern dump zone quadrant and continued discharging cargo (high strength waste water) with a north (N) to south (S) reciprocal, elongated elliptical pattern, approximately 2.25 miles long (see Plot 1) until 09:36 hrs.
- Station One Monitoring (See Plot #1). Discrete water samples were drawn from depths of 1, 3, and 10 meters. Water temperatures, pH, stations' position and water color observations were all recorded in Table 1. The east wind had increased to 10 kts. with partly cloudy skies. The waste plume was not visibly present here and was only apparent further down-current to the west some distance, (about 0.2 miles) away. The current/wind drift of the ship was GPS determined to be westerly at 0.9 knots. No floating or suspended materials were noted here.

- Station Two Monitoring. Station two was sampled with the same procedures as station one with measurements and observations being recorded in Table 1. This position showed some light sheen of previous vessel track lines as the only visible indication of the waste plume. The average drift rate of the ship with current and wind was GPS determined here to be westerly (W) at a rate of 1.0 knots between stations 2 & 3 (See Plot #1). No sea-life or floating materials were noted at this position.
- Station Three Monitoring. Seawater samples were collected and measurements taken as with Stations 1 & 2. This position showed a broad area of continuous streaks and patches of moderate surface sheen along with widespread swaths of floating brown scum and large brown particulates. Also present were much finer and lighter colored, suspended particulate material in light concentration extending down to the limit of visibility (approx. 3-4 maters). Sea & wind conditions remained the same as with the previous two sample stations and the drift rate of the ship between Stations #3 & 4 was 1.1 knots, again, to the west.
- Station Four monitoring. This position was in the same large area of moderate surface sheen as Station #3 and showed the same sparsely concentrated fine, light gray colored suspended particulate material but none of the floating soum etc. The westerly current/drift rate of the ship was again noted here to be at 1.1 knots. No sea-life was observed.
- Station Five monitoring. Sampling for this final station was conducted at the visual leading edge of the waste plume and approximately 0.35 NM west of the zone center (See Plot #1). The leading edge of the waste plume was distinctive at this location as an unbroken line of light, glassy surface sheen with clear, natural appearing blue waters further down-current to the west. Also present in this sheen were more swaths of the floating scum and large particulate material but none of the fine suspended particles. All these materials were various shades of brown. The final drift rate of the ship was noted to be 1.0 knots. Other than a few random seabirds flying, no significant sea life was observed at this position or any of the previous stations. The final barometer reading was 29.62 when monitoring activities were concluded at 1040 hrs. The *Blue Moon* exited the disposal zone at 1048 hours and arrived back in Pago Pago Harbor to deliver the collected samples to the Starkist Samoa Co. laboratory at 1140 hours.

Prepared by Mike Crook, Principal Investigator

OCEAN DUMPING RESEARCH PERMIT: OD-93-01 & 02

Table

Date: 07 October,	· I			swells to 1.5 n	neters.	Wind: East @ 7 - 10 knots	<u>Visibility:</u> Unlimited				
2011	Barometer: 29.61	† 29.63 \ 29.67	2	Current Set	& Drift Rate: V	Vest @ average 1.0 knots	Sky: Partly cloudy, 25 - 50%				
Time	Station	Station Depth Temp (meters) (°C)			Odor		Color				
		1.	26.1	8.2	and the second s	Clear and natural deep pela	gic blue w/ no floating or suspended				
0635	Control	3	26.1	8.2	None	materials.					
		10	26.1	8.2							
		A	27.5	8.2		Same color qualities as Contro	ol Station, clear and natural blue with				
0945	Station 1	3	27.5	8.2	None		culate material. Waste plume noted just				
		10	27.2	8.2		west of this position hav	ving been moved by the current				
		R	27.5	8.2	grammer on the headers have been pro-	Broken patches of previous v	vessel track lines and streaks of slight				
0955	Station 2	Station 2 3 2.7		8.2	Slightly	surface sheen over deep, clear	blue water. No floating scum or other				
		10	2.7.2	8.2	Pungent	particulate ty	pe materials present.				
		1	27.8	8.2			nding area of moderate surface sheen				
1005	Station 3	3	2:7.2	8.2	Pangent	, ,	composed of brown scum and large				
		10	2.7.5	3.2	an general a grand to a section of the	The state As a series of the s	ish particulates.				
		1	2.7.8	8.2		i i	f moderate surface sheen as St. #3 with				
1015	Station 4	3	2.7.8	8.2	Pungent		prown particulates and also lighter, fine				
		10	2:7.5	8.2	m, alektronominak (1980) mat olika (1830 myerensar (1970)).	and the second control of the second second second control of the second	vater column to the limit of visibility.				
		1	2.7.2	8.2			plume. Distinct boundary of light to				
1030	Station 5	3	2.7.2	8.2	Pungent		with the same floating and suspended				
		10	2.7.2	2.7.2 8.2		F	Station #4 but not as dense. Clear &				
					and more merupation. It is advisor in it was an integrapement is a purchase.	natural blue seas furt	her down-current to the West				

SAMPLE STATIONS POSITIONS

	LATIT	'UDE	LONGITUDE			
Control - C	14° 24.05'	South	170° 37.18'	West		
Station 1	14° 24.00'	South	170° 36.99°	West		
Station 2	14° 23.95'	South	170° 37.24°	West		
Station 3	14° 23.97'	South	170° 37.53°	West		
Station 4	14° 23.95'	South	170° 37.89°	West		
Station 5	14° 23.96'	South	170° 38.64°	West		

NA	170-14,23 W	170 36.82 W		
			Docari Monitoring Sempling Stations ortroi (C) and Sempling Stations #1 - #5 October, 201 Crook, isvestigator	
14 22.73 \$	Disposal Zone Center: 4*24.0' 5 x 170* 38.3' vv #5		Set: Wost	
4 26.14 8			•	

Monthly Melecute of 000 Demos Panking Fish Proceeding Wastes Generaled Per Day and Volumes of Fish Processing Wastes Disposed at the Ocean Site.

Month: Decemebr 2011

printe 1986 Ann. 1 ; 10: 100 - per fari demoção - de dir; ini - parepulation (dissipaçõe)	DAF Sludge	Precooker Water	Press Water	Total	Volume
	Generated	Generated	Generated	Generated	Ocean Disposed
OD 93-02	(gallons/day)	(gallons/day)	(gallons/day)	(gallons/day)	(gallons/day)
Permit					
Limits	600,00	100,000	40,000	200,000	200,000
Dec 2011	No waste for I	December	and the second s	0	
Totals	O	O 1.1 Parties on the Canadam and But of a real ways . 110 Parties on the Top department and construction.	0	0	0

Note: An asterisk(*) to the right of the fish processing waste volume signifies that a violation of the permit limit has occurred.

The number of violations are shown in the Monthly "Totals" row.

Monthly quantities of alum (aluminum sulfate) and coagulant polymer added to the fish processing waste streams:

Aluminum Sulfate:

0 pounds/month

Tien/hly Midualus of CCS Comits Positing Fish Proceeding Mostric Generated Per Day and Volumes of Fish Proceeding Wastes Disposed at the Ocean Site

Month: November 2011

	DAF Sludge	Precooker Water	Press Water	Total	Volume
	Generated	Generated	Generated	Generated	Ocean Disposed
OD 93-02	(gallons/day)	(gallons/day)	(gallons/day)	(gallons/day)	(gallons/day)
Permit					
Limits	60,000	100,000	40,000	200,000	200,000
Nov 2011	No waste for Nover	nber	William Carlot And Carlot Annual Carlot Annu	0	
Totals	0	0	0	0	0

Note: An asterisk(*) to the right of the fish processing waste volume signifies that a violation of the permit limit has occurred.

The number of violations are shown in the Monthly "Totals" row.

Monthly quantities of alum (aluminum sulfate) and coagulant polymer added to the fish processing waste streams:

Aluminum Sulfate:

0 pounds/month

Monthly Volumes of COS Sermed Packing Fish Processing Westes Generated Per Day and Volumes of Fish Processing Wastes Disposed at the Ocean Site

Month: October 2011

	DAF Sludge	Precooker Water	Press Water	Total	Volume
	Generated	Generated	Generated	Generated	Ocean Disposed
OD 93-02	(gallons/day)	(gallons/day)	(gallons/day)	(gallons/day)	(gallons/day)
Permit					
Limits	60,000	100,000	40,000	200,000	200,000
October 11	No waste for Oc	tober		0	
Totals	O CONTRACTOR OF THE CONTRACTOR		0	0	0

Note: An asterisk(*) to the right of the fish processing waste volume signifies that a violation of the permit limit has occurred.

The number of violations are shown in the Monthly "Totals" row.

Monthly quantities of alum (aluminum sulfate) and coagulant polymer added to the fish processing waste streams:

Aluminum Sulfate:

0 pounds/month

Cumulative Yearly Data on Fish Processing Wastes Generated at Samoa Tuna Processors Inc. and Disposed at the Ocean Site MPRSA 102 Special Permit #OD 93-02

Reporting Period: From

01 JAN.

2011 31 DEC.

2011

İ	DAF Sludge	Cooker Water	Press Water	Total		Volume
	Generated	Generated	Generated	Generated	Coagulate polymer	Ocean Disposed
Month & Year	(gallons/month)	(gallons/month)	(gallons/month)	(gallons/month)	(pounds/month)	(gallons/month)
Jan. 2011	0	0	0	0	0	0
Feb. 2011	0	0	0	0	0	0
Mar. 2011	0	0	0	0	0	0
Apr. 2011	0	0	0	0	C	0
May. 2011	0	. 0	0	0	0	0
Jun. 2011	0	0	0	0	0	0
Jul. 2011	0	0	0	0	C	0
Aug. 2011	0	0	0	0	0	0
Sep. 2011	0	0	0	0	0	0
Oct. 2011	0	0	0	0	O	0
Nov. 2011	0	0	0	0	0	0
Dec. 2011	0	0	0	0	0	0
Cumulative						
Yearly Totals	0	0	0	0	0	0

NOTE: A seperate table shall be prepared for each calendar year.

Data Form for 3-Month Report on Waste Stream Analyses for COS Samoa Packing MPRSA 102 Permit #OD 93-02

Reporting Period: From

October

2011 to December 2011

COS Samoa Packing - Onshore Storage Monitoring Report

Month & Year	Total Solids (mg/L)	Total Volatile Solids (mg/L)	5-Day Biologica Oxygen Deman (mg/L)	11	Oil and Grease (mg/L)	Total Phosphorus		Total Nitrogen	Ammonia (mg/L)	THE ROW	pH (pH units)		Density (g/mL)	
October-11 November-11 December-11												47 17		
OD 93-02 Permit Limits	54,590	58,760	87,780	250	48,630	2,820	10	11,070	5,200	18.1	5.8 to 7.5	A STATE OF THE STA	.97 to 1.03	

NOTE: An asterisk(*) next to the waste concentration signifies that an exceedance of the permit limit has occurred.



Ocean Disposal - Fish waste discharged directly into the prop wash





Ocean Disposal - Fish waste discharged directly into the prop wash



American Samoa Fish Waste Management - Elimination of Ocean Disposal - A Success Story

Background / History

American Samoa (also, known as Tutuila Island) is located over 2,600 nautical miles south-southwest of the Hawaiian Islands. Fish processing operations have existed on the island since World War II. US Navy installations were converted into a tuna processing facility as a pilot project with funding from the Rockefeller Foundation. The first commercial operations started in 1953 (Van Camp Seafoods-Chicken of the Sea) and a second facility opened in 1963 (Starkist). At peak of operations, into mid-2000s, both canneries combined to produce the bulk of the world market share of canned tuna. The canneries also employed the bulk of the available American Samoa work force.

Fish processing wastes were discharged directly into Pago Pago Harbor until 1974. Solids were removed from this waste water stream. With higher volumes of canning production, dissolved air flotation (DAF) processing was installed in 1974-1975 to reduce organic loading into the harbor and the high strength (high nitrogen) fish waste, which could not be treated in the DAF process, was disposed in landfill sites on island. Over time there were human health issues associated with transportation by truck through downtown and residential areas, noxious odors (hydrogen sulfide), inadequate daily cover material at landfill sites (lack of soil), and increased numbers of insects and vermin.

An interim permit for ocean disposal was issued in 1979 by EPA Region 9, and after a series of research permits in 1986, 1987, and 1988, a permanent ocean disposal site was designated in deep water 4.5 miles offshore of Pago Pago Harbor for disposal of a maximum of 144 million gallons per year (combined for both canneries) of high strength fish waste. This significantly reduced the landfill waste stream. Ocean disposal continued until 2009, and was closely monitored at EPA direction. Disposal site monitoring showed no apparent adverse environmental impacts, due to high rate of dilution of this organic matter to background within the disposal site.

New Treatment Process – Elimination of Ocean Disposal


In September 2009, the island was hit by a tsunami, resulting in widespread damage to shore side facilities, including complete destruction of one of the two tuna canning facilities. Starkist, the remaining tuna canning operation, now faced with having to cover all the costs of ocean disposal, conducted a new alternatives evaluation. Unlike earlier attempts to run the high strength fish waste through the DAF treatment system, it was apparent that with newer technology all NPDES parameters were attainable except for nitrogen. Eventually, a clarifier and bromine treatment system was found to be a cost effective option for reducing the nitrogen, allowing the high strength fish waste stream to be run through the DAF treatment system and discharged through the offshore pipe, thereby eliminating the need for ocean disposal. This new treatment process also created a substantial amount of fish meal through the conversion of solid waste generated from the canning process. [See attached flow chart – next page]

Conclusions

- Ocean disposal was a crucial step in reducing significant environmental and human health concerns on island.
- Proper ocean disposal site designation and management resulted in no adverse impacts to the ocean during three decades of operations.
- Nevertheless, ocean disposal operations for fish waste should be periodically reviewed for new technologies that may allow even ocean disposal to be economically reduced or eliminated.


New Treatment Process for Fish Waste in American Samoa:


- Elimination of ocean disposal of "high strength" fish waste
- Removal of solids from waste stream
- Treatment and beneficial re-use: conversion of solid waste to fish meal
- Limited disposal at landfill site for solid waste not suitable for conversion
- Utilizes existing NPDES permit for discharge of treated waste water





American Samoa, also known as Tutuila Island, is located more than 2,600 nautical miles from the Hawaii Islands





Typical ocean disposal operation – note the transit pattern in the up-current area of the disposal site to maximize dispersion within site boundaries



Pago Pago Harbor tuna canning facilities employ the bulk of the available work force in American Samoa



Ocean Disposal - Fish waste discharged directly into the prop wash





American Samoa Fish Waste Management - Elimination of Ocean Disposal - A Success Story

Background / History


American Samoa (also, known as Tutuila Island) is located over 2,600 nautical miles south-southwest of the Hawaiian Islands. Fish processing operations have existed on the island since World War II. US Navy installations were converted into a tuna processing facility as a pilot project with funding from the Rockefeller Foundation. The first commercial operations started in 1953 (Van Camp Seafoods-Chicken of the Sea) and a second facility opened in 1963 (Starkist). At peak of operations, into mid-2000s, both canneries combined to produce the bulk of the world market share of canned tuna. The canneries also employed the bulk of the available American Samoa work force.

Fish wastes were discharged into Pago Pago Harbor until 1974. Solids were removed from this waste water stream. Dissolved air flotation (DAF) processing was installed in 1974-1975 to reduce organic loading into the harbor. With higher volumes of canning production, the high strength (high nitrogen) fish waste, which could not be treated in the DAF process and discharged with the treated waste water stream, was disposed in landfill sites on island, but over time there were human health issues associated with transportation by truck through downtown and residential areas, noxious odors (hydrogen sulfide), inadequate daily cover material at landfill sites (lack of soil), and increased numbers of insects and vermin. An interim permit for ocean disposal was issued in 1979 by EPA Region 9, and after a series of research permits in 1986, 1987, and 1988, a permanent ocean disposal site was designated for disposal of fish waste. Permitted for disposal of a maximum of 144 million gallons per year (combined for both canneries), disposal site monitoring to date had shown no apparent adverse environmental impacts, due to high rate of dilution of this organic matter to background within the disposal site.

New Treatment Process – Elimination of Ocean Disposal


In September 2009, the island was hit by a tsunami, resulting in widespread damage to shore side facilities, including destruction of one of the two tuna canning facilities. Starkist, the remaining tuna canning operation, faced with a doubling of costs for ocean disposal, restarted an evaluation for an alternative to ocean disposal (initially started in 1997). Following earlier attempts to run the high strength fish waste through the DAF treatment system, it was apparent that all NPDES parameters were attainable except for nitrogen. Eventually, a clarifier and bromine treatment system was found to be a cost effective option for reducing the nitrogen, allowing the high strength fish waste stream to be run through the DAF treatment system and discharged through the offshore pipe, thereby eliminating the need for ocean disposal.

[See attached flow chart - next page]



New Treatment Process for Fish Waste in American Samoa:

- Elimination of ocean disposal of "high strength" fish waste
- Removal of solids from waste stream
- Treatment and beneficial re-use: conversion of solid waste to fish meal
- Limited disposal at landfill site for solid waste not suitable for conversion
- Utilizes existing NPDES permit for discharge of treated waste water



Organa waste handling The sludge O Ocean dumping ("high strength"; V. high wotragen) @ Waste water treatment (DAF) New waste handling: Claritier system
— Solids Sottle to bottom -> pumped aut as
a shurry
— clear water from top of system blended
into DAF waste stream 85,000 - 120,000 gallous per day > Ocean disposal ~ 2,000 pameds of solid waste -> landfill Froduction up by ~ 30-40 tons per days compared to what was to the taken to the Library discharged per NFDES (219 million sentens per day discharged per NFDES) (219 million sentens par day permit limit)

Re-cooler with 40,000-60,000 painds perday removed from original stream - Fish meal @ Waste water treatment (DAF) New waste hundling: Clarifier System Sottle to potten > pumped out as a sturry class to a claystan burded with the TAT waste stream 85,000 - 120,000 splans per day - Ocean dispose. AF Andage of solid waste - land lill Kadustien up by 2 9 40 tons per days compared to what was to train to the 1.9 - 1.8 millian gallans per they discharged per 1800 - LEWIS



Trip on Jan 23, 2013

Locator: IOUCFS

Date: Jan 16, 2013

Traveler

ALLAN Y OTA

AUTOMATION

AUTOMATION

Customer Number

589GLS7

Agent

IN THE FY13 GOVERNMENT CITY PAIR PROGRAM CPP YOUR AIR RESERVATION IS SUBJECT TO CANCELLATION BY THE AIRLINES IF NOT TICKETED AT LEAST 48 HOURS PRIOR TO SCHEDULED DEPARTURE.

- *** DID YOU KNOW WE CAN ALSO BOOK YOUR HOTELS ***
- *** AND RENTAL CARS ***
- *TICKET PURCHASED WITH CA.....7634

THIS DOCUMENT BECOMES AN INVOICE WHEN THE PASSENGER

- *NAME/INVOICE AND TICKET NUMBERS APPEAR
- *IN THE PRICING BOX.

FEES TOTALING 4.35PP CHARGED IN ADDITION TO TKT PRICE FEE-USD4.35PP-AIR/AMTRAK DOMESTIC, ONLINE

Wednesday, January 23, 2013

Confirmation OCUSCH



Flight Virgin America 922

DEPARTURE

SAN FRANCISCO/SFO 6:45 AM, Jan 23, 2013 ARRIVAL

LOS ANGELES,CA 8:05 AM, Jan 23, 2013

Status Class Duration Equipment

Confirmed Coach Class - Y 01:20 (Non-stop) Airbus Industrie 320

Meal Service

None 5A (Window)

Reserved Seats Notes

DEP-TERMINAL 2 ARR-TERMINAL 3

Wednesday, January 23, 2013

Confirmation OCUSCH



Flight Virgin America 945

DEPARTURE LOS ANGELES,CA 7:10 PM, Jan 23, 2013

ARRIVAL SAN FRANCISCO/SFO 8:30 PM, Jan 23, 2013

Status Class Duration Equipment

Confirmed Coach Class - Y 01:20 (Non-stop) Airbus Industrie 320

Meal Service Reserved Seats None 5A (Window)

Notes

DEP-TERMINAL 3 ARR-TERMINAL 2

Name OTA ALLAN Y

Invoice / Ticket / Date 38458/9847197451407/16JAN13

Base USD 146.98

Tax 1 11.02US

Tax 2 7.80ZP

Tax 3 14.00XT

Total 179.80

Total Amount

184.15

Form of Payment: CAXXXXXXXXXXXX7634


GENERAL INFORMATION

THANK YOU FOR USING CWTSATOTRAVEL. LOCAL PHONE NUMBER IS 888-728-6377 YOUR REFERENCE CODE IS ***SABRE 4MWF*** FARES ARE NOT GUARANTEED UNTIL TICKETED. ALL UNUSED TICKETS ARE TO BE RETURNED TO YOUR TMC OR TRAVEL COORDINATOR IMMEDIATELY UPON RETURNING OR WHEN A TRIP HAS BEEN CANCELLED. CHECK-IN FOR ALL FLIGHTS WILL REQUIRE PHOTO ID. VERIFY REQUIREMENTS TO INTERNATIONAL DESTINATIONS. IF CHANGES NEED TO BE MADE TO YOUR ELECTRONIC TICKET RESERVATION, PLEASE CALL SATOTRAVEL TO MAKE THOSE CHANGES WHENEVER POSSIBLE. TO CANCEL A HOTEL RESERVATION, PLEASE CONTACT SATOTRAVEL TO OBTAIN A CANCELLATION TRACKING NUMBER. THIS NUMBER WILL BE REQUIRED FOR ANY FURURE INQUIRIES. IN SOME INSTANCES WE MAY NOT BE ABLE TO OBTAIN PRE RESERVED SEAT ASSIGNMENTS. IF THIS IS THE CASE PLEASE RECEIVE SEAT ASSIGNMENTS AT CHECK IN. PLEASE NOTE ** EACH TRAVELER LISTED IN THIS ITINERARY AGREES TO THE TERMS AND CONDITIONS, WHICH ARE PART OF THIS TRANSACTION, AS SET FORTH IN THE AGTS WEB SITE AT WWW.SATOTRAVEL.COM/CONTENT/TERMSITIN.HTM

PLEASE VISIT WWW.CARLSONWAGONLIT.COM/AIRLINEBAGGAGEFEES FOR INFORMATION ON FREE BAGGAGE ALLOWANCES AND/OR APPLICABLE FEES FOR CARRY-ON AND CHECKED BAGGAGE RELATED TO YOUR FLIGHT.

CWTSATOTRAVEL CAN BOOK YOUR HOTEL ACCOMODATIONS. WE CAN ASSIST IN KEEPING COSTS WITHIN PER DIEM AT A FEMA APPROVED PROPERTY, GUARANTEE YOUR RESERVATION FOR LATE ARRIVAL, AND EVEN CHECK FOR A ROOM AT YOUR FAVORITE HOTEL AT LOW FEDROOM OR CWTSATOTRAVEL GOVERNMENT RATES. ALL YOUR RESERVATIONS INCLUDED ON ONE ITINERARY--AIR, CAR, AND HOTEL.

THANKS FROM YOUR CWTSATOTRAVEL TEAM!!!



StarKist.

Oct 08, 2012

Mr. Michael Wolfram U. S. EPA Region 9 Pacific Insular Area Program (CMD-5) 75 Hawthorne Street San Francisco, CA 94105

Dr. Toafa Vaiaga'e
Director, AS EPA
Office of the Governor
EOB Utulei, American Samoa 96799

Gentlemen:

Re: Discharge Monitoring Report for the Months of July, August and September of 2012, under NPDES No. AS0000019 as issued to Star Kist Samoa, INC.

Attached is the Star Kist Samoa's Discharge Monitoring Reports covering the months of July, August and September of 2012.

Star Kist Samoa met all Effluent limits.

Sincerely

Joe Carney

Manager, Engineering and Maintenance

Wa \ ls : \ npdes \samoa Attachments :

Attachine

CC :

Mr. Alan Ota Mr. Brett Butler

NAME:

STAR-KIST SAMOA, INC

ADDRESS: POBOX 368

PAGO PAGO, AS 96799

FACILITY: STAR-KIST SAMOA TUNA CANNERY

.OCATION: ATU'U, MAOPUTASI PAGO PAGO, AS 96799

ATTN: MR. JOE CARNEY

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) DISCHARGE MONITORING REPORT (DMR)

AS0000019 PERMIT NUMBER

001-A DISCHARGE NUMBER

MONITORING PERIOD MM/DD/YYYY 7/1/2012

MM/DD/YYYY 7/31/2012

norm who nake OMB No. 2040-0004

DMR Mailing ZIP CODE:

96799

MAJOR

DISCHARGE 001/MONTHLY

External Outfall

No Discharge

PARAMETER		QUA	NTITY OR LOADING			QUALITY OR CONC	ENTRATION		NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		VALUE	VALUE	UNITS	VALUE	VALUE	VALUE	UNITS		"	
emperature, water deg. fahrenheit	SAMPLE MEASUREMENT	食物研究者	情味声音音乐	*****	东油安物业会	82	82		0		
00011 1 0 Effluent Gross	PERMIT REQUIREMENT	A64045	******	******	240222	90 30DA AVG	95 DAILY MX	deg F		Continuous	CONTIN
3OD, 5-day, 20 deg. C	SAMPLE MEASUREMENT	*****	RETURN	*****	****	257.7	279.2		0		
00310 1 0 Effluent Gross	PERMIT REQUIREMENT	ingerina	Autoba	499899	*****	Req. Mon. . MO AVG	Req. Mon. DAJLY MX	mg/L		Weekly	COMP24
Н	SAMPLE MEASUREMENT	299822	Rożnes	240244	7.0	****	7.1		0		
10400 1 0 Effluent Gross	PERMIT REQUIREMENT	494424	****	*****	6.5 MINIMUM	*****	8.6 MAXIMUM	SU		Continuous	CONTIN
Solids, total suspended	SAMPLE MEASUREMENT	2498.0	2817.1		*****	360149	\$48.85 B	*****	0	31	
10530 1 0 Effluent Gross	PERMIT REQUIREMENT	3960 MO AVG	9960 DAILY MX	fb/d	****	*****	A64420	*****		Weekly	COMP24
vitrogen, total	SAMPLE MEASUREMENT	958.4	1102.7		****	545546	有中省交易由	*****	0		
10600 1 0 Effluent Gross	PERMIT REQUIREMENT	1200 MO AVG	2100 DAILY MX	lb/d	*****	202000	20112	*****		Twice Per Week	COMP24
Nitrogen, ammonia total (as N)	SAMPLE MEASUREMENT	592.4	695.4		****	55.7	62.4		0		
10610 1 0 Effluent Gross	PERMIT REQUIREMENT	2016 MO AVG	4045 DAILY MX	lb/d	*****	83.36 30DA AVG	167.26 DAILY MX	mg/L		Weekly	COMP24
hosphorus, total (as P)	SAMPLE MEASUREMENT	91.4	126.1		842696	****	*****	有效效的分	0		
10665 1 0 Effluent Gross	PERMIT REQUIREMENT	192 MO AVG	309 DAILY MX	lb/d	******	有音音音音	******	204202		Twice Per Week	COMP24

NAME/TITLE PRI	ICIPAL E	XECUTIVE OFF	CER
Joe.Carney Engineerin	ig &	Maint	-

TYPED OR PRINTED

certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is. to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR **AUTHORIZED AGENT**

TELEPHONE DATE 10-13-12 684-644-4232 AREA Code NUMBER MM/DD/YYYY

STAR-KIST SAMOA, INC

ADDRESS: POBOX 368

PAGO PAGO, AS 96799

ACILITY: STAR-KIST SAMOA TUNA CANNERY

.OCATION: ATU'U, MAOPUTASI

PAGO PAGO, AS 96799 ATTN: MR. JOE CARNEY

IMPROPER OFFI THE PROPERTY OF FRIENDS AND A PROPERTY OF THE PR

DISCHARGE MONITORING REPORT (DMR)

AS0000019 PERMIT NUMBER

001-A DISCHARGE NUMBER

MONITORING PERIOD MM/DD/YYYY 7/1/2012

MM/DD/YYYY 7/31/2012

OMB No. 2040-0004

DMR Mailing ZIP CODE:

96799

MAJOR

DISCHARGE 001/MONTHLY

External Outfall

No Discharge

PARAMETER		QUA	NTITY OR LOADING			QUALITY OR CONC	ENTRATION		NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
	1-100	VALUE	VALUE	UNITS	VALUE	VALUE	VALUE	UNITS	1		
Oil and grease	SAMPLE MEASUREMENT	984.7	1082.0	-	चंच ्येक्षेत्र	49有效效金	教育教育企会	*****	0		
3582 1 0 Effluent Gross	PERMIT REQUIREMENT	1008 MO AVG	2520 DAILY MX	lb/d	992000	******	*****	*****		Weekly	GRAB
Flow, in conduit or thru treatment plant	SAMPLE MEASUREMENT	1.339231	1.700000		peebbs	经电影电影	*****	*****	0	,	
30050 1 0 Effluent Gross	PERMIT REQUIREMENT	Req. Mon. MO AVG	Req. Mon. DAILY MX	Mgal/d	*****	. +44444	*****	******		Continuous	METER

	I cartify under penalty of law that this document and all attachments were propered under my direction or aupervision in accordance with a system designed to assure that qualified personnel properly gether	,	TELEF	HONE	DATE	
Joe.Carney Engineering & Maint	Tand evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, securate, and complete. I on evere that there are significant penalties for submitting false information, including the possibility of fine and imprisonment by	SIGNA PORE OF PRINCIPAL EXECUTIVE OFFICER OR	684-64	4-4232	10-13-12	
TYPED OR PRINTED	Knowing violations.	AUTHORIZED AGENT	AREA Code	NUMBER	MM/DO/YYYY	

Wastewater Summary Report for the month of July 2012

	1 /2				Max			Oil &	Grease	T	ss	T	P	-	TN	Total		BOD5	
	Production	Flow	Alum	Poly	Temp	pH L	imits	Eff	Total	Eff	Total	Eff	Total	Eff	Total	Ammo	nia	Eff	Total
Date	Tons	mgd	#/day	#/day	F	Lo	Hi	mg/l	#/day	mg/l	#/day	mg/l	#/day	mg/l	#/day	Eff mg/L	#/day	mg/l	#/day
1	Tour !	0.100000	31.8	8.0	80	7.0	7.0										-		
2	392.8817	1.340000	710.2	16.8	80	7.0	7.0												
3	423.4238	1.240000	667.8	16.8	80	7.0	7.0	99.3	1024.0	272.7	2812.0	5.7	58.8	75.0	773.4	52.9	545.5	279.2	2879.1
4	438.7304	1.500000	779.1	20.0	80	7.0	7.0					7.2	89.8	82.0	1022.9			2.0.2	20.0
5	388.0876	1.690000	535.3	14.2	80	7.0	7.0	-									4		
6	421.5050	1.510000	436.6	10.9	80	7.0	7.0												
7	408.3661	1.280000	413.4	10.0	80	7.0	7.0											_	
8		0.900000	286.2	7.3	82	7.0	7.0							-		1.			
9	386.9174	1.380000	636.0	15.9	80	7.0	7.1												
10	432.6830	1.340000	726.1	18.6	80	7.0	7.0	97.1	1082.0	216.0	2407.0	6.8	75.8	76.0	846.9	62.4	695.4	239.7	2671,1
11	427.5987	1.370000	588.3	13.3	80	7.0	7.0	-				6.6	75.2	83.0	945.6	02.1	000.4	200.1	2071.1
12	414.4326	1.560000	519.4	12.7	80	7.0	7.0							00.0	040.0				
13	419.1640	1.250000	408.1	8.5	80	7.0	7.0												
14								-											
16	405.2445	1.360000	482.3	11.0	80	7.0	7.0				-								
17	420.9512	1.330000	747.3	19.3	80	7.0	7.0	79.9	883.7	254.7	2817.1	11.4	126,1	86.0	951.2	60.8	672.5	273.1	3020.6
18	428.3702	1.700000	795.0	17.9	80	7.0	7.0				•	6.9	97.5	78.0	1102.7	1	0.2.0	2.0.1	0020.0
19	407.7828	1.620000	503.5	12.1	80	7.0	7.0												
20	403.9168	1.460000	572.4	13.8	80	7.0	7.1												
21				-															
22																			
23	363.2459	1.050000	153.7	4.4	80	7.0	7.0												
24	342.1337	1.180000	731.4	18.2	80	7.0	7.1	96.7	948.9	199.3	1955.7	10.3	101,1	99.0	971.5	46.5	456.3	238.9	2344.3
25	363.0318	1.490000	842.7	19.7	80	7.0	7.1	1				8.6	106.6	85.0	1053.2	40.5	430.3	230.9	2344.3
26	423.8483	1.490000	498.2	11.4	80	7.1	7.1					0.0	100.0	00.0	1000,2				
27	423.2038	1.620000	689.0	16.6	80	7.0	7.1												
28	395.3021	1.500000	392.2	9.9	80	7.0	7.1		1.										
29						.,.													
30	401.8434	1.090000	408.1	9.3	80	7.0	7.1	-											
31	419.8793	1.470000	784.4	19.0	80	7.0	7.1												
TOT	9752.5441	34.820000	14338.5	348.4	30	1,0	1		3938.6		9991.8		730.8		7667 4		22000		10015
AVG	406.3560	1.339231	551.5	13.4	82			93.3	984.7	235.7	2498.0	7.9	91.4	83.0	7667.4 958.4	55.7	2369.6 592.4	257.7	10915.0 2728.8

4

VAME:

STAR-KIST SAMOA, INC

ADDRESS: POBOX 368

PAGO PAGO, AS 96799

*ACILITY: STAR-KIST SAMOA TUNA CANNERY

.OCATION: ATU'U, MAOPUTASI

PAGO PAGO, AS 96799

ATTN: MR. JOE CARNEY

INATIONAL PULLUTANT DISCHARGE ELIMINATION STOLEN IN DEST

DISCHARGE MONITORING REPORT (DMR)

AS0000019 PERMIT NUMBER

001-A DISCHARGE NUMBER

MONITORING PERIOD MM/DD/YYYY 8/1/2012

MW/DD/YYYY 8/31/2012

OMB No. 2040-0004

DMR Mailing ZIP CODE:

96799

MAJOR

DISCHARGE 001/MONTHLY

External Outfall

No Discharge

PARAMETER		QUA	NTITY OR LOADING			QUALITY OR CON	CENTRATION		NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		VALUE	VALUE	UNITS	VALUE	VALUE	VALUE	UNITS			
emperature, water deg. fahrenheit	SAMPLE MEASUREMENT	a \$ 17 \$ 2 \$ \$	******	*****	*****	80	80		0		
00011 1 0 Effluent Gross	PERMIT REQUIREMENT	opitati	no de de la constante de la co	*****	*****	90 30DA AVG	95 DAILY MX	deg F		Continuous	CONTIN
3OD, 5-day, 20 deg. C	SAMPLE MEASUREMENT	*****	*****	400894	******	361.2	454.7		0		
00310 1 0 Effluent Gross	PERMIT REQUIREMENT	*****	escou	****	020488	Req. Mon. MO AVG	Req. Mon. DAILY MX	mg/L		Weekly	COMP24
Н	SAMPLE MEASUREMENT	*****	*****	*****	7.0	外壳在油油水	7.1		0		
00400 1 0 Effluent Gross	PERMIT REQUIREMENT	*****	*****	*****	6.5 MINIMUM	*****	8.6 MAXIMUM	SU		Continuous	CONTIN
Solids, total suspended	SAMPLE MEASUREMENT	3550.8	7485.5		****	*****	*****	*****	0		
00530 1 0 Effluent Gross	PERMIT REQUIREMENT	3960 MO AVG	9960 DAILY MX	lb/d	20724	*46401	****	*****		Weekly	COMP24
vitrogen, total	SAMPLE MEASUREMENT	1197.0	1907.3		*****	*****	*****	*****	0		
10600 1 0 Effluent Gross	PERMIT REQUIREMENT	1200 MO AVG	2100 DAILY MX	lb/d	400000	202500	******	******		Twice Per Week	COMP24
vitrogen, ammonia total (as N)	SAMPLE MEASUREMENT	865.2	1273.5		****	74.2	91.7		0		·
0610 1 0 Effluent Gross	PERMIT REQUIREMENT	2016 MO AVG	4045 DAILY MX	lb/d	******	83.36 30DA AVG	167.26 DAILY MX	mg/i.		Weekly	COMP24
hosphorus, total (as P)	SAMPLE MEASUREMENT	148.9	259.7		******	448424	**************************************	*****	0		
20665 1 0 Effluent Gross	PERMIT REQUIREMENT	192 MO AVG	309 DAILY MX	lb/d	******	460000	ohenne	*****	1	Twice Per Week	COMP2

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER Joe, Carney Engineering & Maint TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my detection or supervision in accordance with a system designed to assure that quantified presented penalty against hard evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons detectly responsible for gathering the leformation, the information submitted is, to the best of my knowledge and before, true, accounts, and complete. I am evance that those are significant penalties for submitting false information, including the possibility of fine and imprisonment for

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR **AUTHORIZED AGENT**

TELEPHONE DATE 84-644-4232 10-13-12 AREA Code NUMBER MM/DD/YYYY

NAME:

STAR-KIST SAMOA, INC

ADDRESS: POBOX 368

PAGO PAGO, AS 96799

ACILITY: STAR-KIST SAMOA TUNA CANNERY

OCATION: ATU'U, MAOPUTASI
PAGO PAGO, AS 96799

ATTN: MR. JOE CARNEY

DISCHARGE MONITORING REPORT (DMR)

001-A

MM/DD/YYYY

PERMIT NUMBER DISCHARGE NUMBER

MONITORING PERIOD

AS0000019

8/1/2012 8/31/2012

OMB No. 2040-0004

DMR Mailing ZIP CODE:

96799

MAJOR

DISCHARGE 001/MONTHLY

External Outfall

No Discharge

PARAMETER		QUAI	NTITY OR LOADING			QUALITY OR CONC	ENTRATION		NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		VALUE	VALUE	UNITS	VALUE	VALUE	VALUE	UNITS			
Oil and grease	SAMPLE MEASUREMENT	1007.4	1198.5		****	新市代表金名	******	*****	0	4	
13582 1 0 Effluent Gross	PERMIT REQUIREMENT	1008 MO AVG	2520 DAILY MX	lb/d	44440	698206	######################################	*****		Weekly	GRAB
low, in conduit or thru treatment plant	SAMPLE MEASUREMENT	1.455000	1.740000		安全证明各 集	物情情學自知	*****	新春香草香	0		
i0050 1 0 Effluent Gross	PERMIT REQUIREMENT	Req. Mon. MO AVG	Req. Mon. DAILY MX	Mgal/d	trott	4pegás	864668	化化物物物		Continuous	METER

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

Joe.Carney
Engineering & Maint
TYPED OR PRINTED

It certify under panely of law that Inis document and all attachments were prepared under my direction or supervision in acceptance with a system designed to assure that qualified personnel property gather rand evaluate the Information submitted. Based on my inquisity of the person or persons who manage the system, or those persons directly responsible for gathering the Information, the Information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am evise that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE

84-644-4232

AREA Code NUMBER

13-73-72 MM/DD/YYYY

DATE

					Max			Oil &	Grease	Т	SS	1	ГР	1	TN .	To	tal		BOD5
Date	Production Tons	Flow	Alum #/day	Poly #/day	Temp	pH L	imits Hi	Eff mg/l	Total #/day	Eff	Total	Eff	Total	Eff	Total		nonia	Eff	Total
1	452,2158	1.220000	24732.1	17.8	80	7.0	7.1	95.6	969.9	mg/l 269.3	#/day 2732.2	mg/l 9.8	#/day 99.4	mg/l	#/day	Eff mg/L	#/day	mg/L	#/day
2	463.8433	1.590000	593.6	13.5	80	7.0	7.0	35.0	309.5	209.5	2132.2	7.8	103.1	94.0	953.7	66.7	676.7	374.3	3797.5
3	469.7151	1.670000	519.4	12.3	80	7.0	7.0					7.0	103.1	79.0	1044.6				
4	412.6168	1.490000	397.5	10.4	80	7.0	7.1											and the second	
5					00	1.0	1										- 2		
6	436.5309	1.320000	461.1	11.0	80	7.0	7.0												
7	427.9103	1.300000	891,4	20.7	80	7.0	7.1	85.9	928.6	205.3	2219.5	8.9	96.2	84.0	908.1	69.8	754.6	256.2	2054.0
8	451.3871	1.680000	630.7	15.1	.80	7.0	7.1	00.0	020.0	200.0	2210.0	7.5	104.8	79.0	1103.7	09.0	754.6	356.3	3851.9
9	422.1110	1.740000	630.7	15.7	80	7.0	7.0					1.0	104.0	13.0	1103.7				
10	429.9909	1.330000	360.4	8.5	80	7.0	7.0	1970											
11					-	- 11	1									1			
12																			
13	406.7096	0.860000	376.3	8.9	80	7.0	7.1												
14	438.7413	1.180000	429.3	10.2	80	7.0	7.1	91.8	900.8	206.0	2021.5	9.1	89.3	95.0	932.2	72.4	710.5	391.3	3839.8
15	431.6429	1.640000	805.6	21.0	80	7.0	7.1		000.0		2021.0	8.0	109.1	82.0	1118.3	12.4	710.5	391.3	3039.0
16	433.9068	1.630000	673.1	16.5	80	7.1	7.1					0.0	100.1	- 02.0	1110.0				
17	440.9975	1.520000	429.3	10.4	80	7.0	7.1	-											
18	415.7049	1.010000	3841.6	9.6	80	7.0	7.1												
19							1									1.0			
20	416.7645	1.200000	625.4	16.2	80	7.0	7.1							27					
21	402.6349	1.560000	842.7	20.3	80	7.0	7.0	80.1	1039.1	254.0	3295.1	13.3	172.5	93.0	1206.5	70.2	910.7	229,4	2076
22	427.5687	1.740000	757.9	20.2	80	7.0	7.1			201.0	0200.1	15.2	219.9	79.0	1143.1	70.2	910.7	229.4	2976.0
23	413.3802	1.690000	673.1	19.0	80	7.0	7.1					10.2	219,9	13.0	1140.1				
24	415.8138	1.610000	508.8	12.5	80	7.0	7.0												
25		0.540000	227.9	4.9	80	7.0	7.0												
26						1,10	1.0					OT .							
27	403.9613	1.030000	651.9	14.7	80	7.0	7.0												
28	403.1611	1.670000	795.0	18.3	80	7.0	7.0	86.3	1198.5	539.0	7485.5	18.7	259.7	119.0	1852 6	017	1070 5	4547	0044
29	429.9492	1.650000	773.8	20.3	80	7.0	7.0	00.0	1130.0	333.0	1400.0	17,1	234.6		1652.6	91.7	1273.5	454.7	6314.7
30	446.5917	1.590000	805.6	18.6	80	7.0	7.0					17,1	234.0	139.0	1907.3				
31	446.5450	1.660000	795.0	20.3	80	7.0	7.0						-						
тот	10740.3946	37.120000	43229.2	386.9		1.0	7.0		5037.0		17753.7		1488.8		11070 1		4220.0		00770
AVG	429.6158	1.455000	2111.0	14.4	80			87.9	1007.4	294.7	3550.8	11.5	1488.9	94.3	11970.1	74.2	4326.0 865.2	361.2	20779. 4156.0

JAME: STAR-KIST SAMOA, INC.

ADDRESS: P O BOX 368

PAGO PAGO, AS 96799

'ACILITY: STAR-KIST SAMOA TUNA CANNERY

.OCATION: ATU'U, MAOPUTASI

PAGO PAGO, AS 96799

ATTN: MR. JOE CARNEY

NATIONAL PULLUTANT DISCHARGE ELIMINATION STOTEM (ISPUES) DISCHARGE MONITORING REPORT (DMR)

AS0000019 PERMIT NUMBER

001-A DISCHARGE NUMBER

MONITORING PERIOD MM/DD/YYYY 9/1/2012

MM/DD/YYYY 9/30/2012

OMB No. 2040-0004

DMR Mailing ZIP CODE:

96799

MAJOR

DISCHARGE 001/MONTHLY

External Outfall

No Discharge

PARAMETER		QUAI	NTITY OR LOADING			QUALITY OR CONC	ENTRATION		NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		VALUE	VALUE	UNITS	VALUE	VALUE	VALUE	UNITS			
emperature, water deg. fahrenheit	SAMPLE MEASUREMENT	*****	*****	491248	ANDERD	81	. 82		0	1	
0011 1 0 ffluent Gross	PERMIT REQUIREMENT	toress	******	246254	A # 0 P 0 0	90 30DA AVG	95 DAILY MX	deg F		Continuous	CONTIN
SOD, 5-day, 20 deg. C	SAMPLE MEASUREMENT	****	*****	468964	****	595.8	666.7		0	,	
0310 1 0 Effluent Gross	PERMIT REQUIREMENT	409464	266400	*****	*****	Req. Mon. MO AVG	Req. Mon. DAILY MX	mg/L		Weekly	COMP24
oH .	SAMPLE MEASUREMENT	******	****	201142	7.0	******	7.1		0		
00400 1 0 Effluent Gross	PERMIT REQUIREMENT	*****	derick	金物条件条件	6.5 MINIMUM	404900	8.6 MAXIMUM	SU		Continuous	CONTIN
Solids, total suspended	SAMPLE MEASUREMENT	3254.4	5598.1		有业业政协会	南大会会为 年	有品有金金金	*****	0		
00530 1 0 Effluent Gross	PERMIT REQUIREMENT	3960 MO AVG	9960 DAILY MX	· lb/d	*****	piches	46444	045000		Weekly	COMP24
vitrogen, total	SAMPLE MEASUREMENT	1162.1	1383.8		***	*****	中位的会会	*****	0		
0600 1 0 Effluent Gross	PERMIT REQUIREMENT	1200 MO AVG	2100 DAILY MX	lb/d	24444	40000	*****	949489		Twice Per Week	COMP24
vitrogen, ammonia total (as N)	SAMPLE MEASUREMENT	1118.4	1151.5		物分析的由地	82.6	91.7		0		-
00610 1 0 Effluent Gross	PERMIT REQUIREMENT	2016 MO AVG	4045 DAILY MX	lb/d	******	83.36 30DA AVG	187.26 DAILY MX	mg/L		Weekiy	COMP24
hosphorus, total (as P)	SAMPLE MEASUREMENT	183.0	247.3		*****	****	与企业实验	******	0		
10665 1 0 Effluent Gross	PERMIT REQUIREMENT	192 MO AVG	309 DAILY MX	lb/d	******	*****	455546	нанама		Twice Per Week	COMP24

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER Joe. Carney Engineering & Maint TYPED OR PRINTED

supervision in accordance with a system designed to assure that qualified personnel property gather and evaluate the information submitted. Based on my inquiry of the person or parsons who manage the system, or those persons directly responsible for gathoring the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for wing violations

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR **AUTHORIZED AGENT**

684-644-4232 Corste AREA Code

NUMBER MM/DD/YYYY

NAME: ST.

STAR-KIST SAMOA, INC

ADDRESS: POBOX 368

PAGO PAGO, AS 96799

FACILITY: STAR-KIST SAMOA TUNA CANNERY

LOCATION: ATU'U, MAOPUTASI

PAGO PAGO, AS 96799

ATTN: MR. JOE CARNEY

NATIONAL PULLUTANT DISCHARGE ELIMINATION STOLEM (NEDES)

DISCHARGE MONITORING REPORT (DMR)

AS0000019 PERMIT NUMBER 001-A
DISCHARGE NUMBER

9/30/2012

MONITORING PERIOD

MM/DD/YYYY MM/DD/YYYY

9/1/2012

OMB No. 2040-0004

DMR Mailing ZIP CODE:

96799

MAJOR

DISCHARGE 001/MONTHLY

External Outfall

No Discharge

PARAMETER		QUA	NTITY OR LOADING			QUALITY OR CONC	ENTRATION		NO. EX	FREQUENÇY OF ANALYSIS	SAMPLE
		VALUE	VALUE	UNITS	VALUE	VALUE	VALUE	UNITS			
Oil and grease	SAMPLE MEASUREMENT	999.0	1154.0		电管交电电路	454555	446567	****	0		
13582 1 0 Effluent Gross	PERMIT REQUIREMENT	1008 MO AVG	2520 DAILY MX	lb/d	404504	******	205500	- 844448		Weeldy	GRA8
low, in conduit or thru treatment plant	SAMPLE MEASUREMENT	1.320385	1.680000		\$1616A	******	*****	neets	0		
30050 1 0 Effluent Gross	PERMIT REQUIREMENT	Req. Mon. MO AVG	Req. Mon. DAILY MX	Mgal/d	*****	******	pachek	449449		Continuous	METER

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	i certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel property gather		TELEI	PHONE	DATE
	"and evaluate the Information submittad. Based on my inquiry of the person or persons with manage the system, or those persons directly responsible for gallboring the information, me information submitted is, tig this best of my knowledge and holled, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of line and imprisonment for		84-64	4-4232	10-13-12
TYPED OR PRINTED	knowing violations	AUTHORIZED AGENT	AREA Code	NUMBER	MM/DD/YYYY

Wastewater Summary Report for the month of September 2012

					Max			Oil &C	Grease	T	SS	T	P		TN		Total	ВС	DD5
	Production	Flow	Alum	Poly	Temp	pH Li	mits	Eff	Total	Eff	Total	Eff	Total	Eff	Total	Am	monia	Eff	Total
Date	TONS	mgd	#/day	#/day	F	Lo	Hi	mg/l	#/day	mg/l	#/day	mg/l	#/day	mg/l	#/day	Eff mg/L	#/day	mg/L	mg/l
1 2	420.5035	1.490000	699.6	16.9	80	7.0	7.0												
3																	-		
4	439.2742	1.480000	773.8	18.5	80	7.0	7.0							-		- III-			
5	439.3092	1.680000	816.2	19.5	80	7.0	7.1	82.6	1154.0	400.7	5598.1	17.7	247.3	95.0	1327.2	79.5	1110.7	515.8	7206.2
8	435.0748	1.600000	704.9	17.6	80	7.0	7.1					16.3	216.9	104.0	1383.8				
7	443.3911	1.670000	784.4	18.8	80	7.0	7.1												
8	420.4191	1.280000	736.7	16.9	80	7.0	7.0												
9		0.220000	111.3	2.5	82	7.0	7.0				-								
10	432.2303	1.180000	418.7	10.0	82	7.0	7.0		-										
11	437.2199	1.420000	784.4	18.8	80	7.0	7.0	91.4	1079.3	266.7	3149.4	19.1	225.5	100.0	1180.9	90.0	1062.8	571.0	6742.8
12	433.0196	1.520000	731.4	17.6	80	7.0	7.0					18.3	231.3	107.0	1352.5				
13	446.4034	1.610000	752.6	20.2	80	7.0	7.0												
14	427.0357	1.240000	408.1	9.3	80	7.0	7.0												
15																			
16											-								
17	445.0064	1.210000	556.5	13.3	80	. 7.0	7.0				1								
18	439.7419	1.550000	821.5	20.2	80	7.0	7.1									-			
19	443.0418	1.510000	837.4	20.2	80	7.0	7.0	72.2	906.6	176.7	2218.9	15.1	189.6	99.0	1243.2	91.7	1151.5	666.7	8371.9
20	443.3707	1.480000	848.0	19.9	80	7.0	7.0					11.9	146.5	87.0	1070.8				
21	447.8844	1.540000	752.6	17.5	82	7.0	7.0												
22	443.5671	1.190000	572.4	14.0	82	7.0	7.0												
23		0.540000	174.9	4.2	80	7.0	7.0												
24	419.1704	1.030000	503.5	11.6	80	7.0	7.1									1			
25	441.6751	1.440000	810.9	20.3	80	7.0	7.1	71.5	856.2	171.3	2051.3	9.1	109.0	81.0	970.0	69.2	828.7	629.6	7539.
26	442.9824	1.400000	625.4	15.2	80	7.0	7.1					8.4	97.8	66.0	768.4	00.2	020.7	023.0	7000.
27	419.3863	1.580000	816.2	19.6	80	7.0	7.1					-,,	07.0	00.0	, 50.4				
28	427.7969	1.560000	588.3	13.5	80	7.0	7.1												
29	428.7136	1.310000	524.7	13.4	80	7.0	7.1			-									
30	12.0.7100	0.600000	360.4	8.7	80	7.0	7.1												
тот	10016.2178	34.330000	16514.8	398.2	- 50	7,0.			3996.2		13017.7		1463.9		9296.7		4153.6		29860
AVG	435.4921	1.320385	635.2	15.3	81			83.4	999.0	253.9	3254.4	17.9	183.0	116.8	1162.1	82.6	1038.4	595.8	7465.



RE: Waste water treatment process and status of future need for ocean disposal site - additional follow up questions

Carney, Joe

to:

Allan Ota

01/10/2013 01:24 PM

Hide Details

From: "Carney, Joe" < Joe. Carney@StarKist.com>

To: Allan Ota/R9/USEPA/US@EPA,

2 Attachments





new treatment plant.pdf NPDES for JulyAugust and September 2012.pdf

Hi Allen

I will try and answer your questions with a better description.

- 1. The plant originally had two waste disposal operations the Ocean dumping and the waste water treatment plant (DAF) outfall line under our NPDES permit. What we called high strength waste was Ocean dumped only because the nitrogen levels were too high to process through the DAF we could not meet our NPDES permit limits for Nitrogen this stream originally consisted of pre-cooker water, fish meal press water (the water from the press after the oil is removed) and the DAF sludge. The DAF processes all of our process water everything in the plant other than the stream mentioned for Ocean disposal and Sanitary sewer (bathrooms, Cafeteria etc) they go to the city sewer system.
- The new treatment system for what used to be Ocean Disposed is a Clarifier system where the solids settle to the bottom of the clarifier and are pumped out as a slurry the clear water from the top of the system is then blended in the DAF with the other waste stream. Let me go step by step on the new system.
 - The pre-cooker water and press liquid are pumped to the original holding tank just prior to the stream entering the tank we are injecting Magnesium Hydroxide (30% solution at 3 gallons per minute) into the stream this starts the flocking process. We then pump out of the tank and add in a polymer (1to2 PPM) to bind the flock together and this goes to a flock tank from the flock tank the stream goes into the clarifier in the clarifier the solids are all pulled together and settle to the bottom of the system. The solids slurry is pumped to a small holding tank and then pumped to the fishmeal plant for dewatering and blending back into the fish meal. The clear water from the top of the clarifier is gravity fed to another holding tank were we inject a Bromine solution the Bromine neutralizes the remaining nitrogen that is in the water. This is then pumped to the center of the DAF and processed with the rest of the normal waste water. The DAF flow ranges from 1200 to 1500 gallons per minute and the new system runs at 85 gallons per minute so we are blending a very small stream into a large stream. Both systems run at the same time we do not run the new system if the DAF is not running. The DAF sludge (solids Slurry) that used to be included in the Ocean disposal is now ran through a decanter where all of the water is removed this stream as a liquid used to be 12 to 15 thousand gallons a day now as a solid it is app. 2000 pounds per day and is disposed of at the local landfill. The total waste stream that used to be Ocean dumped was between 85,000 and 120,000 gallons per day we now have only the 2000 pounds going to the landfill.
- 3. I have attached a drawing of the new system for you. All of our waste is treated. Please note where it says Chlorine injection on the drawing it is actually Bromine we do not use chlorine.
- 4. I have attached our last quarterly DMRs they have the Permit Limits on them and our actual levels.
- 5. Production is up by about 30 to 40 tons per day from when we Ocean disposed of this.
- 6. As Far as waste generated we have eliminated Ocean Dumping there is an increase in the DAF flow by

- 85 to 120 thousand gallons per day we are Permitted to run 2.9 million gallons a day and run between 1.4 and 1.8 million depending on how much it rains.
- 7. On the solids removed from the clarifier it is between 5 and 7 percent solids so it is some were between 40 and 60 thousand pounds per day we are removing from the original stream and putting back into fish meal. This used to go into the Ocean when we Ocean disposed of this along with the DAF sludge that goes to the Landfill 2000 pounds of Solids.

Just a little history on this I started looking for a way to eliminate Ocean Dumping shortly after I started working here back in 1997 there were other options but they were cost prohibitive millions of dollars of capital. In 2000 with the permission of USEPA region 9 we ran test with the high strength running it straight through the DAF with our other waste stream we were able to meet all NPDES permit limits except for nitrogen we could not get the nitrogen levels low enough so I kept looking and again everything was to high of a cost then after Samoa packing closed we had to take on the full cost of the vessel instead of paying 50% we had to pay 100% doubling our cost of disposal then I started looking again and this is what we came up with knowing that the nitrogen was the critical item we needed to address the Clarifier and Bromine system was the best option and it was cost effective from a capital standpoint .

I hope this answers your questions if you have any more please let me know If you want we can discuss this on the phone.

Thanks Joe

From: Ota.Allan@epamail.epa.gov [mailto:Ota.Allan@epamail.epa.gov]

Sent: Wednesday, January 09, 2013 7:14 AM

To: Carney, Joe

Subject: Fw: Waste water treatment process and status of future need for ocean disposal site - additional follow

up questions

Hi, Joe.

I am just checking in with you to see if you have answers and additional information for me (below). I need to submit a "success story" update to my headquarters contact by next week.

Thank you for your assistance with this,

Allan

Allan Ota
Oceanographer / Regional Ocean Dumping Program Coordinator
Dredging and Sediment Management Team (WTR-8)
U.S. Environmental Protection Agency, Region 9
75 Hawthorne Street

San Francisco, CA 94105

415-972-3476 office 415-947-3537 fax ota.allan@epa.gov

---- Forwarded by Allan Ota/R9/USEPA/US on 01/09/2013 10:10 AM -----

From: Allan Ota/R9/USEPA/US

To: "Carney, Joe" <Joe.Carney@StarKist.com>,

Date: 12/14/2012 12:06 PM

Subject:

RE: Waste water treatment process and status of future need for ocean disposal site - additional follow up questions

Hi, Joe.

Thank you for the information. I guess I need a few more details, as they come to mind at the moment.

1. Just to be clear in my mind, it would be good to be explicit about the three waste streams that are generated from the overall fish processing. It sounds like the DAF not treated initially, but you mention the treated waste stream being "blended" back into the DAF and then there is a DAF treatment. So, I am not clear on what may be going through the "new" treatment system and what may be going through another "regular" (?) treatment process.

- 2. If you can provide a graphic (process flow chart), that would be helpful, but at least please clarify what happens to each waste stream (i.e., what is treated, and what may/is not be treated).
- 3. Also, what are the NPDES limits (the parameters) that are being met? I am not familiar with the permit, so having that information on what parameters are being met would be helpful.
- 4. Finally, how does overall production compare between when you had ocean disposal option and now with the new treatment process, that is, are you at the same production rate as before or is it reduced at the moment?
- 5. In terms of waste stream generated, is the overall waste stream volume reduced, relative to the solid portion removed?
- 6. Also, what is the volume or weight of solid waste removed (or recycled, as fish meal?)? I ask this because any kind of recycling (i.e., fish meal) for beneficial purposes is considered a great thing for EPA.

If I have other questions to follow up, I'll get back to you. Thank you for your attention to this. Best regards,

Allan

Allan Ota

Oceanographer / Regional Ocean Dumping Program Coordinator Dredging and Sediment Management Team (WTR-8) U.S. Environmental Protection Agency, Region 9 75 Hawthorne Street San Francisco, CA 94105

415-972-3476 office 415-947-3537 fax ota.allan@epa.gov

From: "Carney, Joe" < Joe. Carney@StarKist.com>

To: Allan Ota/R9/USEPA/US@EPA, "Carney, Joe" < Joe. Carney@StarKist.com>,

Date: 12/14/2012 10:37 AM

Subject: RE: Waste water treatment process and status of future need for ocean disposal site

Hi Allen

What we are using is a basic clarifier system to capture and settle the solids.

The system works as follows

The waste stream is pumped to the original tank as the stream enters the tank we are injecting Magnesium Hydroxide into it at a rate of 3 gallons per minute this is to raise the PH and start a flock.

We then pump from the tank and inject a polymer into the stream 2 PPM and run it through an inline blender the stream then goes to a small flock tank, From the flock tank it goes to the main clarifier tank were the fine solids are settled out. The solids slurry is then pumped to a holding tank and pumped back to the fish meal plant where it is ran through a special small screw press the solids from this press are added back to the fish meal the liquid is pumped back to the tank for retreatment. The clear liquid from the top of the clarifier goes to another holding tank were a Bromine solution is added into the stream to neutralize the remaining nitrogen and phosphorus it is then pumped to the DAF and is blended with our normal waste water stream treated and after DAF treatment pumped out the outfall line.

We are meeting all of our NPDES Permit limits with this system.

The flow rate on the treatment system is around 80 gallons per minute it is a very small part of our current 1,200 to 1,500 gallon per minute DAF flow rate.

Please let me know if you need anything else.

Joe

From: Ota.Allan@epamail.epa.gov [mailto:Ota.Allan@epamail.epa.gov]

Sent: Wednesday, December 12, 2012 10:40 AM

To: Carney, Joe

Subject: RE: Waste water treatment process and status of future need for ocean disposal site

Thank you, Joe! This will be very helpful for meeting a headquarters request.

Best regards,

Allan

Allan Ota
Oceanographer / Regional Ocean Dumping Program Coordinator
Dredging and Sediment Management Team (WTR-8)
U.S. Environmental Protection Agency, Region 9
75 Hawthorne Street

San Francisco, CA 94105

415-972-3476 office 415-947-3537 fax ota.allan@epa.gov

From: "Carney, Joe" < Joe. Carney@StarKist.com>

To: Allan Ota/R9/USEPA/US@EPA,
Date: 12/12/2012 12:42 PM

Subject: RE: Waste water treatment process and status of future need for ocean disposal site

Allen I will get this to you Thanks Joe

From: Ota.Allan@epamail.epa.gov [mailto:Ota.Allan@epamail.epa.gov]

Sent: Wednesday, December 12, 2012 9:22 AM

To: Carney, Joe

Subject: RE: Waste water treatment process and status of future need for ocean disposal site

Hi, Joe.

I have been asked by our headquarters to provide a success story for our Ocean Dumping program. Apparently, one of our headquarters staff was out in American Samoa, toured the facility, and heard about the new fishwaste processing system, eliminating the need for ocean disposal. Not a lot of details were given on the tour, and the assumption was that I was fully aware of details of this new system. When I asked you about the status of the new processing system, you had indicated that you had discussed this with me. I don't recall getting any details directly and the only message I could find, dating back to the summer had this quote from you (June 26, 2012 e-mail): "We have the new system on line and it is working very well. We have been running it for over two weeks and we are well below our NPDES Permit limits on all counts." So, basically, I don't know anything about this treatment process, such that I could provide a success story to our headquarters.

I am requesting more details from you so I can prepare a success story for our headquarters. Specifically, please provide a description of the system (i.e., what is this system called and how the treatment process works, as far as breaking down the waste such that it can be discharged into the harbor), volumes being processed, and some summary details of how the waste meets the appropriate water quality standards or permit limits. Any industry-type fact sheet(s) would also be helpful.

I am on a relatively short time frame for this (end-of-year reporting for our program), so hopefully you have some readily available information that you can send me.

Thank you for your attention to this.

Best regards,

Allan

Allan Ota

Oceanographer / Regional Ocean Dumping Program Coordinator Dredging and Sediment Management Team (WTR-8) U.S. Environmental Protection Agency, Region 9 75 Hawthorne Street San Francisco, CA 94105

415-972-3476 office

415-9/2-34/6 office 415-947-3537 fax ota.allan@epa.gov

From: "Carney, Joe" < Joe. Carney@StarKist.com>

To: Allan Ota/R9/USEPA/US@EPA,

Date: 12/05/2012 10:35 AM

Subject: RE: Waste water treatment process and status of future need for ocean disposal site

Allen

As discussed with you on an earlier email.

The processing system is running very well and e are meeting all of our NPDES limits with the new system in place.

The vessel is no longer used.

I am not sure of its location I HEARD IT WAS GOING BACK TO Seattle WA.

Thanks Joe

From: Ota.Allan@epamail.epa.gov [mailto:Ota.Allan@epamail.epa.gov]

Sent: Wednesday, December 05, 2012 6:33 AM

To: Carney, Joe

Subject: Waste water treatment process and status of future need for ocean disposal site

Hi. Joe.

I've heard rumors about a new waste water treatment process, which is intended to eliminate the need for using the fishwaste ocean disposal site. How is that coming along? And will the other cannery be using this as well? Lastly, with the ocean disposal tracking system on its way back to SAIC on the East Coast, is the disposal vessel no longer operating in American Samoa, and gone to some other location?

Thank you for your attention to this,

Allan

Allan Ota

Oceanographer / Regional Ocean Dumping Program Coordinator Dredging and Sediment Management Team (WTR-8) U.S. Environmental Protection Agency, Region 9 75 Hawthorne Street

San Francisco, CA 94105

415-972-3476 office 415-947-3537 fax ota.allan@epa.gov

From: "Carney, Joe" < Joe. Carney@StarKist.com>

Allan Ota/R9/USEPA/US@EPA. To:

"Butler, Brett" < Brett. Butler@StarKist.com>, "Neligan, Richard" < Richard. Neligan@StarKist.com>, "Pace, Stephen D." Cc:

<STEPHEN.D.PACE@saic.com> 06/27/2012 11:43 AM

RE: Re-installation of tracking equipment on the Blue Moon Subject:

Hi Allen

We will Monitor for July and that will be the last one. Just to be clear we do not need to send in the DMRs with no flow on

Can we make a decision on the permit When I get back from vacation I will contact you in August if that is ok. The plant next door is not processing anything at this time. I am not sure what they have planned for the future disposal when they do start back up.

Please Let me know if you need anything else. Or need a contact for next door.

Thanks Again Joe

From: Allan Ota [mailto:Ota.Allan@epamail.epa.gov]

Sent: Wednesday, June 27, 2012 3:28 AM

To: Carney, Joe

Cc: Butler, Brett; Neligan, Richard; Pace, Stephen D.

Subject: RE: Re-installation of tracking equipment on the Blue Moon

No further ocean dumping reporting is required. In fact, we can terminate the ocean dumping permit. Do you know if the other cannery is also using the same system?

Allan Ota

Oceanographer / Regional Ocean Dumping Program Coordinator

Dredging and Sediment Management Team (WTR-8)

U.S. Environmental Protection Agency, Region 9

75 Hawthorne Street

San Francisco, CA 94105

415-972-3476 office 415-947-3537 fax

ota.allan@epa.gov

From:

"Carney, Joe" < Joe. Carney@StarKist.com>

To:

Allan Ota/R9/USEPA/US@EPA, "Pace, Stephen D." <STEPHEN.D.PACE@saic.com>,

Cc:

"Butler, Brett" <Brett.Butler@StarKist.com>, "Neligan, Richard" <Richard.Neligan@StarKist.com>

Date:

06/26/2012 07:30 PM

Subject:

RE: Re-installation of tracking equipment on the Blue Moon

Allen

We have the new system on line and it is working very well. We have been running it for over two weeks and we are well below our NPDES Permit limits on all counts.

My question is do we need to keep doing the Ocean Monitoring report we will do it in July even if there is no disposal but after July going forward do we keep doing the report and send it in with our DMR reports we will put NO FLOW on the DMR

Can you please advise us of what needs to be done.

Thanks Joe

From: Ota.Allan@epamail.epa.gov [mailto:Ota.Allan@epamail.epa.gov]

Sent: Wednesday, September 07, 2011 5:18 AM

To: Pace, Stephen D. Cc: Carney, Joe

Subject: RE: Re-installation of tracking equipment on the Blue Moon

I concur that installation should proceed. The data should be collected until the new system comes on line.

Allan Ota

Oceanographer / Regional Ocean Dumping Program Coordinator Dredging and Sediment Management Team (WTR-8) U.S. Environmental Protection Agency, Region 9

75 Hawthorne Street San Francisco, CA 94105

415-972-3476 office 415-947-3537 fax ota.allan@epa.gov

From: "Pace, Stephen D." <STEPHEN.D.PACE@saic.com>

To: "Carney, Joe" < Joe. Carney@StarKist.com>

Cc: Allan Ota/R9/USEPA/US@EPA

Date: 09/07/2011 05:52 AM

Subject: RE: Re-installation of tracking equipment on the Blue Moon

Hi, Joe

I believe we're going to proceed with the installation on board the Blue Moon, soon.

From: Carney, Joe [mailto:Joe.Carney@StarKist.com]

Sent: Tuesday, September 06, 2011 8:27 PM

To: Pace, Stephen D.

Cc: Ota.Allan@epamail.epa.gov

Subject: RE: Re-installation of tracking equipment on the Blue Moon

Hi

We are working on a project that would eliminate Ocean Dumping at the Starkist plant.

The new process will remove the solids, oil/grease. Nitrogen and phosphorus etc. from the waste stream we would then run the treated clean stream through our DAF and the outfall line covered under our NPDES permit we would stay well below the limits in the permit.

If this project goes through we would expect to have it in operation around Feb. or March 2012.

With this in mind you may want to wait to install the equipment on the vessel.

Please let me know your thoughts on this.

Thanks Joe

From: Pace, Stephen D. [mailto:STEPHEN.D.PACE@saic.com]

Sent: Tuesday, August 30, 2011 6:35 AM

To: Carney, Joe

Cc: Ota.Allan@epamail.epa.gov

Subject: Re-installation of tracking equipment on the Blue Moon

file://C:\Users\aota\AppData\Local\Temp\notes5524D1\~web1277.htm

Hi, Joe

I'm making plans to reinstall the tracking equipment on the Blue Moon the end of September. At this point, I'd fly into PPG Sept 26th, and have a few days to complete the installation and testing of the gear. Allan would also like me to provide some instruction on how to enter plant data into the web site.

How would this schedule work for you?

Thanks for your help,

Regards, Steve Pace

Fish Waste Disposal in the Pacific Region of the United States

A Permitting Case Study


28th Session of the London Convention Scientific Group
June 5-9, 2006
Dalian, China

Fishwaste Disposal in the Pacific Region of the United States

(Outline)

- Background and history of fishwaste disposal in American Samoa
- Studies conducted during period of initial ocean disposal of fishwaste
- Site designation of a permanent ocean disposal site
- Monitoring of fishwaste disposal operations

Tutuila Island (American Samoa) located over
 2,600 nautical miles S-SW of Hawaiian Islands



(Continued)

- Fish processing operations have existed since World War II
- US Navy installations converted into tuna processing facility as pilot project – funding from Rockefeller Foundation
- First commercial operations started in 1953
 (Van Camp Seafoods Chicken of the Sea)
- Second commercial operations started in 1963 (StarKist)

(Continued)

Currently.....



• Both canneries combine to produce about 2/3 of world market share of canned tuna

 Canneries employ the bulk of the available American Samoa work force



(Continued)

- Fishwastes discharged into Pago Pago Harbor until 1974 solids removed from waste stream
- Dissolved air flotation (DAF) processing installed in 1974-1975 to reduce organic loading to harbor
- DAF sludge disposed in landfill sites on island
 - Only feasible alternative at the time
 - Higher volumes of fishwaste

(Continued)

- Problems with land disposal
 - Transportation by truck through downtown and residential areas
 - Noxious odors (hydrogen sulfide)
 - Inadequate cover material lack of soil
 - Insects and vermin human health issues
- Land disposal facility shut down following deaths of a child and adult in sludge pond

Initial Ocean Disposal of Fish Wastes

- Government and public support in American Samoa for ocean disposal alternative
- EPA Region 9 issued 3-year interim permit for ocean disposal in 1979
 - Analysis of waste stream
 - Monitoring of ocean disposal operations
 - Field studies conducted in 1983
 - NOAA plume study 1986 report
 - Extension of interim permit

Initial Ocean Disposal of Fish Wastes (Continued)


- Interim site located about 2 nautical miles offshore
- Volumes from both canneries less than
 40,000 gallons per day (combined total)
- Disposal vessels typically made one trip per day
- Average of 7.2 million gallons per year from 1981-1988 (both canneries combined)

Designation of Permanent Ocean Disposal Site

- Series of research permits in 1986, 1987, and 1988
- Analysis of ocean disposal site alternatives
 - interim and deeper sites (2 and 4.5 nmi)
- Preferred alternative chosen by EPA Region 9
 - No expected adverse impacts to coastal resources, submerged resources, or harbor
 - Larger diameter to contain plume
 - Farther offshore, away from reef bank

Designation of Permanent Ocean Disposal Site

(continued)



- Current permits:
 - Each cannery is allowed to discharge up to 200,000 gallons per day
 - Combined annual maximum volume of 144 million gallons
 - Disposal site monitoring shows high rate of dilution to background within disposal site

(Continued)

- Canneries submit reports to EPA Region 9
 - Waste stream parameters
 - Volumes of combined fishwaste disposed at ocean disposal site
 - Tracking of transit and disposal operations
 - Disposal site monitoring of basic water quality parameters

(Continued)



Fishwaste discharged directly into prop wash

(Continued)

• Disposal vessel uses GPS tracking equipment with real time display and data logger to record transit and disposal operations



(Continued)

- Confirmatory studies in 1997-1998
 - Analysis of waste stream
 - Bioassays: exposures to waste stream
 - Plume modeling re-evaluation
- Confirmatory monitoring site visit in 2001
 - Observe and verify loading, transit and disposal operations
 - Independent GPS tracking and data collection

(Continued)


 Independent GPS tracking and data collection – portable equipment

 Data processed later in regional office and evaluated for compliance



(Continued)

Typical past and present disposal operations





Any Questions? EPA Ocean Dumping Program

Headquarters Contact:
Elizabeth Kim
202-566-1270
kim.elizabeth@epa.gov

Region 9 Contact:
Allan Ota
415-972-3476
ota.allan@epa.gov

Fish waste disposal in American Samoa

- Elimination of ocean disposal of "high strength" fish waste
- Removal of solids from waste stream
- Treatment and beneficial re-use: conversion of solid waste to fish meal
- Limited disposal at landfill site for solid waste not suitable for conversion
- Utilizes existing NPDES permit for discharge of treated waste water

